

CluMix: Clustering and Visualization of Mixed-Type Data

Manuela Hummel Dominic Edelmann
Annette Kopp-Schneider

September 19, 2017

Contents

1	Introduction	1
2	Mixed-Data Heatmap	2
3	Similarity Matrix Heatmap	3
4	Confounder Plot	4
5	Session Information	4

1 Introduction

In real data situations various factors of interest are measured on different scales, e.g. quantitative gene expression values and categorical clinical features like gender, disease stage etc. In many cases (pre-selected) gene expression data are visualized in heatmaps, while further patient characteristics are only added "informatively" on top. This can be visually quite confusing in case there are more than just a few such additional features. Also, it might be of interest to include clinical information in the process of clustering patients. Further, by standard heatmaps relationships between the quantitative features used for clustering and the information added on top are not explored explicitly. This package offers an integrative heatmap for data of mixed types to overcome those limitations of classical heatmaps.

In order to create a heatmap for variables measured on different scales, special similarity measures are necessary defining i) distances between subjects (e.g. patients) based on features of different types, and ii) distances between the different variables. Similarities between subjects are measured by Gower's general similarity coefficient [2] with an extension of Podani [4] for ordinal variables. Similarities between variables can be calculated in three ways: i) by combination of appropriate measures of association for different pairs of data types [3], ii) based on distance correlation [3], and iii) by the 'ClustOfVar' approach [1]. For i) and ii) standard hierarchical clustering is applied to the derived (dis)similarity matrices, with by default Ward's minimum variance method (corresponding to

method = "ward.D2" in `hclust`). The 'ClustOfVar' method provides its own clustering algorithm.

2 Mixed-Data Heatmap

We use a small simulated example dataset with quantitative, ordinal and categorical variables, that is included in the package for illustration.

```
> library(Clumix)
> data(mixdata)
> str(mixdata)

'data.frame':      40 obs. of  10 variables:
 $ X1.cat   : Factor w/ 3 levels "1","2","3": 3 1 3 2 3 2 2 3 1 3 ...
 $ X2.quant : num  0.465 -1.095 -0.699 4.208 1.394 ...
 $ X3.quant : num  -1.4703 1.3512 -0.0678 4.6036 -0.2339 ...
 $ X4.ord   : Ord.factor w/ 4 levels "1"<"2"<"3"<"4": 3 1 1 4 1 4 4 1 3 2 ...
 $ X5.ord   : Ord.factor w/ 5 levels "1"<"2"<"3"<"4"<...: 3 2 4 5 3 5 5 4 1 1 ...
 $ X6.quant : num  -3.47 -3.16 -3.51 -1.15 5.85 ...
 $ X7.quant : num  -4.2637 -4.5057 -3.4813 -0.0388 4.5707 ...
 $ X8.cat   : Factor w/ 3 levels "1","2","3": 1 1 1 3 2 3 3 2 3 2 ...
 $ X9.ord   : Ord.factor w/ 5 levels "1"<"2"<"3"<"4"<...: 2 2 1 3 4 3 3 5 1 5 ...
 $ X10.quant: num  1.478 0.407 1.716 0.355 -1.555 ...
```

The mixed-data heatmap with subjects in the columns and variables in the rows is created by the `mix.heatmap` function (see Figure 1). Some options are available to manipulate labels, colors and legend. Note that in the current implementation the heatmap is limited to 200 variables.

```
> mix.heatmap(mixdata, rowmar=7, legend.mat=TRUE)
```

Figure 1: Mixed-data heatmap using Gower's distances for clustering subjects (columns) and combination of association measures for clustering variables (rows).

For clustering subjects, variable weights can be provided to give more importance to certain variables in the calculation of Gower's distances (see Figure 2).

```
> w <- rep(1:2, each=5)
> mix.heatmap(mixdata, varweights=w, rowmar=7)
```

Figure 2: Mixed-data heatmap using weighted Gower's distances for clustering subjects (columns) and combination of association measures for clustering variables (rows).

The argument *dist.variables.method* allows to choose the distance correlation or ClustOfVar approach for clustering variables (see Figures 3 and 4).

```
> mix.heatmap(mixdata, dist.variables.method="distcor", rowmar=7)
> mix.heatmap(mixdata, dist.variables.method="ClustOfVar", rowmar=7)
```

The user can also provide previously calculated distance matrices or dendograms (by functions `dist.subjects`, `dist.variables`, `dendro.subjects`, and `dendro.variables` from this package or anyhow). In this way, dendograms can be manipulated, for example colored using package `dendextend`, and then combined with `mix.heatmap` (see Figure 3).

```
> D.subjects <- dist.subjects(mixdata)
> dend.variables <- dendro.variables(mixdata, method="distcor")
> require(dendextend)
> dend.variables <- dend.variables %>% set("branches_k_color", k=2, value=2:3) %>%
+                               set("branches_lwd", 2)
> mix.heatmap(mixdata, D.subjects=D.subjects, dend.variables=dend.variables, rowmar=7)
```

Figure 3: Mixed-data heatmap using the distance correlation approach for clustering variables. The dendrogram is colored using functionality of package `dendextend` before providing it to `mix.heatmap`.

Colored bars can be added on top and to the left of the heatmap in order to provide additional information on subjects and/or variables. We give a random example, see Figure 4.

```
> colbar <- sample(c("purple", "darkgrey"), nrow(mixdata), replace=T)
> mix.heatmap(mixdata, dist.variables.method="ClustOfVar", ColSideColors=colbar,
+               legend.colbar=c("aa", "bb"), rowmar=7)
```

Figure 4: Mixed-data heatmap using the ClustOfVar approach for clustering variables, and added (random) column color bar for sample annotation.

3 Similarity Matrix Heatmap

Instead of drawing a heatmap for both samples and variables simultaneously, one can also visualize a similarity matrix for either samples or variables, see Figure 5 for an example.

```
> distmap(mixdata, what="variables", margins=c(6,6))
```

Figure 5: Similarity matrix heatmap for variables.

Similarity matrices can also be derived before hand by `similarity.subjects` or `similarity.variables` (or anyhow), and provided to the `distmap` function as the `data` argument.

```
> S <- similarity.variables(mixdata)
> distmap(S)
```

In both `similarity.variables` and `distmap` the user can choose between the association measures and the distance correlation approach.

4 Confounder Plot

We further propose an illustration that might be useful in regression analysis. The similarities of all variables in a dataset with two variables of special interest (i.e. predictor and outcome of a regression model) are simultaneously visualized in a scatter plot, where the x-axis shows similarities to the predictor and the y-axis similarities to the outcome, see Figure 6 for an example. The height of the predictor variable's point indicates its association with the outcome and hence its predicting ability. Variables in the upper right part are potential confounders for which prediction model should be adjusted, or collinear variables that should be removed. Variables in the lower right part are strongly related to the predictor, but not associated with the outcome. Variables very close to the outcome variable's point are potential surrogate outcomes. Note that distances between points in the plot do not directly correspond to variable similarities.

```
> confounderPlot(mixdata, x="X4.ord", y="X1.cat")
```

Figure 6: Similarity of each variable with 'X1.cat' (y-axis) plotted against respective similarities with 'X4.ord' (x-axis).

The similarities used for the `confounderPlot` can again be derived by either the association measures or the distance correlation approach.

5 Session Information

```
> require(devtools)
> session_info()

setting  value
version   R version 3.4.0 Patched (2017-05-05 r72662)
system    x86_64, mingw32
ui        RTerm
language  (EN)
collate   C
tz        Europe/Berlin
date      2017-09-19

package    * version  date      source
acepack     1.4.1    2016-10-29 CRAN (R 3.4.0)
ade4       1.7-6    2017-03-23 CRAN (R 3.4.0)
ape         4.1      2017-02-14 CRAN (R 3.4.0)
```

backports	1.1.0	2017-05-22 CRAN (R 3.4.0)
base	* 3.4.0	2017-05-08 local
base64enc	0.1-3	2015-07-28 CRAN (R 3.2.1)
Biobase	2.36.2	2017-05-04 Bioconductor
BiocGenerics	0.22.0	2017-04-25 Bioconductor
bitops	1.0-6	2013-08-17 CRAN (R 3.0.1)
boot	1.3-19	2017-02-11 CRAN (R 3.4.0)
caTools	1.17.1	2014-09-10 CRAN (R 3.1.2)
checkmate	1.8.3	2017-07-03 CRAN (R 3.4.1)
class	7.3-14	2015-08-30 CRAN (R 3.2.2)
CluMix	* 2.1	2017-09-19 local
cluster	2.0.6	2017-03-16 CRAN (R 3.4.0)
ClustOfVar	1.1	2017-07-10 local
codetools	0.2-15	2016-10-05 CRAN (R 3.4.0)
colorspace	1.3-2	2016-12-14 CRAN (R 3.4.0)
compiler	3.4.0	2017-05-08 local
data.table	1.10.4	2017-02-01 CRAN (R 3.4.0)
datasets	* 3.4.0	2017-05-08 local
dendextend	* 1.5.2	2017-03-28 CRAN (R 3.4.0)
DEoptimR	1.0-8	2016-11-19 CRAN (R 3.4.0)
DescTools	0.99.21	2017-06-29 CRAN (R 3.4.0)
devtools	* 1.13.2	2017-06-02 CRAN (R 3.4.0)
digest	0.6.12	2017-01-27 CRAN (R 3.4.0)
diptest	0.75-7	2015-06-08 CRAN (R 3.2.1)
expm	0.999-2	2017-03-29 CRAN (R 3.4.0)
extracat	1.7-4	2015-11-21 CRAN (R 3.2.3)
FD	1.0-12	2014-08-19 CRAN (R 3.1.1)
flexmix	2.3-14	2017-04-28 CRAN (R 3.4.0)
foreach	1.4.3	2015-10-13 CRAN (R 3.2.2)
foreign	0.8-67	2016-09-13 CRAN (R 3.4.0)
Formula	1.2-2	2017-07-10 CRAN (R 3.4.1)
fpc	2.1-10	2015-08-14 CRAN (R 3.2.2)
gdata	2.18.0	2017-06-06 CRAN (R 3.4.0)
geometry	0.3-6	2015-09-09 CRAN (R 3.2.2)
ggplot2	2.2.1	2016-12-30 CRAN (R 3.3.2)
gplots	3.0.1	2016-03-30 CRAN (R 3.3.1)
graphics	* 3.4.0	2017-05-08 local
grDevices	* 3.4.0	2017-05-08 local
grid	3.4.0	2017-05-08 local
gridExtra	2.2.1	2016-02-29 CRAN (R 3.3.0)
gtable	0.2.0	2016-02-26 CRAN (R 3.3.1)
gtools	3.5.0	2015-05-29 CRAN (R 3.2.1)
hexbin	1.27.1	2015-08-19 CRAN (R 3.2.2)
Hmisc	4.0-3	2017-05-02 CRAN (R 3.4.0)
htmlTable	1.9	2017-01-26 CRAN (R 3.4.0)
htmltools	0.3.6	2017-04-28 CRAN (R 3.4.0)
htmlwidgets	0.9	2017-07-10 CRAN (R 3.4.1)
iterators	1.0.8	2015-10-13 CRAN (R 3.2.2)
kernlab	0.9-25	2016-10-03 CRAN (R 3.4.0)
KernSmooth	2.23-15	2015-06-29 CRAN (R 3.4.0)

knitr	1.16	2017-05-18 CRAN (R 3.4.0)
lattice	0.20-35	2017-03-25 CRAN (R 3.4.0)
latticeExtra	0.6-28	2016-02-09 CRAN (R 3.3.1)
lazyeval	0.2.0	2016-06-12 CRAN (R 3.3.1)
limma	3.32.3	2017-07-16 Bioconductor
magic	1.5-6	2013-11-20 CRAN (R 3.1.0)
magrittr	1.5	2014-11-22 CRAN (R 3.2.1)
manipulate	0.98.507	2017-07-17 local
marray	1.54.0	2017-04-25 Bioconductor
MASS	7.3-47	2017-04-21 CRAN (R 3.4.0)
Matrix	1.2-10	2017-05-03 CRAN (R 3.4.0)
mclust	5.3	2017-05-21 CRAN (R 3.4.0)
memoise	1.1.0	2017-04-21 CRAN (R 3.4.0)
methods	* 3.4.0	2017-05-08 local
mgcv	1.8-17	2017-02-08 CRAN (R 3.4.0)
modeltools	0.2-21	2013-09-02 CRAN (R 3.0.1)
munsell	0.4.3	2016-02-13 CRAN (R 3.3.1)
mvtnorm	1.0-6	2017-03-02 CRAN (R 3.4.0)
nlme	3.1-131	2017-02-06 CRAN (R 3.4.0)
nnet	7.3-12	2016-02-02 CRAN (R 3.4.0)
parallel	3.4.0	2017-05-08 local
permute	0.9-4	2016-09-09 CRAN (R 3.3.1)
plyr	1.8.4	2016-06-08 CRAN (R 3.3.1)
prabclus	2.2-6	2015-01-14 CRAN (R 3.2.1)
RColorBrewer	1.1-2	2014-12-07 CRAN (R 3.2.1)
Rcpp	0.12.12	2017-07-15 CRAN (R 3.4.1)
reshape2	1.4.2	2016-10-22 CRAN (R 3.4.0)
rlang	0.1.1	2017-05-18 CRAN (R 3.4.0)
robustbase	0.92-7	2016-12-09 CRAN (R 3.4.0)
rpart	4.1-11	2017-03-13 CRAN (R 3.4.0)
scales	0.4.1	2016-11-09 CRAN (R 3.3.2)
splines	3.4.0	2017-05-08 local
stats	* 3.4.0	2017-05-08 local
stats4	3.4.0	2017-05-08 local
stringi	1.1.5	2017-04-07 CRAN (R 3.4.0)
stringr	1.2.0	2017-02-18 CRAN (R 3.4.0)
survival	2.41-3	2017-04-04 CRAN (R 3.4.0)
tibble	1.3.3	2017-05-28 CRAN (R 3.4.0)
tools	3.4.0	2017-05-08 local
trimcluster	0.1-2	2012-10-29 CRAN (R 3.1.1)
TSP	1.1-5	2017-02-22 CRAN (R 3.4.0)
utils	* 3.4.0	2017-05-08 local
vegan	2.4-3	2017-04-07 CRAN (R 3.4.0)
viridis	0.4.0	2017-03-27 CRAN (R 3.4.0)
viridisLite	0.2.0	2017-03-24 CRAN (R 3.4.0)
whisker	0.3-2	2013-04-28 CRAN (R 3.1.1)
withr	1.0.2	2016-06-20 CRAN (R 3.3.1)

References

- [1] Marie Chavent, Vanessa Kuentz-Simonet, Benoit Liquet, and Jerome Saracco. Clustofvar: An r package for the clustering of variables. *Journal of Statistical Software*, 50(1):1–16, 2012.
- [2] J.C. Gower. A general coefficient of similarity and some of its properties. *Biometrics*, 27:857–871, 1971.
- [3] Manuela Hummel, Dominic Edelmann, and Annette Kopp-Schneider. Clustering of samples and variables with mixed-type data. *Work in progress*.
- [4] J. Podani. Extending gower’s general coefficient of similarity to ordinal characters. *Taxon*, 48:331–340, 1999.