

Asset selection with Local Search

Enrico Schumann

enricoschumann@yahoo.de

1 Introduction

We provide a code example for a simple asset selection problem. The purpose of this vignette is to provide the code in a convenient way; for more details, please see Gilli et al. [2011]. We start by attaching the package.

```
> require("NMOF")
> set.seed(112233)
```

2 The problem

We wish to select between K_{\inf} and K_{\sup} out of n_A assets such that an equally-weighted portfolio of these assets has the lowest-possible variance. The formal model is:

$$\min_w w' \Sigma w \quad (1)$$

subject to the constraints

$$w_j = 1/K \quad \text{for } j \in J, \\ K_{\inf} \leq K \leq K_{\sup}.$$

The weights are stored in the vector w ; the symbol J stands for the set of assets in the portfolio; and $K = \#\{J\}$ is the cardinality of this set, ie, the number of assets in the portfolio.

3 Setting up the algorithm

We start by attaching the package and creating random data. We simulate 500 assets: each gets a random volatility between 20% and 40%, and all pairwise correlations are set to 0.6.

```
> na <- 500L
> C <- array(0.6, dim = c(na, na)); diag(C) <- 1
> minVol <- 0.20; maxVol <- 0.40
> Vols <- (maxVol - minVol) * runif(na) + minVol
> Sigma <- outer(Vols, Vols) * C
```

The objective function.

```
> OF <- function(x, data) {
  xx <- as.logical(x)
  w <- x/sum(x)
  res <- crossprod(w[xx], data$Sigma[xx, xx])
  res <- tcrossprod(w[xx], res)
  res
}
```

... or even simpler:

```
> OF2 <- function(x, data) {
  xx <- as.logical(x); w <- 1/sum(x)
  res <- sum(w * w * data$Sigma[xx, xx])
  res
}
```

The neighbourhood function.

```
> neighbour <- function(xc, data) {
  xn <- xc
  p <- sample.int(data$na, data$nn, replace = FALSE)
  xn[p] <- abs(xn[p] - 1L)
  ## reject infeasible solution
  if((sum(xn) > data$Ksup) || (sum(xn) < data$Kinf))
    xc else xn
}
```

We collect all necessary information in the list `data`: the variance–covariance matrix `Sigma`, the cardinality limits `Kinf` and `Ksup`, the total number of assets `na` (ie, the cardinality of the asset universe), and the parameter `nn`. This parameter controls the neighbourhood: it gives the number of assets that are to be changed when a new solution is computed.

```
> data <- list(Sigma = Sigma,
  Kinf = 30L,
  Ksup = 60L,
  na = na,
  nn = 1L)
```

4 Solving the model

As an initial solution we use a random portfolio.

```
> card0 <- sample(data$Kinf:data$Ksup, 1L, replace = FALSE)
> assets <- sample.int(na, card0, replace = FALSE)
> x0 <- numeric(na)
> x0[assets] <- 1L
```

With this implementation we need assume that `data$Ksup > data$Kinf`. (If `data$Ksup == data$Kinf`, then `sample` returns a draw `1:data$Kinf`.)

We collect all settings in the list `algo`.


```
> ## settings
> algo <- list(x0 = x0,
  neighbour = neighbour,
  nS = 5000L,
  printDetail = FALSE,
  printBar = FALSE)
```

It remains to run the algorithm.

```
> system.time(sol1 <- LSopt(OF, algo, data))
  user  system elapsed
  0.596   0.000   0.592

> sqrt(sol1$OFvalue)
[1]
[1,] 0.163


> par(ylog = TRUE, bty = "n", las = 1, tck = 0.01)
> plot(sqrt(sol1$Fmat[,2L]),
  type = "l", xlab = "", ylab = "Portfolio volatility")
```



(Recall that the simulated data had volatilities between 20 and 40%.)

We can also run the search repeatedly with the same starting value.

```
> nRuns <- 1L
> allRes <- restartOpt(LSopt, n = nRuns, OF, algo = algo, data = data)
> allResOF <- numeric(nRuns)
> for (i in seq_len(nRuns))
+   allResOF[i] <- sqrt(allRes[[i]]$OFvalue)
> par(bty = "n")
> plot(ecdf(allResOF), main = "Portfolio volatility")
```



(We run LSopt only one time, to keep the build time for the vignette acceptable. To get more meaningful results, you should increase `nRuns`.)

References

Manfred Gilli, Dietmar Maringer, and Enrico Schumann. *Numerical Methods and Optimization in Finance*. Elsevier, 2011.