

# Package ‘DanielBiostatistics10th’

November 27, 2023

**Type** Package

**Title** Functions for Wayne W. Daniel's Biostatistics, Tenth Edition

**Version** 0.1.10

**Date** 2023-11-27

**Author** Tingting Zhan [aut, cre, cph] (<<https://orcid.org/0000-0001-9971-4844>>)

**Maintainer** Tingting Zhan <tingtingzhan@gmail.com>

**Description** Functions to accompany Wayne W. Daniel's Biostatistics: A Foundation for Analysis in the Health Sciences, Tenth Edition.

**License** GPL-2

**Encoding** UTF-8

**Depends** R (>= 4.2), ggplot2

**Imports** e1071, ggrepel, latex2exp, methods, pracma, scales

**Suggests** car, caret, DescTools

**Language** en-US

**LazyData** true

**LazyDataCompression** xz

**RoxygenNote** 7.2.3

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2023-11-27 20:50:02 UTC

## R topics documented:

DanielBiostatistics10th-package	9
addProbs	9
autoplot.BooleanTable	10
binom2pois	11
BooleanTable	12
Chapter01	13
Chapter02	14

Chapter03 . . . . .	16
Chapter04 . . . . .	16
Chapter05to07 . . . . .	18
Chapter07_power . . . . .	23
Chapter09 . . . . .	24
Chapter11 . . . . .	26
Chapter12 . . . . .	28
EXA_C01_S04_01 . . . . .	31
EXA_C02_S05_05 . . . . .	31
EXA_C06_S02_04 . . . . .	32
EXA_C07_S02_03 . . . . .	32
EXA_C07_S03_02 . . . . .	32
EXA_C07_S04_01 . . . . .	33
EXA_C07_S07_01 . . . . .	33
EXA_C08_S02_01 . . . . .	33
EXA_C08_S03_01 . . . . .	34
EXA_C08_S04_01 . . . . .	34
EXA_C08_S04_02 . . . . .	34
EXA_C08_S05_02 . . . . .	35
EXA_C09_S03_01 . . . . .	35
EXA_C09_S07_01 . . . . .	35
EXA_C10_S03_01 . . . . .	36
EXA_C10_S06_01 . . . . .	36
EXA_C11_S01_01 . . . . .	36
EXA_C11_S01_02 . . . . .	37
EXA_C11_S02_01 . . . . .	37
EXA_C11_S02_03 . . . . .	37
EXA_C11_S03_01 . . . . .	38
EXA_C11_S04_02 . . . . .	38
EXA_C11_S05_01 . . . . .	38
EXA_C12_S02_03 . . . . .	39
EXA_C13_S03_02 . . . . .	39
EXA_C13_S05_01 . . . . .	39
EXA_C13_S06_01 . . . . .	40
EXA_C13_S07_01 . . . . .	40
EXA_C13_S08_02 . . . . .	40
EXA_C13_S09_01 . . . . .	41
EXA_C13_S09_02 . . . . .	41
EXA_C13_S10_01 . . . . .	41
EXA_C13_S10_02 . . . . .	42
EXA_C14_S03_01 . . . . .	42
EXA_C14_S05_01 . . . . .	42
EXR_C02_S03_01 . . . . .	43
EXR_C02_S03_02 . . . . .	43
EXR_C02_S03_03 . . . . .	43
EXR_C02_S03_04 . . . . .	44
EXR_C02_S03_05 . . . . .	44
EXR_C02_S03_06 . . . . .	44

EXR_C02_S03_07	45
EXR_C02_S03_08	45
EXR_C02_S03_09	45
EXR_C02_S03_11	46
EXR_C02_S03_12	46
EXR_C02_S05_03	46
EXR_C02_S05_06	47
EXR_C06_S02_05	47
EXR_C06_S04_10	47
EXR_C06_S09_07	48
EXR_C06_S10_07	48
EXR_C07_S02_13	48
EXR_C07_S02_15	49
EXR_C07_S02_16	49
EXR_C07_S03_03	49
EXR_C07_S03_04	50
EXR_C07_S03_05	50
EXR_C07_S03_10	50
EXR_C07_S03_11	51
EXR_C07_S03_12	51
EXR_C07_S04_01	51
EXR_C07_S04_02	52
EXR_C07_S04_03	52
EXR_C07_S04_04	52
EXR_C07_S08_07	53
EXR_C08_S02_01	53
EXR_C08_S02_02	53
EXR_C08_S02_03	54
EXR_C08_S02_04	54
EXR_C08_S02_05	54
EXR_C08_S02_06	55
EXR_C08_S02_07	55
EXR_C08_S03_01	55
EXR_C08_S03_02	56
EXR_C08_S03_03	56
EXR_C08_S03_04	56
EXR_C08_S03_05	57
EXR_C08_S04_01	57
EXR_C08_S04_02	57
EXR_C08_S04_03	58
EXR_C08_S04_06	58
EXR_C08_S05_01	58
EXR_C08_S05_02	59
EXR_C08_S05_03	59
EXR_C08_S05_04	59
EXR_C09_S03_02	60
EXR_C09_S03_03	60
EXR_C09_S03_04	60

EXR_C09_S03_06	61
EXR_C09_S03_07	61
EXR_C09_S07_01	61
EXR_C09_S07_02	62
EXR_C09_S07_04	62
EXR_C09_S07_05	62
EXR_C09_S07_06	63
EXR_C10_S03_01	63
EXR_C10_S03_02	63
EXR_C10_S03_03	64
EXR_C10_S03_04	64
EXR_C10_S03_05	64
EXR_C10_S03_06	65
EXR_C10_S06_01	65
EXR_C10_S06_02	65
EXR_C10_S06_03	66
EXR_C10_S06_04	66
EXR_C11_S02_01	66
EXR_C11_S02_02	67
EXR_C11_S02_03	67
EXR_C11_S02_04	67
EXR_C11_S03_01	68
EXR_C11_S03_02	68
EXR_C11_S03_03	68
EXR_C11_S04_01	69
EXR_C11_S04_02	69
EXR_C11_S05_01	69
EXR_C11_S05_02	70
EXR_C11_S05_04	70
EXR_C13_S05_01	70
EXR_C13_S05_02	71
EXR_C13_S06_01	71
EXR_C13_S06_02	71
EXR_C13_S06_03	72
EXR_C13_S07_02	72
EXR_C13_S08_01	72
EXR_C13_S08_02	73
EXR_C13_S08_03	73
EXR_C13_S08_04	73
EXR_C13_S08_05	74
EXR_C13_S08_06	74
EXR_C13_S09_01	74
EXR_C13_S09_02	75
EXR_C13_S09_03	75
EXR_C13_S10_01	75
EXR_C13_S10_02	76
EXR_C13_S10_03	76
EXR_C13_S10_04	76

EXR_C13_S10_05	77
EXR_C13_S10_06	77
EXR_C14_S03_01	77
EXR_C14_S03_02	78
EXR_C14_S04_03	78
freqs-class	78
Gosset_Welch	79
LDS_C02_NCBIRTH800	80
LDS_C06_BABYWGTS	80
LDS_C06_BOYHGTS	80
LDS_C06_CHOLEST	81
LDS_C07_HEADCIRC	81
LDS_C07_HEMOGLOB	81
LDS_C07_MANDEXT	82
LDS_C07_PCKDATA	82
LDS_C07_PROTHROM	82
LDS_C08_CSFDATA	83
LDS_C08_LSADATA	83
LDS_C08_MEDSCORES	83
LDS_C08_RBCDATA	84
LDS_C08_SACEDATA	84
LDS_C08_SERUMCHO	84
LDS_C09_CALCIIUM	85
LDS_C09_CEREBRAL	85
LDS_C09_HYPERTEN	85
LDS_C10_LTEXER	86
LDS_C10_RESPDIS	86
LDS_C10_RISKFACT	86
LDS_C10_STERLENGTH	87
LDS_C11_AQUATICS	87
LDS_C11_TEACHERS	87
LDS_C11_WGTLOSS	88
LDS_C12_SMOKING	88
LDS_C13_KLETTER	88
REV_C02_13	89
REV_C02_15	89
REV_C02_16	89
REV_C02_19	90
REV_C02_29	90
REV_C06_22	90
REV_C06_23	91
REV_C06_28	91
REV_C07_18	91
REV_C07_19	92
REV_C07_22	92
REV_C07_24	92
REV_C07_29	93
REV_C07_40	93

REV_C07_41	93
REV_C07_42	94
REV_C07_43	94
REV_C07_44	94
REV_C07_45	95
REV_C07_46	95
REV_C07_47	95
REV_C07_48	96
REV_C07_49	96
REV_C07_50	96
REV_C07_51	97
REV_C07_52	97
REV_C07_53	97
REV_C07_54	98
REV_C07_55	98
REV_C08_13	98
REV_C08_14	99
REV_C08_15	99
REV_C08_16	99
REV_C08_17	100
REV_C08_18	100
REV_C08_19	100
REV_C08_20	101
REV_C08_21	101
REV_C08_22	101
REV_C08_23	102
REV_C08_24	102
REV_C08_25	102
REV_C08_31	103
REV_C08_32	103
REV_C08_33	103
REV_C08_39	104
REV_C08_40	104
REV_C08_41	104
REV_C08_42	105
REV_C08_43	105
REV_C08_44	105
REV_C08_45	106
REV_C08_46	106
REV_C08_47	106
REV_C08_48	107
REV_C08_49	107
REV_C08_50	107
REV_C08_51	108
REV_C08_52	108
REV_C08_53	108
REV_C08_54	109
REV_C08_55	109

REV_C08_56	109
REV_C08_57	110
REV_C08_58	110
REV_C08_59	110
REV_C08_60	111
REV_C08_61	111
REV_C08_62	111
REV_C08_63	112
REV_C08_64	112
REV_C08_65	112
REV_C08_66	113
REV_C09_16	113
REV_C09_17	113
REV_C09_18	114
REV_C09_19	114
REV_C09_20	114
REV_C09_21	115
REV_C09_22	115
REV_C09_23	115
REV_C09_24	116
REV_C09_25	116
REV_C09_29	116
REV_C09_30	117
REV_C09_31	117
REV_C09_32	117
REV_C09_33	118
REV_C09_34	118
REV_C09_35	118
REV_C09_36	119
REV_C09_37	119
REV_C09_38	119
REV_C09_39	120
REV_C09_40	120
REV_C09_41	120
REV_C09_42	121
REV_C09_43	121
REV_C09_44	121
REV_C09_45	122
REV_C09_46	122
REV_C10_06	122
REV_C10_07	123
REV_C10_08	123
REV_C10_09	123
REV_C10_10	124
REV_C10_11	124
REV_C10_17	124
REV_C10_18	125
REV_C10_19	125

REV_C11_14	125
REV_C11_15	126
REV_C11_16	126
REV_C11_17	126
REV_C11_18	127
REV_C11_22	127
REV_C11_23	127
REV_C11_24	128
REV_C11_25	128
REV_C11_26	128
REV_C11_27	129
REV_C11_28	129
REV_C11_29	129
REV_C13_06	130
REV_C13_08	130
REV_C13_09	130
REV_C13_10	131
REV_C13_13	131
REV_C13_15	131
REV_C13_16	132
REV_C13_17	132
REV_C13_18	132
REV_C13_19	133
REV_C13_20	133
REV_C13_21	133
REV_C13_22	134
REV_C13_23	134
REV_C13_24	134
REV_C13_25	135
REV_C13_26	135
REV_C13_27	135
REV_C13_28	136
REV_C13_29	136
REV_C14_11	136
REV_C14_12	137
show,addedProbs-method	137
show,BooleanTable-method	138
show,freqs-method	138
summary.BooleanTable	139



---

 DanielBiostatistics10th-package

*Functions for Wayne W. Daniel's Biostatistics (Tenth Edition)*


---

## Description

Functions and examples to accompany Wayne W. Daniel's *Biostatistics: A Foundation for Analysis in the Health Sciences*, Tenth Edition, Wiley, ISBN: 978-1-119-62550-6.

<https://www.wiley.com/en-us/Biostatistics:+A+Foundation+for+Analysis+in+the+Health+Sciences,+10th+Edition-p-9781119625506>

Data sets from 10th edition <https://bcs.wiley.com/he-bcs/Books?action=resource&bcsId=7849&itemId=1118302796&resourceId=30373>.

Resources from 11th edition <https://bcs.wiley.com/he-bcs/Books?action=index&bcsId=11491&itemId=1119496578>, with errata of data.

---

 addProbs

*Conditional and/or Marginal Probabilities*


---

## Description

Add conditional and/or marginal probabilities to a two-way contingency table.

## Usage

```
addProbs(A, margin = seq_len(nd))
```

## Arguments

A [matrix](#) of [typeof integer](#), two-dimensional contingency table. See [addmargins](#)  
 margin [integer](#) scalar or [vector](#), see [addmargins](#)

## Details

Function [addProbs\(\)](#) provides the joint, marginal (using `margin = 1:2`) and conditional (using `margin = 1L` or `margin = 2L`) probabilities of a two-dimensional contingency table.

## Value

Function [addProbs\(\)](#) returns a [addedProbs](#) object.

## Slots

.Data [matrix](#)  
 margin [integer](#) scalar or [vector](#)

**Note**

[margin.table](#) (which is to be renamed as [marginSums](#)) is much slower than [colSums](#).

**See Also**

[addmargins](#) [rowSums](#) [colSums](#) [proportions](#)

**Examples**

```
(y1 = addProbs(table(warbreaks$tension)))

storage.mode(WorldPhones) = 'integer'
(y2 = addProbs(WorldPhones))
```

---

autoplot.BooleanTable *Plot of Predictive Values of Boolean Test-&-Disease Table*

---

**Description**

Plot of predictive values of Boolean test-&-disease table

**Usage**

```
## S3 method for class 'BooleanTable'
autoplot(object, prevalence, ...)
```

**Arguments**

object	a <a href="#">BooleanTable</a> object
prevalence	(optional) <a href="#">numeric</a> scalar, prevalence of disease
...	potential parameters, currently not in use

**Value**

[autoplot.BooleanTable](#) returns a [ggplot](#) figure, which shows the curves of positive and negative predictive values for prevalence from 0 to 1.

**See Also**

[summary.BooleanTable](#)

**Examples**

```
(x = array(c(95L, 10L, 31L, 82L), dim = c(2L, 2L)))
autoplot(BooleanTable(x))
autoplot(BooleanTable(x), prevalence = .13)
```

---

binom2pois	<i>Binomial Approaching Poisson</i>
------------	-------------------------------------

---

## Description

Binomial Approaching Poisson

## Usage

```
binom2pois(x, lambda, size = c(10L, 100L))
```

## Arguments

x	<a href="#">integer</a> scalar, observed number of responses
lambda	positive <a href="#">numeric</a> scalar, parameter $\lambda$ of Poisson distribution
size	<a href="#">integer</a> vector, parameter $n$ of binomial distribution

## Details

[binom2pois\(\)](#) shows how binomial density approaches Poisson density when  $n \rightarrow \infty$  and  $p \rightarrow 0$ , while holding a constant product  $np = \lambda$ .

## Value

[binom2pois\(\)](#) returns a 'binom2pois' object, for which a [print](#) method, an [autolayer](#) and an [auto-plot](#) method are defined.

## See Also

[dbinom](#) [dpois](#)

## Examples

```
binom2pois(x = 4L, lambda = 6, size = seq.int(10L, 50L, by = 10L))
```

---

BooleanTable      *BooleanTable: Boolean Test-&-Disease and/or Risk-&-Disease Table*

---

**Description**

..

**Usage**

BooleanTable(x)

**Arguments**

x                      two-by-two [integer matrix](#), contingency table of two Boolean variables, or an R object convertible to a two-by-two [integer matrix](#). The endpoint (i.e., disease) is on rows and the test/risk is on columns.

**Details**

..

**Value**

Function [BooleanTable\(\)](#) returns a [BooleanTable](#) object.

**Slots**

.Data two-by-two [integer matrix](#), contingency table of a Boolean test-&-disease table with layout

	Test (+)	Test (-)
Disease (+)	$x_{++}$	$x_{+-}$
Disease (-)	$x_{-+}$	$x_{--}$

or a Boolean risk-&-disease table with layout

	Risk Factor (+)	Risk Factor (-)
Disease (+)	$x_{++}$	$x_{+-}$
Disease (-)	$x_{-+}$	$x_{--}$

The endpoint (i.e., disease) must be on the rows and the test/risk be on the columns. This set up is to accommodate [model.frame.default](#) and let end user use formula `endpoint ~ test` or `endpoint ~ risk`.

**See Also**

End-user may also use [confusionMatrix](#), which does not provide confidence intervals of sensitivity, specificity, etc.

**Examples**

```
x = matrix(c(7L, 3L, 8L, 6L), nrow = 2L)
BooleanTable(x)
(x1 = matrix(c(7L, 3L, 8L, 6L), nrow = 2L, dimnames = list(X = c('a','b'), NULL)))
BooleanTable(x1)
```

---

Chapter01

*Chapter 1*

---

**Description**

Functions and examples for Chapter 1, *Introduction to Biostatistics*.

**Usage**

```
sampleRow(x, size, replace = FALSE, prob = NULL)
```

**Arguments**

x	a <a href="#">data.frame</a>
size	positive <a href="#">integer</a> scalar, number of rows to be selected
replace	<a href="#">logical</a> scalar, whether sampling should be with replacement (default FALSE)
prob	<a href="#">numeric</a> vector of probability weights for each row of input x being sampled. Default NULL indicates simple random sampling

**Value**

Function [sampleRow\(\)](#) returns a [data.frame](#), a simple random sample from the input.

**References**

Wayne W. Daniel, *Biostatistics: A Foundation for Analysis in the Health Sciences*, Tenth Edition. Wiley, ISBN: 978-1-119-62550-6.

**See Also**

[sample.int](#)

## Examples

```

library(DanielBiostatistics10th)
# To run a line of code, use shortcut
# Command + Enter: Mac and RStudio Cloud
# Control + Enter: Windows, Mac and RStudio Cloud
# To clear the console
# Control + L: Mac and RStudio Cloud

# Page 8, Example 1.4.1
class(EXA_C01_S04_01) # `EXA_C01_S04_01` is a 'data.frame' (a specific class defined in R)
dim(EXA_C01_S04_01) # dimension, number-row and number-column
head(EXA_C01_S04_01, n = 8L) # first `n` rows of a 'data.frame'
names(EXA_C01_S04_01) # column names of a 'data.frame'
EXA_C01_S04_01$AGE # use `$` to obtain one column from a 'data.frame'
sampleRow(EXA_C01_S04_01, size = 10L, replace = FALSE) # to answer Example 1.4.1

# Page 11, Example 1.4.2
EXA_C01_S04_01[seq.int(from = 4L, to = 166L, by = 18L), ]

```

---

Chapter02

*Chapter 2*

---

## Description

Functions and examples for Chapter 2, *Descriptive Statistics*.

## Usage

```

print_stats(x, na.rm = TRUE)

print_freqs(x, breaks, include.lowest = TRUE, right = TRUE)

```

## Arguments

<code>x</code>	<b>numeric</b> vector, the observations. In function <code>print_freqs()</code> , this argument can also be a <b>factor</b>
<code>na.rm</code>	<b>logical</b> scalar, whether to remove the missing observations (default TRUE)
<code>breaks</code>	<b>numeric</b> vector, see <code>cut.default</code>
<code>include.lowest</code>	<b>logical</b> scalar, default TRUE. See <code>cut.default</code>
<code>right</code>	<b>logical</b> scalar, see <code>cut.default</code>

## Details

Function `print_freqs()` prints the (relative) frequencies and cumulative (relative) frequencies, from a numeric input vector, specified interval breaks as well as open/close status of the ends of the intervals.

Function `print_stats()` prints the simple statistics of the input observations, such as sample size, mean, median, (smallest) mode, variance, standard deviation, coefficient of variation (if all observations are non-negative), quartiles, inter-quartile range (IQR), range, skewness and kurtosis. A histogram is also printed.

### Value

Function `print_freqs()` returns a `freqs` object, for which a `show` method, an `autolayer` and an `autoplot` method are defined.

Function `print_stats()` does not have a returned value.

### References

Wayne W. Daniel, *Biostatistics: A Foundation for Analysis in the Health Sciences*, Tenth Edition. Wiley, ISBN: 978-1-119-62550-6.

### See Also

[cut.default](#) [table](#) [cumsum](#) [mean.default](#) [median.default](#) [Mode](#) [var](#) [sd](#) [quantile](#) [skewness](#) [kurtosis](#)

### Examples

```
library(DanielBiostatistics10th)

# Page 20, Example 2.2.1
head(EXA_C01_S04_01)
class(EXA_C01_S04_01$AGE) # 'integer'
class(age <- as.numeric(EXA_C01_S04_01$AGE)) # 'numeric'
sort(age) # Page 21, Table 2.2.1 # 'ordered vector'

# Page 23, Example 2.3.1
(ageB = seq.int(from = 30, to = 90, by = 10))
(r231 = print_freqs(age, breaks = ageB, right = FALSE)) # Page 25, Table 2.3.2
# The open/close of interval ends is determined by textbook using 30-39, 40-49, etc.
autoplot(r231) + labs(title = 'Page 27, Figure 2.3.2')

# Page 38-42, Example 2.4.1 - Example 2.4.6
# Page 44-46, Example 2.5.1 - Example 2.5.3
print_stats(age) # or some other data input

# Page 49, Example 2.5.4 (omitted)

# Page 50, Example 2.5.5
head(EXA_C02_S05_05)
boxplot(EXA_C02_S05_05$GRF, main = c('GRF from Page 50, Example 2.5.5'))
print_stats(EXA_C02_S05_05$GRF)
print_freqs(EXA_C02_S05_05$GRF, breaks = seq.int(10, 45, by = 5))
```

**Description**

Examples in Chapter 3, *Some Basic Probability Concepts*.

**Value**

This is an example-only documentation.

**References**

Wayne W. Daniel, *Biostatistics: A Foundation for Analysis in the Health Sciences*, Tenth Edition. Wiley, ISBN: 978-1-119-62550-6.

**Examples**

```
library(DanielBiostatistics10th)

# Page 69-75, Example 3.4.1 - Example 3.4.8
(d341 = matrix(c(28L, 19L, 41L, 53L, 35L, 38L, 44L, 60L), ncol = 2L, dimnames = list(
  FamilyHx = c('none', 'Bipolar', 'Unipolar', 'UniBipolar'),
  Onset = c('Early', 'Late'))))
class(d341) # 'matrix', i.e., a two-dimensional 'array'
addProbs(d341)
addProbs(d341, margin = 1L)
addProbs(d341, margin = 2L)

# Page 81, Example 3.5.1
(d351 = matrix(c(436L, 14L, 5L, 495L), nrow = 2L, dimnames = list(
  Test = c('Positive', 'Negative'), Alzheimer = c('Yes', 'No'))))
summary(BooleanTable(t(d351)), prevalence = .113)
```

**Description**

Functions for Chapter 4, *Probability Distributions*.

**Usage**

```
binomBar(size, prob, xlim = size, title)

poisBar(lambda, xlim, title)
```



**Arguments**

size	non-negative <b>integer</b> scalar, number of trials for binomial distribution
prob	<b>numeric</b> scalar between 0 and 1, probability of success on each trial for binomial distribution
xlim	length-two <b>numeric</b> vector, horizontal limit of the figure
title	<b>character</b> scalar, title of the figure
lambda	positive <b>numeric</b> scalar, mean of Poisson distribution

**Details**

`binomBar()` and `poisBar()` generate bar plots of binomial and Poisson distributions.

**Value**

`binomBar()` and `poisBar()` returns a 'discreteDistBar' object, for which a `print` method, an `autolayer` and an `autoplot` method are defined.

**References**

Wayne W. Daniel, *Biostatistics: A Foundation for Analysis in the Health Sciences*, Tenth Edition. Wiley, ISBN: 978-1-119-62550-6.

**See Also**

`dbinom` `dpois`

**Examples**

```
binomBar(size = 25L, prob = .1)
poisBar(lambda = 12, xlim = 30L)

library(DanielBiostatistics10th)

# Page 93-97, Example 4.2.1 - Example 4.2.7
d421 = rep(1:8, times = c(62L, 47L, 39L, 39L, 58L, 37L, 4L, 11L))
(fq421 = print_freqs(factor(d421))) # Page 94, Table 4.2.1 and 4.2.2; Page 96, Table 4.2.3

# ?dbinom # 'd' for binomial 'density'; calculate Prob(X = x)
# ?pbinom # 'p' for binomial 'probability'
# `lower.tail = TRUE` (default), calculate Prob(X <= x)
# `lower.tail = FALSE`, calculate Prob(X > x)

# Page 99, Example 4.3.1
dbinom(x = 3L, size = 5L, prob = .858)
# Page 103, Example 4.3.2
dbinom(x = 4L, size = 10L, prob = .14)
# Page 103, Example 4.3.3
(pL = pbinom(q = 5L, size = 25L, prob = .1, lower.tail = TRUE)) # (a) including!
(pU = pbinom(q = 5L, size = 25L, prob = .1, lower.tail = FALSE)) # (b) excluding!
pL + pU # R makes sure they add up to 1
```

```

# Page 105, Example 4.3.4
dbinom(x = 7L, size = 12L, prob = .55)
pbinom(q = 5L, size = 12L, prob = .55)
pbinom(q = 7L, size = 12L, prob = .55, lower.tail = FALSE)

# Page 110, Example 4.4.1
dpois(x = 3L, lambda = 12)
# Page 110, Example 4.4.2
ppois(2L, lambda = 12, lower.tail = FALSE)
# Page 110, Example 4.4.3
ppois(1L, lambda = 2)
# Page 111, Example 4.4.4
dpois(3L, lambda = 2)
# Page 112, Example 4.4.5
ppois(5L, lambda = 2, lower.tail = FALSE)

# Page 119. Example 4.6.1
pnorm(2)
# Page 120. Example 4.6.2
pnorm(2.55) - pnorm(-2.55)
1 - 2 * pnorm(-2.55) # alternative solution
# Page 121. Example 4.6.3
pnorm(1.53) - pnorm(-2.74)
# Page 121. Example 4.6.4
pnorm(2.71, lower.tail = FALSE)
# Page 122. Example 4.6.5
pnorm(2.45) - pnorm(.84)

# Page 122. Example 4.7.1
pnorm(q = 3, mean = 5.4, sd = 1.3)
pnorm(q = (3-5.4)/1.3) # manual solution
# Page 125. Example 4.7.2
pnorm(649, mean = 491, sd = 119) - pnorm(292, mean = 491, sd = 119)
# Page 122. Example 4.7.3
1e4L * pnorm(8.5, mean = 5.4, sd = 1.3, lower.tail = FALSE)

```

---

## Description

Functions for Chapter 5, *Some Important Sampling Distributions*, Chapter 6, *Estimation* and Chapter 7, *Hypothesis Testing*.

## Usage

```

aggregated_z(
  xbar,
  n,
  sd,

```

```

    null.value,
    alternative = c("two.sided", "less", "greater"),
    conf.level = 0.95,
    ...
)

aggregated_t(
  xbar,
  xsd,
  n,
  null.value,
  var.equal = FALSE,
  alternative = c("two.sided", "less", "greater"),
  conf.level = 0.95,
  ...
)

prop_CLT(
  x,
  n,
  bool_obs,
  xbar = x/n,
  null.value,
  alternative = c("two.sided", "less", "greater"),
  conf.level = 0.95,
  ...
)

aggregated_var(
  xsd,
  n,
  null.value,
  alternative = c("two.sided", "less", "greater"),
  conf.level = 0.95,
  ...
)

```

### Arguments

xbar	<b>numeric</b> scalar or length-two vector. Sample mean(s) for <b>numeric</b> variable(s) $\bar{x}$ or $(\bar{x}_1, \bar{x}_2)$ . Sample proportion(s) for binary (i.e., <b>logical</b> ) variable(s) $\hat{p}$ or $(\hat{p}_1, \hat{p}_2)$ . In the case of two-sample tests, this could also be a <b>numeric</b> scalar indicating the difference in sample means $\bar{x}_1 - \bar{x}_2$ or sample proportions $\hat{p}_1 - \hat{p}_2$
n	<b>integer</b> scalar $n$ or length-two vector. Sample size(s) $n$ or $(n_1, n_2)$
sd	<b>numeric</b> scalar or length-two vector. population standard deviation(s) $\sigma$ or $(\sigma_1, \sigma_2)$
null.value	(optional) <b>numeric</b> scalar or length-two vector. Null value(s) of the population mean(s) $(\mu_0, (\mu_{10}, \mu_{20}), \text{ or } \mu_{10} - \mu_{20})$ for functions <code>aggregated_z()</code> and <code>aggregated_t()</code> . Null value(s) of the population proportion(s) $(p_0, (p_{10}, p_{20}),$

	or $p_{10} - p_{20}$ ) for <code>prop_CLT()</code> . Null value(s) of the population variance(s) (ratio) ( $\sigma_0^2$ , $(\sigma_{10}^2, \sigma_{20}^2)$ , or $\sigma_{10}^2/\sigma_{20}^2$ ) for function <code>aggregated_var()</code> . If missing, only the confidence intervals will be computed.
<code>alternative</code>	<b>character</b> scalar, alternative hypothesis, either 'two.sided' (default), 'greater' or 'less'
<code>conf.level</code>	<b>numeric</b> scalar, confidence level, default 0.95
<code>...</code>	potential arguments, not in use currently
<code>xsd</code>	<b>numeric</b> scalar or length-two vector. Sample standard deviation(s) $\sigma_{\bar{x}}$ or $(\sigma_{\bar{x}_1}, \sigma_{\bar{x}_2})$
<code>var.equal</code>	<b>logical</b> scalar, whether to treat the two population variances as being equal (default FALSE) in function <code>aggregated_t()</code>
<code>x</code>	<b>integer</b> scalar or length-two vector, number of positive count(s) of binary (i.e., <b>logical</b> ) variable(s)
<code>bool_obs</code>	<b>logical</b> vector of Boolean observations, used in one-sample $z$ -test on proportion

### Details

Function `aggregated_z()` performs one- or two-sample  $z$ -test using the aggregated statistics of sample mean(s) and sample size(s) when `null.value` is provided. Otherwise, only the confidence interval based on  $z$ -distribution is computed.

Function `aggregated_t()` performs one- or two-sample  $t$ -test using the aggregated statistics of sample mean(s), sample standard deviation(s) and sample size(s) when `null.value` is provided. Otherwise, only the confidence interval based on  $t$ -distribution is computed.

Function `prop_CLT()` performs one- or two-sample  $z$ -test on proportion(s), using Central Limit Theorem when `null.value` is provided. Otherwise, only the confidence interval based on  $z$ -distribution is computed.

Function `aggregated_var()` performs one-sample  $\chi^2$ -test on variance, or two-sample  $F$ -test on variances, using the aggregated statistics of sample standard deviation(s) and sample size(s) when `null.value` is provided. Otherwise, only the confidence interval based on  $\chi^2$ - or  $F$ -distribution is computed.

### Value

Function `aggregated_z()` returns an 'htest' object when `null.value` is provided, otherwise returns a length-two **numeric** vector.

Function `aggregated_t()` returns an **htest** object when `null.value` is provided, otherwise returns a length-two **numeric** vector.

Function `prop_CLT()` returns an **htest** object when `null.value` is provided, otherwise returns a length-two **numeric** vector.

Function `aggregated_var()` returns an **htest** object when `null.value` is provided, otherwise returns a length-two **numeric** vector.

### References

Wayne W. Daniel, *Biostatistics: A Foundation for Analysis in the Health Sciences*, Tenth Edition. Wiley, ISBN: 978-1-119-62550-6.

**See Also**

[t.test prop.test var.test](#)

**Examples**

```
library(DanielBiostatistics10th)

# Page 142, Example 5.3.2
aggregated_z(xbar = 190, sd = 12.7, n = 10L, null.value = 185.6, alternative = 'greater')
# Page 143, Example 5.3.3
pnorm(125, mean = 120, sd = 15/sqrt(50)) - pnorm(115, mean = 120, sd = 15/sqrt(50))
aggregated_z(125, sd = 15, n = 50L, null.value = 120, alternative = 'less')$p.value -
  aggregated_z(115, sd = 15, n = 50L, null.value = 120, alternative = 'less')$p.value

# Page 145, Example 5.4.1
aggregated_z(xbar = c(92, 105), sd = 20, n = 15L, null.value = 0, alternative = 'less')
# Page 148, Example 5.4.2
aggregated_z(xbar = 20, sd = c(15, 20), n = c(35L, 40L), null.value = c(45, 30),
  alternative = 'greater')

# Page 150, Example 5.5.1
prop_CLT(xbar = .4, n = 150L, null.value = .357, alternative = 'greater')
# Page 152, Example 5.5.2
prop_CLT(xbar = .45, n = 200L, null.value = .51, alternative = 'less')

# Page 155, Example 5.6.1
prop_CLT(xbar = .1, null.value = c(.28, .21), n = c(100L, 100L), alternative = 'greater')
# Page 155, Example 5.6.2
prop_CLT(xbar = .05, null.value = c(.34, .26), n = c(250L, 200L), alternative = 'less')

# Page 166, Example 6.2.1
aggregated_z(xbar = 22, n = 10L, sd = sqrt(45))
# Page 168, Example 6.2.2
aggregated_z(xbar = 84.3, n = 15L, sd = sqrt(144), conf.level = .99)
# Page 168, Example 6.2.3
aggregated_z(xbar = 17.2, n = 35L, sd = 8, conf.level = .9)
# Page 169, Example 6.2.4
head(EXA_C06_S02_04)
aggregated_z(xbar = mean(EXA_C06_S02_04$ACTIVITY), n = nrow(EXA_C06_S02_04), sd = sqrt(.36))

# Page 173, Example 6.3.1
aggregated_t(xbar = 250.8, xsd = 130.9, n = 19L)

# Page 177, Example 6.4.1
aggregated_z(xbar = c(4.5, 3.4), sd = sqrt(c(1, 1.5)), n = c(12L, 15L))
# Page 178, Example 6.4.2
aggregated_z(xbar = c(4.3, 13), sd = c(5.22, 8.97), n = c(328L, 64L), conf.level = .99)
# Page 180, Example 6.4.3
aggregated_t(xbar = c(4.7, 8.8), xsd = c(9.3, 11.5), n = c(18L, 10L), var.equal = TRUE)
# Page 181, Example 6.4.4
aggregated_t(xbar = c(4.7, 8.8), xsd = c(9.3, 11.5), n = c(18L, 10L))
# Welch slightly different from Cochran; textbook explained on Page 182
```

```

# Page 185, Example 6.5.1
prop_CLT(xbar = .18, n = 1220L)

# Page 187, Example 6.6.1
prop_CLT(x = c(31L, 53L), n = c(68L, 255L), conf.level = .99)

# Page 190, Example 6.7.1
n_671 = uniroot(f = function(n, sd, level = .95) {
  qnorm(1-(1-level)/2) * sd/sqrt(n) - 5 # half-width of CI <= 5 grams
}, interval = c(0, 2e2), sd = 20)
sprintf('Example 6.7.1 requires a sample size of %d.', ceiling(n_671$root))

# Page 192, Example 6.8.1
n_681 = uniroot(f = function(n, p, level = .95) {
  qnorm(1-(1-level)/2) * sqrt(p*(1-p)/n) - .05
}, interval = c(0, 1e3), p = .35)
sprintf('Example 6.8.1 requires a sample size of %d.', ceiling(n_681$root))

# Page 196, Example 6.9.1
d691 = c(9.7, 12.3, 11.2, 5.1, 24.8, 14.8, 17.7)
sqrt(aggregated_var(xsd = sd(d691), n = length(d691)))

# Page 200, Example 6.10.1
aggregated_var(xsd = c(8.1, 5.9), n = c(16L, 4L))

# Page 222, Example 7.2.1
aggregated_z(xbar = 27, sd = sqrt(20), n = 10L, null.value = 30)
# Page 226, Example 7.2.2
aggregated_z(xbar = 27, sd = sqrt(20), n = 10L, null.value = 30, alternative = 'less')
# Page 228, Example 7.2.3
head(EXA_C07_S02_03)
t.test(EXA_C07_S02_03$DAYS, mu = 15)
# Page 231, Example 7.2.4
aggregated_z(xbar = 146, sd = 27, n = 157L, null.value = 140, alternative = 'greater')
# Page 232, Example 7.2.5
d725 = c(33.38, 32.15, 34.34, 33.95, 33.46, 34.13, 33.99, 34.10, 33.85,
  34.23, 34.45, 34.19, 33.97, 32.73, 34.05)
t.test(d725, mu = 34.5)

# Page 237, Example 7.3.1
aggregated_z(xbar = c(4.5, 3.4), sd = sqrt(c(1, 1.5)), n = c(12L, 15L), null.value = 0)
# Page 239, Example 7.3.2
head(EXA_C07_S03_02)
with(EXA_C07_S03_02, t.test(x = CONTROL, y = SCI, alternative = 'less', var.equal = TRUE))
# Page 240, Example 7.3.3
aggregated_t(xbar = c(19.16, 9.53), xsd = c(5.29, 2.69), n = c(15L, 30L), null.value = 0)
# Page 242, Example 7.3.4
aggregated_z(xbar = c(59.01, 46.61), sd = c(44.89, 34.85), n = c(53L, 54L), null.value = 0,
  alternative = 'greater')

# Page 251, Example 7.4.1
head(EXA_C07_S04_01)

```

```

with(EXA_C07_S04_01, t.test(x = POSTOP, y = PREOP, alternative = 'greater', paired = TRUE))

# Page 258, Example 7.5.1
prop_CLT(x = 24L, n = 301L, null.value = .063, alternative = 'greater')

# Page 261, Example 7.6.1
prop_CLT(x = c(24L, 11L), n = c(44L, 29L), null.value = 0, alternative = 'greater')

# Page 264, Example 7.7.1
head(EXA_C07_S07_01)
aggregated_var(xsd = sd(EXA_C07_S07_01$mass), n = 16L, null.value = 600)

# Page 268, Example 7.8.1
aggregated_var(xsd = c(30.62, 11.37), n = 6L, null.value = 1, alternative = 'greater')
# Page 270, Example 7.8.2
with(EXA_C07_S03_02, var.test(x = CONTROL, y = SCI))

```

---

Chapter07\_power

Chapter 7 (Power Curve)

---

## Description

Functions for Chapter 7, *Hypothesis Testing*.

## Usage

```

power_z(
  x,
  null.value,
  sd,
  n,
  alternative = c("two.sided", "less", "greater"),
  sig.level = 0.05
)

```

## Arguments

<code>x</code>	<b>numeric vector</b> , mean parameter(s) $\mu_1$ in the alternative hypothesis
<code>null.value</code>	<b>numeric scalar</b> , mean parameter $\mu_0$ in the null hypothesis
<code>sd</code>	<b>numeric scalar</b> , population standard deviation $\sigma$
<code>n</code>	<b>integer scalar</b> , sample size $n$
<code>alternative</code>	<b>character scalar</b> , alternative hypothesis, either 'two.sided' (default), 'greater' or 'less'
<code>sig.level</code>	<b>numeric scalar</b> , significance level (i.e., Type-I-error rate), default .05

**Details**

Function `power_z()` calculates the powers at each element of the alternative parameters  $\mu_1$ , for one-sample  $z$ -test

- $H_0 : \mu = \mu_0$  vs.  $H_A : \mu \neq \mu_0$ , if `alternative = 'two.sided'`
- $H_0 : \mu \leq \mu_0$  vs.  $H_A : \mu > \mu_0$ , if `alternative = 'greater'`
- $H_0 : \mu \geq \mu_0$  vs.  $H_A : \mu < \mu_0$ , if `alternative = 'less'`

**Value**

Function `power_z()` returns a 'power\_z' object, which inherits from 'power.htest' class.

**References**

Wayne W. Daniel, *Biostatistics: A Foundation for Analysis in the Health Sciences*, Tenth Edition. Wiley, ISBN: 978-1-119-62550-6.

**See Also**

[power.t.test](#)

**Examples**

```
library(DanielBiostatistics10th)

# Page 272, Example 7.9.1
(p791 = power_z(seq.int(from = 16, to = 19, by = .5), null.value = 17.5, sd = 3.6, n = 100L))
# Page 275, Table 7.9.1
autoplot(p791) + labs(title = 'Page 275, Figure 7.9.2')

# Page 276, Example 7.9.2
(p792 = power_z(seq.int(from = 50, to = 70, by = 5), null.value = 65, sd = 15, n = 20L,
  sig.level = .01, alternative = 'less'))
autoplot(p792) + labs(title = 'Page 277, Figure 7.9.4')

# Page 278, Example 7.10.1
(n_d7101 <- uniroot(f = function(x) {
  power_z(55, null.value = 65, sd = 15, n = x, sig.level = .01, alternative = 'less')$power - .95
}, interval = c(0, 50))$root)
power_z(55, null.value = 65, sd = 15, n = ceiling(n_d7101), sig.level = .01, alternative = 'less')
```

**Description**

Functions for Chapter 9, *Simple Linear Regression and Correlation*.



**Usage**

```
predict_lm(object, newx, level = 0.95, ...)
```

**Arguments**

object	<b>lm</b> object, with one and only one <b>numeric</b> predictor
newx	(optional) <b>numeric</b> scalar or vector, new $x$ -value(s) for which the fitted response(s) are to be reported
level	<b>numeric</b> scalar, tolerance/confidence level, default .95
...	potential arguments, not in use currently

**Value**

Function `predict_lm()` returns a 'predict\_lm' object, for which a `print` method, an `autoplot` and an `autoplot` method are defined.

**References**

Wayne W. Daniel, *Biostatistics: A Foundation for Analysis in the Health Sciences*, Tenth Edition. Wiley, ISBN: 978-1-119-62550-6.

**See Also**

[predict.lm](#)

**Examples**

```
library(DanielBiostatistics10th)

# Page 417, Example 9.3.1
head(EXA_C09_S03_01)
names(EXA_C09_S03_01)[2:3] = c('Waist', 'AT')
plot(AT ~ Waist, data = EXA_C09_S03_01, xlab = 'Waist circumference (cm), X',
      ylab = 'Deep abdominal AT area (cm2), Y', main = 'Page 419, Figure 9.3.1')

# Page 436, Example 9.4.2
summary(m931 <- lm(AT ~ Waist, data = EXA_C09_S03_01))
cor(EXA_C09_S03_01[2:3]); cor.test(~ AT + Waist, data = EXA_C09_S03_01)
confint(m931) # confidence interval of regression coefficients
anova(m931)

# Page 440, Example 9.4.3
plot(m931, which = 1, main = 'Page 440, Figure 9.4.8')

# Page 441, Section 9.5
autoplot(predict_lm(m931)) + labs(
  xlab = 'Waist circumference (cm), X',
  ylab = 'Deep abdominal AT area (cm2), Y',
  title = 'Page 422, Figure 9.3.3; Page 442, Figure 9.5.1')
```

```
# Page 447, Example 9.7.1
head(EXA_C09_S07_01)
summary(mod_971 <- lm(CV ~ HEIGHT, data = EXA_C09_S07_01))
autoplot(predict_lm(mod_971)) + labs(
  xlab = 'Height (cm)', ylab = 'Cv (units)',
  title = 'Page 449, Figure 9.7.2')

# Page 452, Example 9.7.2
cor(EXA_C09_S07_01); cor.test(~ CV + HEIGHT, data = EXA_C09_S07_01)
# Page 451, Figure 9.7.4, Figure 9.7.5

# Page 453, When the Hypothesized rho Is a Nonzero Value
# R does not have a function to do this
```

---

 Chapter11

 Chapter 11
 

---

## Description

Functions for Chapter 11, *Regression Analysis: Some Additional Techniques*.

## Usage

```
predict_glm_binomial(object, newx, level = 0.95, ...)
```

## Arguments

object	<a href="#">glm</a> object with <a href="#">binomial</a> link function, i.e., a logistic regression model, as well as one and only one <a href="#">numeric</a> predictor
newx	(optional) <a href="#">numeric</a> scalar or vector, new $x$ -value(s) for which the fitted response(s) are to be reported
level	<a href="#">numeric</a> scalar, tolerance/confidence level, default .95
...	potential arguments, not in use currently

## Value

Function [predict\\_glm\\_binomial\(\)](#) returns a 'predict\_glm\_binomial' object, for which a [print](#) method, an [autolayer](#) and an [autoplot](#) method are defined.

## References

Wayne W. Daniel, *Biostatistics: A Foundation for Analysis in the Health Sciences*, Tenth Edition. Wiley, ISBN: 978-1-119-62550-6.

## See Also

[predict.glm](#)

## Examples

```

library(DanielBiostatistics10th)
library(car)
library(DescTools)

# Page 540, Example 11.1.1
head(EXA_C11_S01_01)
head(log(EXA_C11_S01_01$conc, base = 10))
head(EXA_C11_S01_01$logConc)

# Page 542, Example 11.1.2
head(EXA_C11_S01_02)
cor.test(~ sbp + weight, data = EXA_C11_S01_02)
cor.test(~ sbp + bmi, data = EXA_C11_S01_02)

# Page 545, Example 11.2.1
head(EXA_C11_S02_01)
d1121 = within(EXA_C11_S02_01, expr = {
  SMOKE = as.logical(SMOKE)
})
xlab1121 = 'Length of gestation (weeks)'; ylab1121 = 'Birth weight (grams)'
car::scatterplot(GRAMS ~ WEEKS | SMOKE, data = d1121, regLine = FALSE, smooth = FALSE,
  xlab = xlab1121, ylab = ylab1121, main = 'Page 547, Figure 11.2.1')
# Page 547, Figure 11.2.2: main model (without interaction)
summary(m1121_main <- lm(GRAMS ~ WEEKS + SMOKE, data = d1121))
confint(m1121_main)
car::scatterplot(GRAMS ~ WEEKS | SMOKE, data = d1121, regLine = FALSE, smooth = FALSE,
  xlab = xlab1121, ylab = ylab1121, main = 'Page 548, Figure 11.2.3')
(cf_main = m1121_main$coefficients)
abline(a = cf_main[1L], b = cf_main[2L], col = 'blue') # regression line for non-smoking mothers
abline(a = cf_main[1L] + cf_main[3L], b = cf_main[2L], col = 'magenta')

# Page 551, Example 11.2.3
d1123 = within(EXA_C11_S02_03, expr = {
  METHOD = factor(METHOD, levels = c('C', 'A', 'B')) # textbook designated 'C' as reference level
})
summary(mod_1123 <- lm(EFFECT ~ AGE * METHOD, data = d1123)) # Page 555, Figure 11.2.5
confint(mod_1123)
car::scatterplot(EFFECT ~ AGE | METHOD, data = d1123, smooth = FALSE,
  xlab = 'Age', ylab = 'Treatment effectiveness', main = 'Page 555, Figure 11.2.6')

# (optional) Page 561, Example 11.3.1
head(EXA_C11_S03_01)
names(EXA_C11_S03_01) = c('JOBPER', 'ASRV', 'ENTH', 'AMB', 'COMM', 'PROB', 'INIT')
summary(mod_1131_raw <- lm(JOBPER ~ ASRV + ENTH + AMB + COMM + PROB + INIT, data = EXA_C11_S03_01))
# summary(mod_1131 <- MASS::stepAIC(mod_1131_raw, direction = 'backward'))
# the stepwise selection criterion used in MINITAB is not necessarily AIC

# Page 572, Example 11.4.1
addmargins(d1141 <- array(c(92L, 21L, 15L, 20L), dim = c(2L, 2L), dimnames = list(
  OCAD = c('Present', 'Absent'), Sex = c('Male', 'Female')))) # Page 572, Table 11.4.2
(d1141a = within(as.data.frame(as.table(d1141)), expr = {

```

```

OCAD = (OCAD == 'Present')
Sex = factor(Sex, levels = c('Female', 'Male'))
}))
(m1141 = glm(OCAD ~ Sex, family = binomial(link = 'logit'), weights = Freq, data = d1141a))
summary(m1141) # Page 573, Figure 11.4.1
exp(m1141$coefficients[2L]) # exp(beta_M)
exp(confint(m1141)) # confidence interval of exp(beta)
predict(m1141, newdata = data.frame(Sex = setNames(nm = c('Male', 'Female'))), type = 'response')

# Page 573, Example 11.4.2
head(EXA_C11_S04_02)
summary(mod_1142 <- glm(ATT ~ AGE, family = binomial, data = EXA_C11_S04_02))
# .. Page 575, Figure 11.4.2
exp(mod_1142$coefficients[2L])
exp(confint(mod_1142))
car::Anova(mod_1142) # Optional
autoplot(predict_glm_binomial(mod_1142, newx = c(50, 65, 80))) +
  labs(title = 'Page 576, Figure 11.4.3')

# (optional) Page 576, Example 11.4.3
head(REV_C11_24)
summary(glm(ONSET ~ HIAA + TRYPT, family = binomial(link = 'logit'), data = REV_C11_24))
# Page 577, Figure 11.4.4
# Predictor TRYPT should be removed from model due to p-value \approx 1
summary(glm(ONSET ~ HIAA, family = binomial(link = 'logit'), data = REV_C11_24))

# (optional) Page 578, Example 11.4.4
DescTools::PseudoR2(mod_1142, which = 'CoxSnell')
DescTools::PseudoR2(mod_1142, which = 'Nagelkerke')

# (optional) Page 579, Example 11.4.5 (same as Example 11.4.4)

```

**Description**

Functions for Chapter 12, *The Chi-Square Distribution and The Analysis of Frequencies*.

**Usage**

```
print_OE(0, prob)
```

**Arguments**

0 **integer** vector, observed counts

prob **numeric** vector, anticipated probability. If missing (default), an uniform distribution across all categories are used.

**Value**

Function `print_OE()` prints a table with observed and expected frequencies, as well as the category-wise  $\chi^2$  statistics. A `double` vector of the category-wise  $\chi^2$  statistics is returned invisibly.

**References**

Wayne W. Daniel, *Biostatistics: A Foundation for Analysis in the Health Sciences*, Tenth Edition. Wiley, ISBN: 978-1-119-62550-6.

**Examples**

```
library(DanielBiostatistics10th)

# Page 605, Example 12.3.1
d1231_b = c(-Inf, seq.int(from = 125, to = 275, by = 25), Inf)
(d1231 = setNames( # Page 605, Table 12.3.1
  c(1L, 3L, 8L, 18L, 6L, 4L, 4L, 3L),
  nm = levels(cut(double(), breaks = d1231_b, right = FALSE, include.lowest = TRUE))))
chi1231 = print_OE(d1231, prob = diff.default(pnorm(q = d1231_b, mean = 198.67, sd = 41.31)))
pchisq(sum(chi1231), df = length(d1231) - 3L, lower.tail = FALSE)
# -3L: three restrictions (explained on Page 608)
# (1) making sum(xo) == sum(xe)
# (2) estimating mean
# (3) estimating sd

# Page 609, Example 12.3.2
# 100 doctors, 25 patients per doctor
d1232 = c(5L, 6L, 8L, 10L, 10L, 15L, 17L, 10L, 10L, 9L, 0L)
o1232 = setNames(c(sum(d1232[1:2]), d1232[-(1:2)]), nm = c('0-1', '2-9', '10 or more'))
(p1232 = sum((0:10) * d1232) / (25 * 100)) # binomial `prob`
chi1232 = print_OE(o1232, prob = c(
  pbinom(1L, size = 25L, prob = p1232),
  dbinom(2:9, size = 25L, prob = p1232),
  pbinom(9, size = 25L, prob = p1232, lower.tail = FALSE)))
pchisq(sum(chi1232), df = length(o1232) - 2L, lower.tail = FALSE)
# -2L: two restrictions (explained on Page 611)
# (1) making sum(o) == sum(e)
# (2) estimating p1232

# Page 611, Example 12.3.3
d1233 = c(5L, 14L, 15L, 23L, 16L, 9L, 3L, 3L, 1L, 1L, 0L)
o_1233 = setNames(c(d1233[1:8], sum(d1233[-(1:8)])), nm = c(0:7, '8 or more'))
p_1233 = c(dpois(0:7, lambda = 3), # lambda = 3 is provided by the textbook
  ppois(7L, lambda = 3, lower.tail = FALSE))
chi1233 = print_OE(o_1233, prob = p_1233)
pchisq(sum(chi1233), df = length(o_1233) - 1L, lower.tail = FALSE)
# -1L: one restrictions
# (1) making sum(xo) == sum(xe)
chisq.test(o_1233, p = p_1233) # equivalent # warning on any(E < 5)

# Page 614, Example 12.3.4
d1234 = c('Dec 05' = 62L, 'Jan 06' = 84L, 'Feb 06' = 17L, 'Mar 06' = 16L, 'Apr 06' = 21L)
```

```

chi1234 = print_OE(d1234)
pchisq(sum(chi1234), df = length(d1234) - 1L, lower.tail = FALSE)
chisq.test(d1234) # equivalent

# Page 616, Example 12.3.5
d1235 = c(dominant = 43L, heterozygous = 125L, recessive = 32L)
chi1235 = print_OE(d1235, prob = c(1, 2, 1))
pchisq(sum(chi1235), df = length(d1235) - 1L, lower.tail = FALSE)
chisq.test(d1235, p = c(1, 2, 1), rescale.p = TRUE) # equivalent

# Page 621, Example 12.4.1
addmargins(d1241 <- array(c(260L, 15L, 7L, 299L, 41L, 14L), dim = c(3L, 2L), dimnames = list(
  Race = c('White', 'Black', 'Other'),
  FolicAcid = c('TRUE', 'FALSE'))))
chisq.test(d1241) # ?stats::chisq.test

# Page 626, Example 12.4.2
addmargins(d1242 <- array(c(131L, 14L, 52L, 36L), dim = c(2L, 2L), dimnames = list(
  Type = c('Faller', 'Non-Faller'),
  LifestyleChange = c('TRUE', 'FALSE'))))
chisq.test(d1242, correct = FALSE)
chisq.test(d1242, correct = TRUE) # Page 627, Yates's Correction

# Page 631, Example 12.5.1
addmargins(d1251 <- array(c(21L, 19L, 75L, 77L), dim = c(2L, 2L), dimnames = list(
  Group = c('Narcoleptic', 'Healthy'),
  Migraine = c('TRUE', 'FALSE'))))
(chisq_1251 = chisq.test(d1251, correct = FALSE))
if (FALSE) {
  # (optional) using test on two proportions
  # only equivalent for 2*2 contingency table
  (clt_1251 = prop_CLT(x = c(21L, 19L), n = 96L, null.value = 0))
  all.equal.numeric(unname(clt_1251$statistic^2), unname(chisq_1251$statistic))
}

# Page 638, Example 12.6.1
addmargins(d1262 <- array(c(2L, 8L, 7L, 4L), dim = c(2L, 2L), dimnames = list(
  Group = c('PI_Naive', 'PA_Experienced'),
  Regimen2yr = c('TRUE', 'FALSE'))))
fisher.test(d1262)

# Page 644, Example 12.7.1
(d1271 = array(c(22L, 18L, 216L, 199L), dim = c(2L, 2L),
  dimnames = list(Exercising = c('Extreme', 'No'), PretermLabor = c('TRUE', 'FALSE'))))
summary(BooleanTable(t(d1271)))
# textbook confidence interval (.65, 1.86) wrong (too many rounding in intermediate steps)

# Page 647, Example 12.7.2
(d1272 = array(c(64L, 68L, 342L, 3496L), dim = c(2L, 2L), dimnames = list(
  SmkPregnancy = c('TRUE', 'FALSE'),
  Obesity = c('TRUE', 'FALSE'))))
summary(BooleanTable(t(d1272)))

```

```
# Page 650, Example 12.7.3
# Page 652, Example 12.7.4
(d1273 <- array(c(21L, 16L, 11L, 6L, 50L, 18L, 14L, 6L), dim = c(2L, 2L, 2L), dimnames = list(
  HTN = c('Present', 'Absent'), OCAD = c('Cases', 'Controls'),
  Age = c('<=55', '>55'))))
addmargins(d1273, margin = 1:2) # Page 651, Table 12.7.6
mantelhaen.test(d1273)
```

---

EXA\_C01\_S04\_01

*Data of Example 1.4.1*

---

### **Description**

EXA\_C01\_S04\_01

### **Usage**

EXA\_C01\_S04\_01

### **Format**

A [data.frame](#) with 189 rows and 2 columns

---

EXA\_C02\_S05\_05

*Data of Example 2.5.5*

---

### **Description**

EXA\_C02\_S05\_05

### **Usage**

EXA\_C02\_S05\_05

### **Format**

A [data.frame](#) with 20 rows and 1 columns

---

EXA\_C06\_S02\_04      *Data of Example 6.2.4*

---

**Description**

EXA\_C06\_S02\_04

**Usage**

EXA\_C06\_S02\_04

**Format**

A [data.frame](#) with 35 rows and 1 columns

---

EXA\_C07\_S02\_03      *Data of Example 7.2.3*

---

**Description**

EXA\_C07\_S02\_03

**Usage**

EXA\_C07\_S02\_03

**Format**

A [data.frame](#) with 17 rows and 2 columns

---

EXA\_C07\_S03\_02      *Data of Example 7.3.2*

---

**Description**

EXA\_C07\_S03\_02

**Usage**

EXA\_C07\_S03\_02

**Format**

A [data.frame](#) with 10 rows and 2 columns



---

EXA_C07_S04_01	<i>Data of Example 7.4.1</i>
----------------	------------------------------

---

**Description**

EXA\_C07\_S04\_01

**Usage**

EXA\_C07\_S04\_01

**Format**A [data.frame](#) with 12 rows and 2 columns

---

EXA_C07_S07_01	<i>Data of Example 7.7.1</i>
----------------	------------------------------

---

**Description**

EXA\_C07\_S07\_01

**Usage**

EXA\_C07\_S07\_01

**Format**A [data.frame](#) with 17 rows and 1 columns

---

EXA_C08_S02_01	<i>Data of Example 8.2.1</i>
----------------	------------------------------

---

**Description**

EXA\_C08\_S02\_01

**Usage**

EXA\_C08\_S02\_01

**Format**A [data.frame](#) with 144 rows and 2 columns

---

EXA\_C08\_S03\_01      *Data of Example 8.3.1*

---

**Description**

EXA\_C08\_S03\_01

**Usage**

EXA\_C08\_S03\_01

**Format**

A [data.frame](#) with 15 rows and 3 columns

---

EXA\_C08\_S04\_01      *Data of Example 8.4.1*

---

**Description**

EXA\_C08\_S04\_01

**Usage**

EXA\_C08\_S04\_01

**Format**

A [data.frame](#) with 72 rows and 3 columns

---

EXA\_C08\_S04\_02      *Data of Example 8.4.2*

---

**Description**

EXA\_C08\_S04\_02

**Usage**

EXA\_C08\_S04\_02

**Format**

A [data.frame](#) with 25 rows and 6 columns

---

EXA\_C08\_S05\_02      *Data of Example 8.5.2*

---

**Description**

EXA\_C08\_S05\_02

**Usage**

EXA\_C08\_S05\_02

**Format**

A [data.frame](#) with 80 rows and 3 columns

---

EXA\_C09\_S03\_01      *Data of Example 9.3.1*

---

**Description**

EXA\_C09\_S03\_01

**Usage**

EXA\_C09\_S03\_01

**Format**

A [data.frame](#) with 109 rows and 3 columns

---

EXA\_C09\_S07\_01      *Data of Example 9.7.1*

---

**Description**

EXA\_C09\_S07\_01

**Usage**

EXA\_C09\_S07\_01

**Format**

A [data.frame](#) with 155 rows and 2 columns

---

EXA\_C10\_S03\_01      *Data of Example 10.3.1*

---

**Description**

EXA\_C10\_S03\_01

**Usage**

EXA\_C10\_S03\_01

**Format**

A [data.frame](#) with 71 rows and 3 columns

---

EXA\_C10\_S06\_01      *Data of Example 10.6.1*

---

**Description**

EXA\_C10\_S06\_01

**Usage**

EXA\_C10\_S06\_01

**Format**

A [data.frame](#) with 29 rows and 3 columns

---

EXA\_C11\_S01\_01      *Data of Example 11.1.1*

---

**Description**

EXA\_C11\_S01\_01

**Usage**

EXA\_C11\_S01\_01

**Format**

A [data.frame](#) with 25 rows and 3 columns

---

EXA_C11_S01_02	<i>Data of Example 11.1.2</i>
----------------	-------------------------------

---

**Description**

EXA\_C11\_S01\_02

**Usage**

EXA\_C11\_S01\_02

**Format**A [data.frame](#) with 15 rows and 4 columns

---

EXA_C11_S02_01	<i>Data of Example 11.2.1</i>
----------------	-------------------------------

---

**Description**

EXA\_C11\_S02\_01

**Usage**

EXA\_C11\_S02\_01

**Format**A [data.frame](#) with 100 rows and 4 columns

---

EXA_C11_S02_03	<i>Data of Example 11.2.3</i>
----------------	-------------------------------

---

**Description**

EXA\_C11\_S02\_03

**Usage**

EXA\_C11\_S02\_03

**Format**A [data.frame](#) with 36 rows and 3 columns

---

EXA\_C11\_S03\_01      *Data of Example 11.3.1*

---

**Description**

EXA\_C11\_S03\_01

**Usage**

EXA\_C11\_S03\_01

**Format**

A [data.frame](#) with 30 rows and 7 columns

---

EXA\_C11\_S04\_02      *Data of Example 11.4.2*

---

**Description**

EXA\_C11\_S04\_02

**Usage**

EXA\_C11\_S04\_02

**Format**

A [data.frame](#) with 184 rows and 2 columns

---

EXA\_C11\_S05\_01      *Data of Example 11.5.1*

---

**Description**

EXA\_C11\_S05\_01

**Usage**

EXA\_C11\_S05\_01

**Format**

A [data.frame](#) with 45 rows and 4 columns

---

EXA_C12_S02_03	<i>Data of Example 12.2.3</i>
----------------	-------------------------------

---

**Description**

EXA\_C12\_S02\_03

**Usage**

EXA\_C12\_S02\_03

**Format**A [data.frame](#) with 90 rows and 2 columns

---

EXA_C13_S03_02	<i>Data of Example 13.3.2</i>
----------------	-------------------------------

---

**Description**

EXA\_C13\_S03\_02

**Usage**

EXA\_C13\_S03\_02

**Format**A [data.frame](#) with 12 rows and 3 columns

---

EXA_C13_S05_01	<i>Data of Example 13.5.1</i>
----------------	-------------------------------

---

**Description**

EXA\_C13\_S05\_01

**Usage**

EXA\_C13\_S05\_01

**Format**A [data.frame](#) with 16 rows and 2 columns

---

EXA\_C13\_S06\_01      *Data of Example 13.6.1*

---

**Description**

EXA\_C13\_S06\_01

**Usage**

EXA\_C13\_S06\_01

**Format**

A [data.frame](#) with 15 rows and 2 columns

---

EXA\_C13\_S07\_01      *Data of Example 13.7.1*

---

**Description**

EXA\_C13\_S07\_01

**Usage**

EXA\_C13\_S07\_01

**Format**

A [data.frame](#) with 36 rows and 1 columns

---

EXA\_C13\_S08\_02      *Data of Example 13.8.2*

---

**Description**

EXA\_C13\_S08\_02

**Usage**

EXA\_C13\_S08\_02

**Format**

A [data.frame](#) with 10 rows and 5 columns



---

EXA\_C13\_S09\_01      *Data of Example 13.9.1*

---

**Description**

EXA\_C13\_S09\_01

**Usage**

EXA\_C13\_S09\_01

**Format**

A [data.frame](#) with 9 rows and 4 columns

---

EXA\_C13\_S09\_02      *Data of Example 13.9.2*

---

**Description**

EXA\_C13\_S09\_02

**Usage**

EXA\_C13\_S09\_02

**Format**

A [data.frame](#) with 16 rows and 5 columns

---

EXA\_C13\_S10\_01      *Data of Example 13.10.1*

---

**Description**

EXA\_C13\_S10\_01

**Usage**

EXA\_C13\_S10\_01

**Format**

A [data.frame](#) with 20 rows and 3 columns

---

EXA\_C13\_S10\_02      *Data of Example 13.10.2*

---

**Description**

EXA\_C13\_S10\_02

**Usage**

EXA\_C13\_S10\_02

**Format**

A [data.frame](#) with 35 rows and 3 columns

---

EXA\_C14\_S03\_01      *Data of Example 14.3.1*

---

**Description**

EXA\_C14\_S03\_01

**Usage**

EXA\_C14\_S03\_01

**Format**

A [data.frame](#) with 39 rows and 4 columns

---

EXA\_C14\_S05\_01      *Data of Example 14.5.1*

---

**Description**

EXA\_C14\_S05\_01

**Usage**

EXA\_C14\_S05\_01

**Format**

A [data.frame](#) with 40 rows and 5 columns

---

EXR\_C02\_S03\_01      *Data of Exercise 2.3.1*

---

**Description**

EXR\_C02\_S03\_01

**Usage**

EXR\_C02\_S03\_01

**Format**

A [data.frame](#) with 90 rows and 1 columns

---

EXR\_C02\_S03\_02      *Data of Exercise 2.3.2*

---

**Description**

EXR\_C02\_S03\_02

**Usage**

EXR\_C02\_S03\_02

**Format**

A [data.frame](#) with 159 rows and 1 columns

---

EXR\_C02\_S03\_03      *Data of Exercise 2.3.3*

---

**Description**

EXR\_C02\_S03\_03

**Usage**

EXR\_C02\_S03\_03

**Format**

A [data.frame](#) with 29 rows and 1 columns

---

EXR\_C02\_S03\_04      *Data of Exercise 2.3.4*

---

**Description**

EXR\_C02\_S03\_04

**Usage**

EXR\_C02\_S03\_04

**Format**

A [data.frame](#) with 53 rows and 1 columns

---

EXR\_C02\_S03\_05      *Data of Exercise 2.3.5*

---

**Description**

EXR\_C02\_S03\_05

**Usage**

EXR\_C02\_S03\_05

**Format**

A [data.frame](#) with 45 rows and 1 columns

---

EXR\_C02\_S03\_06      *Data of Exercise 2.3.6*

---

**Description**

EXR\_C02\_S03\_06

**Usage**

EXR\_C02\_S03\_06

**Format**

A [data.frame](#) with 60 rows and 1 columns

---

EXR\_C02\_S03\_07      *Data of Exercise 2.3.7*

---

**Description**

EXR\_C02\_S03\_07

**Usage**

EXR\_C02\_S03\_07

**Format**

A [data.frame](#) with 155 rows and 1 columns

---

EXR\_C02\_S03\_08      *Data of Exercise 2.3.8*

---

**Description**

EXR\_C02\_S03\_08

**Usage**

EXR\_C02\_S03\_08

**Format**

A [data.frame](#) with 30 rows and 1 columns

---

EXR\_C02\_S03\_09      *Data of Exercise 2.3.9*

---

**Description**

EXR\_C02\_S03\_09

**Usage**

EXR\_C02\_S03\_09

**Format**

A [data.frame](#) with 50 rows and 2 columns

---

EXR\_C02\_S03\_11      *Data of Exercise 2.3.11*

---

**Description**

EXR\_C02\_S03\_11

**Usage**

EXR\_C02\_S03\_11

**Format**

A [data.frame](#) with 216 rows and 1 columns

---

EXR\_C02\_S03\_12      *Data of Exercise 2.3.12*

---

**Description**

EXR\_C02\_S03\_12

**Usage**

EXR\_C02\_S03\_12

**Format**

A [data.frame](#) with 109 rows and 1 columns

---

EXR\_C02\_S05\_03      *Data of Exercise 2.5.3*

---

**Description**

EXR\_C02\_S05\_03

**Usage**

EXR\_C02\_S05\_03

**Format**

A [data.frame](#) with 30 rows and 1 columns

---

EXR\_C02\_S05\_06      *Data of Exercise 2.5.6*

---

**Description**

EXR\_C02\_S05\_06

**Usage**

EXR\_C02\_S05\_06

**Format**

A [data.frame](#) with 20 rows and 1 columns

---

EXR\_C06\_S02\_05      *Data of Exercise 6.2.5*

---

**Description**

EXR\_C06\_S02\_05

**Usage**

EXR\_C06\_S02\_05

**Format**

A [data.frame](#) with 16 rows and 1 columns

---

EXR\_C06\_S04\_10      *Data of Exercise 6.4.10*

---

**Description**

EXR\_C06\_S04\_10

**Usage**

EXR\_C06\_S04\_10

**Format**

A [data.frame](#) with 32 rows and 2 columns

---

EXR\_C06\_S09\_07      *Data of Exercise 6.9.7*

---

**Description**

EXR\_C06\_S09\_07

**Usage**

EXR\_C06\_S09\_07

**Format**

A [data.frame](#) with 20 rows and 1 columns

---

EXR\_C06\_S10\_07      *Data of Exercise 6.10.7*

---

**Description**

EXR\_C06\_S10\_07

**Usage**

EXR\_C06\_S10\_07

**Format**

A [data.frame](#) with 26 rows and 2 columns

---

EXR\_C07\_S02\_13      *Data of Exercise 7.2.13*

---

**Description**

EXR\_C07\_S02\_13

**Usage**

EXR\_C07\_S02\_13

**Format**

A [data.frame](#) with 20 rows and 1 columns



---

EXR_C07_S02_15	<i>Data of Exercise 7.2.15</i>
----------------	--------------------------------

---

**Description**

EXR\_C07\_S02\_15

**Usage**

EXR\_C07\_S02\_15

**Format**A [data.frame](#) with 50 rows and 1 columns

---

EXR_C07_S02_16	<i>Data of Exercise 7.2.16</i>
----------------	--------------------------------

---

**Description**

EXR\_C07\_S02\_16

**Usage**

EXR\_C07\_S02\_16

**Format**A [data.frame](#) with 21 rows and 1 columns

---

EXR_C07_S03_03	<i>Data of Exercise 7.3.3</i>
----------------	-------------------------------

---

**Description**

EXR\_C07\_S03\_03

**Usage**

EXR\_C07\_S03\_03

**Format**A [data.frame](#) with 63 rows and 2 columns

---

EXR\_C07\_S03\_04      *Data of Exercise 7.3.4*

---

**Description**

EXR\_C07\_S03\_04

**Usage**

EXR\_C07\_S03\_04

**Format**

A [data.frame](#) with 174 rows and 2 columns

---

EXR\_C07\_S03\_05      *Data of Exercise 7.3.5*

---

**Description**

EXR\_C07\_S03\_05

**Usage**

EXR\_C07\_S03\_05

**Format**

A [data.frame](#) with 82 rows and 2 columns

---

EXR\_C07\_S03\_10      *Data of Exercise 7.3.10*

---

**Description**

EXR\_C07\_S03\_10

**Usage**

EXR\_C07\_S03\_10

**Format**

A [data.frame](#) with 24 rows and 2 columns

---

EXR\_C07\_S03\_11      *Data of Exercise 7.3.11*

---

**Description**

EXR\_C07\_S03\_11

**Usage**

EXR\_C07\_S03\_11

**Format**

A [data.frame](#) with 20 rows and 2 columns

---

EXR\_C07\_S03\_12      *Data of Exercise 7.3.12*

---

**Description**

EXR\_C07\_S03\_12

**Usage**

EXR\_C07\_S03\_12

**Format**

A [data.frame](#) with 90 rows and 2 columns

---

EXR\_C07\_S04\_01      *Data of Exercise 7.4.1*

---

**Description**

EXR\_C07\_S04\_01

**Usage**

EXR\_C07\_S04\_01

**Format**

A [data.frame](#) with 15 rows and 2 columns

---

EXR\_C07\_S04\_02      *Data of Exercise 7.4.2*

---

**Description**

EXR\_C07\_S04\_02

**Usage**

EXR\_C07\_S04\_02

**Format**

A [data.frame](#) with 66 rows and 2 columns

---

EXR\_C07\_S04\_03      *Data of Exercise 7.4.3*

---

**Description**

EXR\_C07\_S04\_03

**Usage**

EXR\_C07\_S04\_03

**Format**

A [data.frame](#) with 11 rows and 2 columns

---

EXR\_C07\_S04\_04      *Data of Exercise 7.4.4*

---

**Description**

EXR\_C07\_S04\_04

**Usage**

EXR\_C07\_S04\_04

**Format**

A [data.frame](#) with 20 rows and 2 columns

---

EXR\_C07\_S08\_07      *Data of Exercise 7.8.7*

---

**Description**

EXR\_C07\_S08\_07

**Usage**

EXR\_C07\_S08\_07

**Format**

A [data.frame](#) with 23 rows and 2 columns

---

EXR\_C08\_S02\_01      *Data of Exercise 8.2.1*

---

**Description**

EXR\_C08\_S02\_01

**Usage**

EXR\_C08\_S02\_01

**Format**

A [data.frame](#) with 329 rows and 2 columns

---

EXR\_C08\_S02\_02      *Data of Exercise 8.2.2*

---

**Description**

EXR\_C08\_S02\_02

**Usage**

EXR\_C08\_S02\_02

**Format**

A [data.frame](#) with 96 rows and 2 columns

---

EXR\_C08\_S02\_03      *Data of Exercise 8.2.3*

---

**Description**

EXR\_C08\_S02\_03

**Usage**

EXR\_C08\_S02\_03

**Format**

A [data.frame](#) with 113 rows and 2 columns

---

EXR\_C08\_S02\_04      *Data of Exercise 8.2.4*

---

**Description**

EXR\_C08\_S02\_04

**Usage**

EXR\_C08\_S02\_04

**Format**

A [data.frame](#) with 164 rows and 2 columns

---

EXR\_C08\_S02\_05      *Data of Exercise 8.2.5*

---

**Description**

EXR\_C08\_S02\_05

**Usage**

EXR\_C08\_S02\_05

**Format**

A [data.frame](#) with 29 rows and 2 columns

---

EXR\_C08\_S02\_06      *Data of Exercise 8.2.6*

---

**Description**

EXR\_C08\_S02\_06

**Usage**

EXR\_C08\_S02\_06

**Format**

A [data.frame](#) with 90 rows and 2 columns

---

EXR\_C08\_S02\_07      *Data of Exercise 8.2.7*

---

**Description**

EXR\_C08\_S02\_07

**Usage**

EXR\_C08\_S02\_07

**Format**

A [data.frame](#) with 178 rows and 2 columns

---

EXR\_C08\_S03\_01      *Data of Exercise 8.3.1*

---

**Description**

EXR\_C08\_S03\_01

**Usage**

EXR\_C08\_S03\_01

**Format**

A [data.frame](#) with 96 rows and 3 columns

---

EXR\_C08\_S03\_02      *Data of Exercise 8.3.2*

---

**Description**

EXR\_C08\_S03\_02

**Usage**

EXR\_C08\_S03\_02

**Format**

A [data.frame](#) with 10 rows and 5 columns

---

EXR\_C08\_S03\_03      *Data of Exercise 8.3.3*

---

**Description**

EXR\_C08\_S03\_03

**Usage**

EXR\_C08\_S03\_03

**Format**

A [data.frame](#) with 20 rows and 3 columns

---

EXR\_C08\_S03\_04      *Data of Exercise 8.3.4*

---

**Description**

EXR\_C08\_S03\_04

**Usage**

EXR\_C08\_S03\_04

**Format**

A [data.frame](#) with 16 rows and 3 columns



---

EXR\_C08\_S03\_05      *Data of Exercise 8.3.5*

---

**Description**

EXR\_C08\_S03\_05

**Usage**

EXR\_C08\_S03\_05

**Format**

A [data.frame](#) with 12 rows and 3 columns

---

EXR\_C08\_S04\_01      *Data of Exercise 8.4.1*

---

**Description**

EXR\_C08\_S04\_01

**Usage**

EXR\_C08\_S04\_01

**Format**

A [data.frame](#) with 40 rows and 3 columns

---

EXR\_C08\_S04\_02      *Data of Exercise 8.4.2*

---

**Description**

EXR\_C08\_S04\_02

**Usage**

EXR\_C08\_S04\_02

**Format**

A [data.frame](#) with 35 rows and 3 columns

---

EXR\_C08\_S04\_03      *Data of Exercise 8.4.3*

---

**Description**

EXR\_C08\_S04\_03

**Usage**

EXR\_C08\_S04\_03

**Format**

A [data.frame](#) with 48 rows and 3 columns

---

EXR\_C08\_S04\_06      *Data of Exercise 8.4.6*

---

**Description**

EXR\_C08\_S04\_06

**Usage**

EXR\_C08\_S04\_06

**Format**

A [data.frame](#) with 20 rows and 6 columns

---

EXR\_C08\_S05\_01      *Data of Exercise 8.5.1*

---

**Description**

EXR\_C08\_S05\_01

**Usage**

EXR\_C08\_S05\_01

**Format**

A [data.frame](#) with 24 rows and 3 columns

---

EXR\_C08\_S05\_02      *Data of Exercise 8.5.2*

---

**Description**

EXR\_C08\_S05\_02

**Usage**

EXR\_C08\_S05\_02

**Format**

A [data.frame](#) with 72 rows and 3 columns

---

EXR\_C08\_S05\_03      *Data of Exercise 8.5.3*

---

**Description**

EXR\_C08\_S05\_03

**Usage**

EXR\_C08\_S05\_03

**Format**

A [data.frame](#) with 44 rows and 3 columns

---

EXR\_C08\_S05\_04      *Data of Exercise 8.5.4*

---

**Description**

EXR\_C08\_S05\_04

**Usage**

EXR\_C08\_S05\_04

**Format**

A [data.frame](#) with 13 rows and 3 columns

---

EXR\_C09\_S03\_02      *Data of Exercise 9.3.2*

---

**Description**

EXR\_C09\_S03\_02

**Usage**

EXR\_C09\_S03\_02

**Format**

A [data.frame](#) with 10 rows and 2 columns

---

EXR\_C09\_S03\_03      *Data of Exercise 9.3.3*

---

**Description**

EXR\_C09\_S03\_03

**Usage**

EXR\_C09\_S03\_03

**Format**

A [data.frame](#) with 17 rows and 2 columns

---

EXR\_C09\_S03\_04      *Data of Exercise 9.3.4*

---

**Description**

EXR\_C09\_S03\_04

**Usage**

EXR\_C09\_S03\_04

**Format**

A [data.frame](#) with 90 rows and 2 columns

---

EXR\_C09\_S03\_06      *Data of Exercise 9.3.6*

---

**Description**

EXR\_C09\_S03\_06

**Usage**

EXR\_C09\_S03\_06

**Format**

A [data.frame](#) with 22 rows and 2 columns

---

EXR\_C09\_S03\_07      *Data of Exercise 9.3.7*

---

**Description**

EXR\_C09\_S03\_07

**Usage**

EXR\_C09\_S03\_07

**Format**

A [data.frame](#) with 27 rows and 2 columns

---

EXR\_C09\_S07\_01      *Data of Exercise 9.7.1*

---

**Description**

EXR\_C09\_S07\_01

**Usage**

EXR\_C09\_S07\_01

**Format**

A [data.frame](#) with 20 rows and 2 columns

---

EXR\_C09\_S07\_02      *Data of Exercise 9.7.2*

---

**Description**

EXR\_C09\_S07\_02

**Usage**

EXR\_C09\_S07\_02

**Format**

A [data.frame](#) with 90 rows and 2 columns

---

EXR\_C09\_S07\_04      *Data of Exercise 9.7.4*

---

**Description**

EXR\_C09\_S07\_04

**Usage**

EXR\_C09\_S07\_04

**Format**

A [data.frame](#) with 18 rows and 2 columns

---

EXR\_C09\_S07\_05      *Data of Exercise 9.7.5*

---

**Description**

EXR\_C09\_S07\_05

**Usage**

EXR\_C09\_S07\_05

**Format**

A [data.frame](#) with 30 rows and 2 columns

---

EXR\_C09\_S07\_06      *Data of Exercise 9.7.6*

---

**Description**

EXR\_C09\_S07\_06

**Usage**

EXR\_C09\_S07\_06

**Format**

A [data.frame](#) with 15 rows and 2 columns

---

EXR\_C10\_S03\_01      *Data of Exercise 10.3.1*

---

**Description**

EXR\_C10\_S03\_01

**Usage**

EXR\_C10\_S03\_01

**Format**

A [data.frame](#) with 35 rows and 3 columns

---

EXR\_C10\_S03\_02      *Data of Exercise 10.3.2*

---

**Description**

EXR\_C10\_S03\_02

**Usage**

EXR\_C10\_S03\_02

**Format**

A [data.frame](#) with 100 rows and 4 columns

---

EXR\_C10\_S03\_03      *Data of Exercise 10.3.3*

---

**Description**

EXR\_C10\_S03\_03

**Usage**

EXR\_C10\_S03\_03

**Format**

A [data.frame](#) with 10 rows and 3 columns

---

EXR\_C10\_S03\_04      *Data of Exercise 10.3.4*

---

**Description**

EXR\_C10\_S03\_04

**Usage**

EXR\_C10\_S03\_04

**Format**

A [data.frame](#) with 20 rows and 3 columns

---

EXR\_C10\_S03\_05      *Data of Exercise 10.3.5*

---

**Description**

EXR\_C10\_S03\_05

**Usage**

EXR\_C10\_S03\_05

**Format**

A [data.frame](#) with 25 rows and 3 columns



---

EXR\_C10\_S03\_06      *Data of Exercise 10.3.6*

---

**Description**

EXR\_C10\_S03\_06

**Usage**

EXR\_C10\_S03\_06

**Format**

A [data.frame](#) with 20 rows and 8 columns

---

EXR\_C10\_S06\_01      *Data of Exercise 10.6.1*

---

**Description**

EXR\_C10\_S06\_01

**Usage**

EXR\_C10\_S06\_01

**Format**

A [data.frame](#) with 40 rows and 4 columns

---

EXR\_C10\_S06\_02      *Data of Exercise 10.6.2*

---

**Description**

EXR\_C10\_S06\_02

**Usage**

EXR\_C10\_S06\_02

**Format**

A [data.frame](#) with 12 rows and 3 columns

---

EXR\_C10\_S06\_03      *Data of Exercise 10.6.3*

---

**Description**

EXR\_C10\_S06\_03

**Usage**

EXR\_C10\_S06\_03

**Format**

A [data.frame](#) with 15 rows and 3 columns

---

EXR\_C10\_S06\_04      *Data of Exercise 10.6.4*

---

**Description**

EXR\_C10\_S06\_04

**Usage**

EXR\_C10\_S06\_04

**Format**

A [data.frame](#) with 15 rows and 6 columns

---

EXR\_C11\_S02\_01      *Data of Exercise 11.2.1*

---

**Description**

EXR\_C11\_S02\_01

**Usage**

EXR\_C11\_S02\_01

**Format**

A [data.frame](#) with 44 rows and 3 columns

---

EXR_C11_S02_02	<i>Data of Exercise 11.2.2</i>
----------------	--------------------------------

---

**Description**

EXR\_C11\_S02\_02

**Usage**

EXR\_C11\_S02\_02

**Format**A [data.frame](#) with 100 rows and 3 columns

---

EXR_C11_S02_03	<i>Data of Exercise 11.2.3</i>
----------------	--------------------------------

---

**Description**

EXR\_C11\_S02\_03

**Usage**

EXR\_C11\_S02\_03

**Format**A [data.frame](#) with 17 rows and 3 columns

---

EXR_C11_S02_04	<i>Data of Exercise 11.2.4</i>
----------------	--------------------------------

---

**Description**

EXR\_C11\_S02\_04

**Usage**

EXR\_C11\_S02\_04

**Format**A [data.frame](#) with 90 rows and 3 columns

---

EXR\_C11\_S03\_01      *Data of Exercise 11.3.1*

---

**Description**

EXR\_C11\_S03\_01

**Usage**

EXR\_C11\_S03\_01

**Format**

A [data.frame](#) with 100 rows and 8 columns

---

EXR\_C11\_S03\_02      *Data of Exercise 11.3.2*

---

**Description**

EXR\_C11\_S03\_02

**Usage**

EXR\_C11\_S03\_02

**Format**

A [data.frame](#) with 35 rows and 7 columns

---

EXR\_C11\_S03\_03      *Data of Exercise 11.3.3*

---

**Description**

EXR\_C11\_S03\_03

**Usage**

EXR\_C11\_S03\_03

**Format**

A [data.frame](#) with 68 rows and 7 columns

---

EXR\_C11\_S04\_01      *Data of Exercise 11.4.1*

---

**Description**

EXR\_C11\_S04\_01

**Usage**

EXR\_C11\_S04\_01

**Format**

A [data.frame](#) with 4 rows and 3 columns

---

EXR\_C11\_S04\_02      *Data of Exercise 11.4.2*

---

**Description**

EXR\_C11\_S04\_02

**Usage**

EXR\_C11\_S04\_02

**Format**

A [data.frame](#) with 184 rows and 2 columns

---

EXR\_C11\_S05\_01      *Data of Exercise 11.5.1*

---

**Description**

EXR\_C11\_S05\_01

**Usage**

EXR\_C11\_S05\_01

**Format**

A [data.frame](#) with 45 rows and 4 columns

---

EXR\_C11\_S05\_02      *Data of Exercise 11.5.2*

---

**Description**

EXR\_C11\_S05\_02

**Usage**

EXR\_C11\_S05\_02

**Format**

A [data.frame](#) with 45 rows and 5 columns

---

EXR\_C11\_S05\_04      *Data of Exercise 11.5.4*

---

**Description**

EXR\_C11\_S05\_04

**Usage**

EXR\_C11\_S05\_04

**Format**

A [data.frame](#) with 90 rows and 3 columns

---

EXR\_C13\_S05\_01      *Data of Exercise 13.5.1*

---

**Description**

EXR\_C13\_S05\_01

**Usage**

EXR\_C13\_S05\_01

**Format**

A [data.frame](#) with 30 rows and 2 columns

---

EXR\_C13\_S05\_02      *Data of Exercise 13.5.2*

---

**Description**

EXR\_C13\_S05\_02

**Usage**

EXR\_C13\_S05\_02

**Format**

A [data.frame](#) with 30 rows and 2 columns

---

EXR\_C13\_S06\_01      *Data of Exercise 13.6.1*

---

**Description**

EXR\_C13\_S06\_01

**Usage**

EXR\_C13\_S06\_01

**Format**

A [data.frame](#) with 70 rows and 2 columns

---

EXR\_C13\_S06\_02      *Data of Exercise 13.6.2*

---

**Description**

EXR\_C13\_S06\_02

**Usage**

EXR\_C13\_S06\_02

**Format**

A [data.frame](#) with 17 rows and 2 columns

---

EXR\_C13\_S06\_03      *Data of Exercise 13.6.3*

---

**Description**

EXR\_C13\_S06\_03

**Usage**

EXR\_C13\_S06\_03

**Format**

A [data.frame](#) with 83 rows and 2 columns

---

EXR\_C13\_S07\_02      *Data of Exercise 13.7.2*

---

**Description**

EXR\_C13\_S07\_02

**Usage**

EXR\_C13\_S07\_02

**Format**

A [data.frame](#) with 30 rows and 1 columns

---

EXR\_C13\_S08\_01      *Data of Exercise 13.8.1*

---

**Description**

EXR\_C13\_S08\_01

**Usage**

EXR\_C13\_S08\_01

**Format**

A [data.frame](#) with 232 rows and 2 columns



---

EXR\_C13\_S08\_02      *Data of Exercise 13.8.2*

---

**Description**

EXR\_C13\_S08\_02

**Usage**

EXR\_C13\_S08\_02

**Format**

A [data.frame](#) with 15 rows and 2 columns

---

EXR\_C13\_S08\_03      *Data of Exercise 13.8.3*

---

**Description**

EXR\_C13\_S08\_03

**Usage**

EXR\_C13\_S08\_03

**Format**

A [data.frame](#) with 53 rows and 2 columns

---

EXR\_C13\_S08\_04      *Data of Exercise 13.8.4*

---

**Description**

EXR\_C13\_S08\_04

**Usage**

EXR\_C13\_S08\_04

**Format**

A [data.frame](#) with 22 rows and 2 columns

---

EXR\_C13\_S08\_05      *Data of Exercise 13.8.5*

---

**Description**

EXR\_C13\_S08\_05

**Usage**

EXR\_C13\_S08\_05

**Format**

A [data.frame](#) with 44 rows and 2 columns

---

EXR\_C13\_S08\_06      *Data of Exercise 13.8.6*

---

**Description**

EXR\_C13\_S08\_06

**Usage**

EXR\_C13\_S08\_06

**Format**

A [data.frame](#) with 22 rows and 3 columns

---

EXR\_C13\_S09\_01      *Data of Exercise 13.9.1*

---

**Description**

EXR\_C13\_S09\_01

**Usage**

EXR\_C13\_S09\_01

**Format**

A [data.frame](#) with 9 rows and 4 columns

---

EXR_C13_S09_02	<i>Data of Exercise 13.9.2</i>
----------------	--------------------------------

---

**Description**

EXR\_C13\_S09\_02

**Usage**

EXR\_C13\_S09\_02

**Format**A [data.frame](#) with 15 rows and 11 columns

---

EXR_C13_S09_03	<i>Data of Exercise 13.9.3</i>
----------------	--------------------------------

---

**Description**

EXR\_C13\_S09\_03

**Usage**

EXR\_C13\_S09\_03

**Format**A [data.frame](#) with 10 rows and 6 columns

---

EXR_C13_S10_01	<i>Data of Exercise 13.10.1</i>
----------------	---------------------------------

---

**Description**

EXR\_C13\_S10\_01

**Usage**

EXR\_C13\_S10\_01

**Format**A [data.frame](#) with 15 rows and 3 columns

---

EXR\_C13\_S10\_02      *Data of Exercise 13.10.2*

---

**Description**

EXR\_C13\_S10\_02

**Usage**

EXR\_C13\_S10\_02

**Format**

A [data.frame](#) with 10 rows and 3 columns

---

EXR\_C13\_S10\_03      *Data of Exercise 13.10.3*

---

**Description**

EXR\_C13\_S10\_03

**Usage**

EXR\_C13\_S10\_03

**Format**

A [data.frame](#) with 20 rows and 2 columns

---

EXR\_C13\_S10\_04      *Data of Exercise 13.10.4*

---

**Description**

EXR\_C13\_S10\_04

**Usage**

EXR\_C13\_S10\_04

**Format**

A [data.frame](#) with 20 rows and 2 columns

---

EXR_C13_S10_05	<i>Data of Exercise 13.10.5</i>
----------------	---------------------------------

---

**Description**

EXR\_C13\_S10\_05

**Usage**

EXR\_C13\_S10\_05

**Format**A [data.frame](#) with 30 rows and 2 columns

---

EXR_C13_S10_06	<i>Data of Exercise 13.10.6</i>
----------------	---------------------------------

---

**Description**

EXR\_C13\_S10\_06

**Usage**

EXR\_C13\_S10\_06

**Format**A [data.frame](#) with 17 rows and 3 columns

---

EXR_C14_S03_01	<i>Data of Exercise 14.3.1</i>
----------------	--------------------------------

---

**Description**

EXR\_C14\_S03\_01

**Usage**

EXR\_C14\_S03\_01

**Format**A [data.frame](#) with 53 rows and 3 columns

EXR\_C14\_S03\_02      *Data of Exercise 14.3.2*

---

**Description**

EXR\_C14\_S03\_02

**Usage**

EXR\_C14\_S03\_02

**Format**

A [data.frame](#) with 62 rows and 2 columns

---

EXR\_C14\_S04\_03      *Data of Exercise 14.4.3*

---

**Description**

EXR\_C14\_S04\_03

**Usage**

EXR\_C14\_S04\_03

**Format**

A [data.frame](#) with 50 rows and 4 columns

---

freqs-class      *S4 Class freqs*

---

**Description**

S4 Class [freqs](#)

**Slots**

.Data [integer vector](#), frequency counts

data.name [character](#) integer, name of the data, only used in output

Gosset\_Welch

*Two-Sample Student's  $t$ -statistic and Welch–Satterthwaite Equation***Description**

To determine the degree of freedom, as well as the standard error, of two-sample  $t$ -statistic, with or without the equal-variance assumption.

**Usage**

```
Gosset_Welch(s1, s0, v1 = s1^2, v0 = s0^2, n1, n0, var.equal = FALSE)
```

**Arguments**

<code>s1, s0</code>	(optional) <b>double</b> scalars or <b>vectors</b> , sample standard deviations $s_1$ and $s_0$ of the treatment and control sample, respectively
<code>v1, v0</code>	<b>double</b> scalars or <b>vectors</b> , sample variances of the treatment and control sample, respectively. Default $v_1 = s_1^2, v_0 = s_0^2$ .
<code>n1, n0</code>	<b>integer</b> scalars or <b>vectors</b> , sample sizes of the treatment and control sample, respectively
<code>var.equal</code>	<b>logical</b> scalar, whether to treat the two variances $v_1$ and $v_0$ as being equal when calculating the degree of freedom and the standard error of the mean-difference. If FALSE (default), Welch–Satterthwaite equation is used. If TRUE, the original two-sample $t$ -test from William Sealy Gosset is used. See <a href="#">t.test.default</a> .

**Value**

Function `Gosset_Welch()` returns a **numeric** scalar of the degree of freedom, with a **numeric** scalar attribute 'stderr' of the standard error of the mean-difference.

**References**

Student's  $t$ -test by William Sealy Gosset, [doi:10.1093/biomet/6.1.1](https://doi.org/10.1093/biomet/6.1.1).

Welch–Satterthwaite equation by Bernard Lewis Welch and F. E. Satterthwaite, [doi:10.2307/3002019](https://doi.org/10.2307/3002019) and [doi:10.1093/biomet/34.12.28](https://doi.org/10.1093/biomet/34.12.28).

**See Also**

[t.test](#)

**Examples**

```
x = rnorm(32L, sd = 1.6); y = rnorm(57L, sd = 2.1)
vx = var(x); vy = var(y); nx = length(x); ny = length(y)
t.test(x, y, var.equal = FALSE)[c('parameter', 'stderr')]
Gosset_Welch(v1 = vx, v0 = vy, n1 = nx, n0 = ny, var.equal = FALSE)
t.test(x, y, var.equal = TRUE)[c('parameter', 'stderr')]
```

```
Gosset_Welch(v1 = vx, v0 = vy, n1 = nx, n0 = ny, var.equal = TRUE)
```

---

LDS\_C02\_NCBIRTH800      *Large Data NCBIRTH800 from Chapter 2*

---

**Description**

LDS\_C02\_NCBIRTH800

**Usage**

LDS\_C02\_NCBIRTH800

**Format**

A [data.frame](#) with 800 rows and 14 columns

---

LDS\_C06\_BABYWGTS      *Large Data BABYWGTS from Chapter 6*

---

**Description**

LDS\_C06\_BABYWGTS

**Usage**

LDS\_C06\_BABYWGTS

**Format**

A [data.frame](#) with 1200 rows and 2 columns

---

LDS\_C06\_BOYHGTS      *Large Data BOYHGTS from Chapter 6*

---

**Description**

LDS\_C06\_BOYHGTS

**Usage**

LDS\_C06\_BOYHGTS

**Format**

A [data.frame](#) with 1000 rows and 2 columns



---

LDS\_C06\_CHOLEST      *Large Data CHOLEST from Chapter 6*

---

**Description**

LDS\_C06\_CHOLEST

**Usage**

LDS\_C06\_CHOLEST

**Format**

A [data.frame](#) with 1000 rows and 2 columns

---

LDS\_C07\_HEADCIRC      *Large Data HEADCIRC from Chapter 7*

---

**Description**

LDS\_C07\_HEADCIRC

**Usage**

LDS\_C07\_HEADCIRC

**Format**

A [data.frame](#) with 1000 rows and 3 columns

---

LDS\_C07\_HEMOGLOB      *Large Data HEMOglob from Chapter 7*

---

**Description**

LDS\_C07\_HEMOGLOB

**Usage**

LDS\_C07\_HEMOGLOB

**Format**

A [data.frame](#) with 1000 rows and 2 columns

---

LDS\_C07\_MANDEXT      *Large Data MANDEXT from Chapter 7*

---

**Description**

LDS\_C07\_MANDEXT

**Usage**

LDS\_C07\_MANDEXT

**Format**

A [data.frame](#) with 1000 rows and 2 columns

---

LDS\_C07\_PCKDATA      *Large Data PCKDATA from Chapter 7*

---

**Description**

LDS\_C07\_PCKDATA

**Usage**

LDS\_C07\_PCKDATA

**Format**

A [data.frame](#) with 1005 rows and 3 columns

---

LDS\_C07\_PROTHROM      *Large Data PROTHROM from Chapter 7*

---

**Description**

LDS\_C07\_PROTHROM

**Usage**

LDS\_C07\_PROTHROM

**Format**

A [data.frame](#) with 1000 rows and 2 columns

---

LDS_C08_CSFDATA	<i>Large Data CSFDATA from Chapter 8</i>
-----------------	--

---

**Description**

LDS\_C08\_CSFDATA

**Usage**

LDS\_C08\_CSFDATA

**Format**A [data.frame](#) with 300 rows and 6 columns

---

LDS_C08_LSADATA	<i>Large Data LSADATA from Chapter 8</i>
-----------------	--

---

**Description**

LDS\_C08\_LSADATA

**Usage**

LDS\_C08\_LSADATA

**Format**A [data.frame](#) with 350 rows and 5 columns

---

LDS_C08_MEDSCORES	<i>Large Data MEDSCORES from Chapter 8</i>
-------------------	--

---

**Description**

LDS\_C08\_MEDSCORES

**Usage**

LDS\_C08\_MEDSCORES

**Format**A [data.frame](#) with 582 rows and 4 columns

---

LDS\_C08\_RBCDATA      *Large Data RBCDATA from Chapter 8*

---

**Description**

LDS\_C08\_RBCDATA

**Usage**

LDS\_C08\_RBCDATA

**Format**

A [data.frame](#) with 350 rows and 4 columns

---

LDS\_C08\_SACEDATA      *Large Data SACEDATA from Chapter 8*

---

**Description**

LDS\_C08\_SACEDATA

**Usage**

LDS\_C08\_SACEDATA

**Format**

A [data.frame](#) with 400 rows and 5 columns

---

LDS\_C08\_SERUMCHO      *Large Data SERUMCHO from Chapter 8*

---

**Description**

LDS\_C08\_SERUMCHO

**Usage**

LDS\_C08\_SERUMCHO

**Format**

A [data.frame](#) with 347 rows and 4 columns

---

LDS_C09_CALCIIUM	<i>Large Data CALCIIUM from Chapter 9</i>
------------------	---

---

**Description**

LDS\_C09\_CALCIIUM

**Usage**

LDS\_C09\_CALCIIUM

**Format**A [data.frame](#) with 100 rows and 13 columns

---

LDS_C09_CEREBRAL	<i>Large Data CEREBRAL from Chapter 9</i>
------------------	---

---

**Description**

LDS\_C09\_CEREBRAL

**Usage**

LDS\_C09\_CEREBRAL

**Format**A [data.frame](#) with 1050 rows and 3 columns

---

LDS_C09_HYPERTEN	<i>Large Data HYPERTEN from Chapter 9</i>
------------------	---

---

**Description**

LDS\_C09\_HYPERTEN

**Usage**

LDS\_C09\_HYPERTEN

**Format**A [data.frame](#) with 1050 rows and 3 columns

---

LDS\_C10\_LTEXER      *Large Data LTEXER from Chapter 10*

---

**Description**

LDS\_C10\_LTEXER

**Usage**

LDS\_C10\_LTEXER

**Format**

A [data.frame](#) with 248 rows and 5 columns

---

LDS\_C10\_RESPDIS      *Large Data RESPDIS from Chapter 10*

---

**Description**

LDS\_C10\_RESPDIS

**Usage**

LDS\_C10\_RESPDIS

**Format**

A [data.frame](#) with 1200 rows and 6 columns

---

LDS\_C10\_RISKFACT      *Large Data RISKFACT from Chapter 10*

---

**Description**

LDS\_C10\_RISKFACT

**Usage**

LDS\_C10\_RISKFACT

**Format**

A [data.frame](#) with 1000 rows and 6 columns

---

LDS\_C10\_STERLENGTH      *Large Data STERLENGTH from Chapter 10*

---

**Description**

LDS\_C10\_STERLENGTH

**Usage**

LDS\_C10\_STERLENGTH

**Format**

A [data.frame](#) with 1162 rows and 4 columns

---

LDS\_C11\_AQUATICS      *Large Data AQUATICS from Chapter 11*

---

**Description**

LDS\_C11\_AQUATICS

**Usage**

LDS\_C11\_AQUATICS

**Format**

A [data.frame](#) with 142 rows and 7 columns

---

LDS\_C11\_TEACHERS      *Large Data TEACHERS from Chapter 11*

---

**Description**

LDS\_C11\_TEACHERS

**Usage**

LDS\_C11\_TEACHERS

**Format**

A [data.frame](#) with 212 rows and 7 columns

---

LDS\_C11\_WGTLOSS      *Large Data WGTLOSS from Chapter 11*

---

**Description**

LDS\_C11\_WGTLOSS

**Usage**

LDS\_C11\_WGTLOSS

**Format**

A [data.frame](#) with 1185 rows and 3 columns

---

LDS\_C12\_SMOKING      *Large Data SMOKING from Chapter 12*

---

**Description**

LDS\_C12\_SMOKING

**Usage**

LDS\_C12\_SMOKING

**Format**

A [data.frame](#) with 1200 rows and 6 columns

---

LDS\_C13\_KLETTER      *Large Data KLETTER from Chapter 13*

---

**Description**

LDS\_C13\_KLETTER

**Usage**

LDS\_C13\_KLETTER

**Format**

A [data.frame](#) with 168 rows and 3 columns



---

REV\_C02\_13

*Review Exercise 13 of Chapter 2*

---

**Description**

REV\_C02\_13

**Usage**

REV\_C02\_13

**Format**

A [data.frame](#) with 50 rows and 1 columns

---

REV\_C02\_15

*Review Exercise 15 of Chapter 2*

---

**Description**

REV\_C02\_15

**Usage**

REV\_C02\_15

**Format**

A [data.frame](#) with 28 rows and 1 columns

---

REV\_C02\_16

*Review Exercise 16 of Chapter 2*

---

**Description**

REV\_C02\_16

**Usage**

REV\_C02\_16

**Format**

A [data.frame](#) with 53 rows and 2 columns

---

REV\_C02\_19

*Review Exercise 19 of Chapter 2*

---

**Description**

REV\_C02\_19

**Usage**

REV\_C02\_19

**Format**

A [data.frame](#) with 22 rows and 1 columns

---

REV\_C02\_29

*Review Exercise 29 of Chapter 2*

---

**Description**

REV\_C02\_29

**Usage**

REV\_C02\_29

**Format**

A [data.frame](#) with 107 rows and 1 columns

---

REV\_C06\_22

*Review Exercise 22 of Chapter 6*

---

**Description**

REV\_C06\_22

**Usage**

REV\_C06\_22

**Format**

A [data.frame](#) with 27 rows and 2 columns

---

REV\_C06\_23

*Review Exercise 23 of Chapter 6*

---

**Description**

REV\_C06\_23

**Usage**

REV\_C06\_23

**Format**

A [data.frame](#) with 28 rows and 2 columns

---

REV\_C06\_28

*Review Exercise 28 of Chapter 6*

---

**Description**

REV\_C06\_28

**Usage**

REV\_C06\_28

**Format**

A [data.frame](#) with 110 rows and 2 columns

---

REV\_C07\_18

*Review Exercise 18 of Chapter 7*

---

**Description**

REV\_C07\_18

**Usage**

REV\_C07\_18

**Format**

A [data.frame](#) with 107 rows and 3 columns

---

REV\_C07\_19

*Review Exercise 19 of Chapter 7*

---

**Description**

REV\_C07\_19

**Usage**

REV\_C07\_19

**Format**

A [data.frame](#) with 107 rows and 3 columns

---

REV\_C07\_22

*Review Exercise 22 of Chapter 7*

---

**Description**

REV\_C07\_22

**Usage**

REV\_C07\_22

**Format**

A [data.frame](#) with 76 rows and 2 columns

---

REV\_C07\_24

*Review Exercise 24 of Chapter 7*

---

**Description**

REV\_C07\_24

**Usage**

REV\_C07\_24

**Format**

A [data.frame](#) with 37 rows and 2 columns

---

REV\_C07\_29                      *Review Exercise 29 of Chapter 7*

---

**Description**

REV\_C07\_29

**Usage**

REV\_C07\_29

**Format**

A [data.frame](#) with 12 rows and 2 columns

---

REV\_C07\_40                      *Review Exercise 40 of Chapter 7*

---

**Description**

REV\_C07\_40

**Usage**

REV\_C07\_40

**Format**

A [data.frame](#) with 8 rows and 3 columns

---

REV\_C07\_41                      *Review Exercise 41 of Chapter 7*

---

**Description**

REV\_C07\_41

**Usage**

REV\_C07\_41

**Format**

A [data.frame](#) with 11 rows and 3 columns

---

REV\_C07\_42                      *Review Exercise 42 of Chapter 7*

---

**Description**

REV\_C07\_42

**Usage**

REV\_C07\_42

**Format**

A [data.frame](#) with 10 rows and 6 columns

---

REV\_C07\_43                      *Review Exercise 43 of Chapter 7*

---

**Description**

REV\_C07\_43

**Usage**

REV\_C07\_43

**Format**

A [data.frame](#) with 31 rows and 2 columns

---

REV\_C07\_44                      *Review Exercise 44 of Chapter 7*

---

**Description**

REV\_C07\_44

**Usage**

REV\_C07\_44

**Format**

A [data.frame](#) with 98 rows and 4 columns

---

REV\_C07\_45                      *Review Exercise 45 of Chapter 7*

---

**Description**

REV\_C07\_45

**Usage**

REV\_C07\_45

**Format**

A [data.frame](#) with 15 rows and 11 columns

---

REV\_C07\_46                      *Review Exercise 46 of Chapter 7*

---

**Description**

REV\_C07\_46

**Usage**

REV\_C07\_46

**Format**

A [data.frame](#) with 17 rows and 2 columns

---

REV\_C07\_47                      *Review Exercise 47 of Chapter 7*

---

**Description**

REV\_C07\_47

**Usage**

REV\_C07\_47

**Format**

A [data.frame](#) with 66 rows and 2 columns

---

REV\_C07\_48

*Review Exercise 48 of Chapter 7*

---

**Description**

REV\_C07\_48

**Usage**

REV\_C07\_48

**Format**

A [data.frame](#) with 51 rows and 2 columns

---

REV\_C07\_49

*Review Exercise 49 of Chapter 7*

---

**Description**

REV\_C07\_49

**Usage**

REV\_C07\_49

**Format**

A [data.frame](#) with 22 rows and 2 columns

---

REV\_C07\_50

*Review Exercise 50 of Chapter 7*

---

**Description**

REV\_C07\_50

**Usage**

REV\_C07\_50

**Format**

A [data.frame](#) with 28 rows and 4 columns



---

REV\_C07\_51                      *Review Exercise 51 of Chapter 7*

---

**Description**

REV\_C07\_51

**Usage**

REV\_C07\_51

**Format**

A [data.frame](#) with 22 rows and 2 columns

---

REV\_C07\_52                      *Review Exercise 52 of Chapter 7*

---

**Description**

REV\_C07\_52

**Usage**

REV\_C07\_52

**Format**

A [data.frame](#) with 24 rows and 2 columns

---

REV\_C07\_53                      *Review Exercise 53 of Chapter 7*

---

**Description**

REV\_C07\_53

**Usage**

REV\_C07\_53

**Format**

A [data.frame](#) with 55 rows and 2 columns

---

REV\_C07\_54                      *Review Exercise 54 of Chapter 7*

---

**Description**

REV\_C07\_54

**Usage**

REV\_C07\_54

**Format**

A [data.frame](#) with 17 rows and 2 columns

---

REV\_C07\_55                      *Review Exercise 55 of Chapter 7*

---

**Description**

REV\_C07\_55

**Usage**

REV\_C07\_55

**Format**

A [data.frame](#) with 50 rows and 2 columns

---

REV\_C08\_13                      *Review Exercise 13 of Chapter 8*

---

**Description**

REV\_C08\_13

**Usage**

REV\_C08\_13

**Format**

A [data.frame](#) with 75 rows and 2 columns

---

REV\_C08\_14

*Review Exercise 14 of Chapter 8*

---

**Description**

REV\_C08\_14

**Usage**

REV\_C08\_14

**Format**

A [data.frame](#) with 91 rows and 2 columns

---

REV\_C08\_15

*Review Exercise 15 of Chapter 8*

---

**Description**

REV\_C08\_15

**Usage**

REV\_C08\_15

**Format**

A [data.frame](#) with 48 rows and 3 columns

---

REV\_C08\_16

*Review Exercise 16 of Chapter 8*

---

**Description**

REV\_C08\_16

**Usage**

REV\_C08\_16

**Format**

A [data.frame](#) with 36 rows and 3 columns

---

REV\_C08\_17                      *Review Exercise 17 of Chapter 8*

---

**Description**

REV\_C08\_17

**Usage**

REV\_C08\_17

**Format**

A [data.frame](#) with 52 rows and 3 columns

---

REV\_C08\_18                      *Review Exercise 18 of Chapter 8*

---

**Description**

REV\_C08\_18

**Usage**

REV\_C08\_18

**Format**

A [data.frame](#) with 74 rows and 4 columns

---

REV\_C08\_19                      *Review Exercise 19 of Chapter 8*

---

**Description**

REV\_C08\_19

**Usage**

REV\_C08\_19

**Format**

A [data.frame](#) with 162 rows and 3 columns

---

REV\_C08\_20                      *Review Exercise 20 of Chapter 8*

---

**Description**

REV\_C08\_20

**Usage**

REV\_C08\_20

**Format**

A [data.frame](#) with 56 rows and 2 columns

---

REV\_C08\_21                      *Review Exercise 21 of Chapter 8*

---

**Description**

REV\_C08\_21

**Usage**

REV\_C08\_21

**Format**

A [data.frame](#) with 30 rows and 3 columns

---

REV\_C08\_22                      *Review Exercise 22 of Chapter 8*

---

**Description**

REV\_C08\_22

**Usage**

REV\_C08\_22

**Format**

A [data.frame](#) with 54 rows and 3 columns

---

REV\_C08\_23

*Review Exercise 23 of Chapter 8*

---

**Description**

REV\_C08\_23

**Usage**

REV\_C08\_23

**Format**

A [data.frame](#) with 31 rows and 2 columns

---

REV\_C08\_24

*Review Exercise 24 of Chapter 8*

---

**Description**

REV\_C08\_24

**Usage**

REV\_C08\_24

**Format**

A [data.frame](#) with 30 rows and 3 columns

---

REV\_C08\_25

*Review Exercise 25 of Chapter 8*

---

**Description**

REV\_C08\_25

**Usage**

REV\_C08\_25

**Format**

A [data.frame](#) with 60 rows and 3 columns

---

REV\_C08\_31                      *Review Exercise 31 of Chapter 8*

---

**Description**

REV\_C08\_31

**Usage**

REV\_C08\_31

**Format**

A [data.frame](#) with 28 rows and 1 columns

---

REV\_C08\_32                      *Review Exercise 32 of Chapter 8*

---

**Description**

REV\_C08\_32

**Usage**

REV\_C08\_32

**Format**

A [data.frame](#) with 48 rows and 1 columns

---

REV\_C08\_33                      *Review Exercise 33 of Chapter 8*

---

**Description**

REV\_C08\_33

**Usage**

REV\_C08\_33

**Format**

A [data.frame](#) with 25 rows and 2 columns

---

REV\_C08\_39

*Review Exercise 39 of Chapter 8*

---

**Description**

REV\_C08\_39

**Usage**

REV\_C08\_39

**Format**

A [data.frame](#) with 18 rows and 10 columns

---

REV\_C08\_40

*Review Exercise 40 of Chapter 8*

---

**Description**

REV\_C08\_40

**Usage**

REV\_C08\_40

**Format**

A [data.frame](#) with 30 rows and 3 columns

---

REV\_C08\_41

*Review Exercise 41 of Chapter 8*

---

**Description**

REV\_C08\_41

**Usage**

REV\_C08\_41

**Format**

A [data.frame](#) with 24 rows and 2 columns



---

REV\_C08\_42

*Review Exercise 42 of Chapter 8*

---

**Description**

REV\_C08\_42

**Usage**

REV\_C08\_42

**Format**

A [data.frame](#) with 14 rows and 8 columns

---

REV\_C08\_43

*Review Exercise 43 of Chapter 8*

---

**Description**

REV\_C08\_43

**Usage**

REV\_C08\_43

**Format**

A [data.frame](#) with 24 rows and 5 columns

---

REV\_C08\_44

*Review Exercise 44 of Chapter 8*

---

**Description**

REV\_C08\_44

**Usage**

REV\_C08\_44

**Format**

A [data.frame](#) with 16 rows and 14 columns

---

REV\_C08\_45

*Review Exercise 45 of Chapter 8*

---

**Description**

REV\_C08\_45

**Usage**

REV\_C08\_45

**Format**

A [data.frame](#) with 90 rows and 2 columns

---

REV\_C08\_46

*Review Exercise 46 of Chapter 8*

---

**Description**

REV\_C08\_46

**Usage**

REV\_C08\_46

**Format**

A [data.frame](#) with 20 rows and 5 columns

---

REV\_C08\_47

*Review Exercise 47 of Chapter 8*

---

**Description**

REV\_C08\_47

**Usage**

REV\_C08\_47

**Format**

A [data.frame](#) with 18 rows and 3 columns

---

REV\_C08\_48

*Review Exercise 48 of Chapter 8*

---

**Description**

REV\_C08\_48

**Usage**

REV\_C08\_48

**Format**

A [data.frame](#) with 34 rows and 2 columns

---

REV\_C08\_49

*Review Exercise 49 of Chapter 8*

---

**Description**

REV\_C08\_49

**Usage**

REV\_C08\_49

**Format**

A [data.frame](#) with 24 rows and 3 columns

---

REV\_C08\_50

*Review Exercise 50 of Chapter 8*

---

**Description**

REV\_C08\_50

**Usage**

REV\_C08\_50

**Format**

A [data.frame](#) with 20 rows and 5 columns

---

REV\_C08\_51                      *Review Exercise 51 of Chapter 8*

---

**Description**

REV\_C08\_51

**Usage**

REV\_C08\_51

**Format**

A [data.frame](#) with 36 rows and 3 columns

---

REV\_C08\_52                      *Review Exercise 52 of Chapter 8*

---

**Description**

REV\_C08\_52

**Usage**

REV\_C08\_52

**Format**

A [data.frame](#) with 65 rows and 2 columns

---

REV\_C08\_53                      *Review Exercise 53 of Chapter 8*

---

**Description**

REV\_C08\_53

**Usage**

REV\_C08\_53

**Format**

A [data.frame](#) with 11 rows and 2 columns

---

REV\_C08\_54

*Review Exercise 54 of Chapter 8*

---

**Description**

REV\_C08\_54

**Usage**

REV\_C08\_54

**Format**

A [data.frame](#) with 22 rows and 8 columns

---

REV\_C08\_55

*Review Exercise 55 of Chapter 8*

---

**Description**

REV\_C08\_55

**Usage**

REV\_C08\_55

**Format**

A [data.frame](#) with 41 rows and 2 columns

---

REV\_C08\_56

*Review Exercise 56 of Chapter 8*

---

**Description**

REV\_C08\_56

**Usage**

REV\_C08\_56

**Format**

A [data.frame](#) with 14 rows and 8 columns

---

REV\_C08\_57                      *Review Exercise 57 of Chapter 8*

---

**Description**

REV\_C08\_57

**Usage**

REV\_C08\_57

**Format**

A [data.frame](#) with 119 rows and 2 columns

---

REV\_C08\_58                      *Review Exercise 58 of Chapter 8*

---

**Description**

REV\_C08\_58

**Usage**

REV\_C08\_58

**Format**

A [data.frame](#) with 173 rows and 2 columns

---

REV\_C08\_59                      *Review Exercise 59 of Chapter 8*

---

**Description**

REV\_C08\_59

**Usage**

REV\_C08\_59

**Format**

A [data.frame](#) with 192 rows and 2 columns

---

REV\_C08\_60                      *Review Exercise 60 of Chapter 8*

---

**Description**

REV\_C08\_60

**Usage**

REV\_C08\_60

**Format**

A [data.frame](#) with 24 rows and 2 columns

---

REV\_C08\_61                      *Review Exercise 61 of Chapter 8*

---

**Description**

REV\_C08\_61

**Usage**

REV\_C08\_61

**Format**

A [data.frame](#) with 32 rows and 2 columns

---

REV\_C08\_62                      *Review Exercise 62 of Chapter 8*

---

**Description**

REV\_C08\_62

**Usage**

REV\_C08\_62

**Format**

A [data.frame](#) with 14 rows and 12 columns

---

REV\_C08\_63

*Review Exercise 63 of Chapter 8*

---

**Description**

REV\_C08\_63

**Usage**

REV\_C08\_63

**Format**

A [data.frame](#) with 30 rows and 2 columns

---

REV\_C08\_64

*Review Exercise 64 of Chapter 8*

---

**Description**

REV\_C08\_64

**Usage**

REV\_C08\_64

**Format**

A [data.frame](#) with 60 rows and 2 columns

---

REV\_C08\_65

*Review Exercise 65 of Chapter 8*

---

**Description**

REV\_C08\_65

**Usage**

REV\_C08\_65

**Format**

A [data.frame](#) with 20 rows and 2 columns



---

REV\_C08\_66                      *Review Exercise 66 of Chapter 8*

---

**Description**

REV\_C08\_66

**Usage**

REV\_C08\_66

**Format**

A [data.frame](#) with 15 rows and 2 columns

---

REV\_C09\_16                      *Review Exercise 16 of Chapter 9*

---

**Description**

REV\_C09\_16

**Usage**

REV\_C09\_16

**Format**

A [data.frame](#) with 29 rows and 2 columns

---

REV\_C09\_17                      *Review Exercise 17 of Chapter 9*

---

**Description**

REV\_C09\_17

**Usage**

REV\_C09\_17

**Format**

A [data.frame](#) with 89 rows and 2 columns

---

REV\_C09\_18                      *Review Exercise 18 of Chapter 9*

---

**Description**

REV\_C09\_18

**Usage**

REV\_C09\_18

**Format**

A [data.frame](#) with 31 rows and 5 columns

---

REV\_C09\_19                      *Review Exercise 19 of Chapter 9*

---

**Description**

REV\_C09\_19

**Usage**

REV\_C09\_19

**Format**

A [data.frame](#) with 19 rows and 2 columns

---

REV\_C09\_20                      *Review Exercise 20 of Chapter 9*

---

**Description**

REV\_C09\_20

**Usage**

REV\_C09\_20

**Format**

A [data.frame](#) with 16 rows and 2 columns

---

REV\_C09\_21                      *Review Exercise 21 of Chapter 9*

---

**Description**

REV\_C09\_21

**Usage**

REV\_C09\_21

**Format**

A [data.frame](#) with 15 rows and 2 columns

---

REV\_C09\_22                      *Review Exercise 22 of Chapter 9*

---

**Description**

REV\_C09\_22

**Usage**

REV\_C09\_22

**Format**

A [data.frame](#) with 12 rows and 2 columns

---

REV\_C09\_23                      *Review Exercise 23 of Chapter 9*

---

**Description**

REV\_C09\_23

**Usage**

REV\_C09\_23

**Format**

A [data.frame](#) with 16 rows and 2 columns

---

REV\_C09\_24

*Review Exercise 24 of Chapter 9*

---

**Description**

REV\_C09\_24

**Usage**

REV\_C09\_24

**Format**

A [data.frame](#) with 20 rows and 2 columns

---

REV\_C09\_25

*Review Exercise 25 of Chapter 9*

---

**Description**

REV\_C09\_25

**Usage**

REV\_C09\_25

**Format**

A [data.frame](#) with 10 rows and 2 columns

---

REV\_C09\_29

*Review Exercise 29 of Chapter 9*

---

**Description**

REV\_C09\_29

**Usage**

REV\_C09\_29

**Format**

A [data.frame](#) with 85 rows and 2 columns

---

REV\_C09\_30                      *Review Exercise 30 of Chapter 9*

---

**Description**

REV\_C09\_30

**Usage**

REV\_C09\_30

**Format**

A [data.frame](#) with 27 rows and 2 columns

---

REV\_C09\_31                      *Review Exercise 31 of Chapter 9*

---

**Description**

REV\_C09\_31

**Usage**

REV\_C09\_31

**Format**

A [data.frame](#) with 25 rows and 2 columns

---

REV\_C09\_32                      *Review Exercise 32 of Chapter 9*

---

**Description**

REV\_C09\_32

**Usage**

REV\_C09\_32

**Format**

A [data.frame](#) with 9 rows and 3 columns

---

REV\_C09\_33

*Review Exercise 33 of Chapter 9*

---

**Description**

REV\_C09\_33

**Usage**

REV\_C09\_33

**Format**

A [data.frame](#) with 25 rows and 2 columns

---

REV\_C09\_34

*Review Exercise 34 of Chapter 9*

---

**Description**

REV\_C09\_34

**Usage**

REV\_C09\_34

**Format**

A [data.frame](#) with 19 rows and 5 columns

---

REV\_C09\_35

*Review Exercise 35 of Chapter 9*

---

**Description**

REV\_C09\_35

**Usage**

REV\_C09\_35

**Format**

A [data.frame](#) with 62 rows and 2 columns

---

REV\_C09\_36                      *Review Exercise 36 of Chapter 9*

---

**Description**

REV\_C09\_36

**Usage**

REV\_C09\_36

**Format**

A [data.frame](#) with 23 rows and 2 columns

---

REV\_C09\_37                      *Review Exercise 37 of Chapter 9*

---

**Description**

REV\_C09\_37

**Usage**

REV\_C09\_37

**Format**

A [data.frame](#) with 23 rows and 2 columns

---

REV\_C09\_38                      *Review Exercise 38 of Chapter 9*

---

**Description**

REV\_C09\_38

**Usage**

REV\_C09\_38

**Format**

A [data.frame](#) with 32 rows and 2 columns

---

REV\_C09\_39

*Review Exercise 39 of Chapter 9*

---

**Description**

REV\_C09\_39

**Usage**

REV\_C09\_39

**Format**

A [data.frame](#) with 48 rows and 5 columns

---

REV\_C09\_40

*Review Exercise 40 of Chapter 9*

---

**Description**

REV\_C09\_40

**Usage**

REV\_C09\_40

**Format**

A [data.frame](#) with 13 rows and 2 columns

---

REV\_C09\_41

*Review Exercise 41 of Chapter 9*

---

**Description**

REV\_C09\_41

**Usage**

REV\_C09\_41

**Format**

A [data.frame](#) with 66 rows and 2 columns



---

REV\_C09\_42                      *Review Exercise 42 of Chapter 9*

---

**Description**

REV\_C09\_42

**Usage**

REV\_C09\_42

**Format**

A [data.frame](#) with 102 rows and 7 columns

---

REV\_C09\_43                      *Review Exercise 43 of Chapter 9*

---

**Description**

REV\_C09\_43

**Usage**

REV\_C09\_43

**Format**

A [data.frame](#) with 14 rows and 4 columns

---

REV\_C09\_44                      *Review Exercise 44 of Chapter 9*

---

**Description**

REV\_C09\_44

**Usage**

REV\_C09\_44

**Format**

A [data.frame](#) with 44 rows and 2 columns

---

REV\_C09\_45

*Review Exercise 45 of Chapter 9*

---

**Description**

REV\_C09\_45

**Usage**

REV\_C09\_45

**Format**

A [data.frame](#) with 172 rows and 2 columns

---

REV\_C09\_46

*Review Exercise 46 of Chapter 9*

---

**Description**

REV\_C09\_46

**Usage**

REV\_C09\_46

**Format**

A [data.frame](#) with 33 rows and 4 columns

---

REV\_C10\_06

*Review Exercise 6 of Chapter 10*

---

**Description**

REV\_C10\_06

**Usage**

REV\_C10\_06

**Format**

A [data.frame](#) with 114 rows and 3 columns

---

REV\_C10\_07

*Review Exercise 7 of Chapter 10*

---

**Description**

REV\_C10\_07

**Usage**

REV\_C10\_07

**Format**

A [data.frame](#) with 15 rows and 3 columns

---

REV\_C10\_08

*Review Exercise 8 of Chapter 10*

---

**Description**

REV\_C10\_08

**Usage**

REV\_C10\_08

**Format**

A [data.frame](#) with 20 rows and 4 columns

---

REV\_C10\_09

*Review Exercise 9 of Chapter 10*

---

**Description**

REV\_C10\_09

**Usage**

REV\_C10\_09

**Format**

A [data.frame](#) with 15 rows and 3 columns

---

REV\_C10\_10                      *Review Exercise 10 of Chapter 10*

---

**Description**

REV\_C10\_10

**Usage**

REV\_C10\_10

**Format**

A [data.frame](#) with 21 rows and 3 columns

---

REV\_C10\_11                      *Review Exercise 11 of Chapter 10*

---

**Description**

REV\_C10\_11

**Usage**

REV\_C10\_11

**Format**

A [data.frame](#) with 15 rows and 5 columns

---

REV\_C10\_17                      *Review Exercise 17 of Chapter 10*

---

**Description**

REV\_C10\_17

**Usage**

REV\_C10\_17

**Format**

A [data.frame](#) with 26 rows and 13 columns

---

REV\_C10\_18                      *Review Exercise 18 of Chapter 10*

---

**Description**

REV\_C10\_18

**Usage**

REV\_C10\_18

**Format**

A [data.frame](#) with 34 rows and 7 columns

---

REV\_C10\_19                      *Review Exercise 19 of Chapter 10*

---

**Description**

REV\_C10\_19

**Usage**

REV\_C10\_19

**Format**

A [data.frame](#) with 96 rows and 8 columns

---

REV\_C11\_14                      *Review Exercise 14 of Chapter 11*

---

**Description**

REV\_C11\_14

**Usage**

REV\_C11\_14

**Format**

A [data.frame](#) with 70 rows and 5 columns

---

REV\_C11\_15                      *Review Exercise 15 of Chapter 11*

---

**Description**

REV\_C11\_15

**Usage**

REV\_C11\_15

**Format**

A [data.frame](#) with 28 rows and 3 columns

---

REV\_C11\_16                      *Review Exercise 16 of Chapter 11*

---

**Description**

REV\_C11\_16

**Usage**

REV\_C11\_16

**Format**

A [data.frame](#) with 27 rows and 3 columns

---

REV\_C11\_17                      *Review Exercise 17 of Chapter 11*

---

**Description**

REV\_C11\_17

**Usage**

REV\_C11\_17

**Format**

A [data.frame](#) with 40 rows and 3 columns

---

REV\_C11\_18

*Review Exercise 18 of Chapter 11*

---

**Description**

REV\_C11\_18

**Usage**

REV\_C11\_18

**Format**

A [data.frame](#) with 31 rows and 4 columns

---

REV\_C11\_22

*Review Exercise 22 of Chapter 11*

---

**Description**

REV\_C11\_22

**Usage**

REV\_C11\_22

**Format**

A [data.frame](#) with 12 rows and 3 columns

---

REV\_C11\_23

*Review Exercise 23 of Chapter 11*

---

**Description**

REV\_C11\_23

**Usage**

REV\_C11\_23

**Format**

A [data.frame](#) with 47 rows and 3 columns

---

REV\_C11\_24                      *Review Exercise 24 of Chapter 11*

---

**Description**

REV\_C11\_24

**Usage**

REV\_C11\_24

**Format**

A [data.frame](#) with 129 rows and 3 columns

---

REV\_C11\_25                      *Review Exercise 25 of Chapter 11*

---

**Description**

REV\_C11\_25

**Usage**

REV\_C11\_25

**Format**

A [data.frame](#) with 30 rows and 3 columns

---

REV\_C11\_26                      *Review Exercise 26 of Chapter 11*

---

**Description**

REV\_C11\_26

**Usage**

REV\_C11\_26

**Format**

A [data.frame](#) with 18 rows and 3 columns



---

REV\_C11\_27                      *Review Exercise 27 of Chapter 11*

---

**Description**

REV\_C11\_27

**Usage**

REV\_C11\_27

**Format**

A [data.frame](#) with 37 rows and 3 columns

---

REV\_C11\_28                      *Review Exercise 28 of Chapter 11*

---

**Description**

REV\_C11\_28

**Usage**

REV\_C11\_28

**Format**

A [data.frame](#) with 41 rows and 10 columns

---

REV\_C11\_29                      *Review Exercise 29 of Chapter 11*

---

**Description**

REV\_C11\_29

**Usage**

REV\_C11\_29

**Format**

A [data.frame](#) with 19 rows and 9 columns

---

REV\_C13\_06

*Review Exercise 6 of Chapter 13*

---

**Description**

REV\_C13\_06

**Usage**

REV\_C13\_06

**Format**

A [data.frame](#) with 20 rows and 2 columns

---

REV\_C13\_08

*Review Exercise 8 of Chapter 13*

---

**Description**

REV\_C13\_08

**Usage**

REV\_C13\_08

**Format**

A [data.frame](#) with 303 rows and 2 columns

---

REV\_C13\_09

*Review Exercise 9 of Chapter 13*

---

**Description**

REV\_C13\_09

**Usage**

REV\_C13\_09

**Format**

A [data.frame](#) with 10 rows and 4 columns

---

REV_C13_10	<i>Review Exercise 10 of Chapter 13</i>
------------	---

---

**Description**

REV\_C13\_10

**Usage**

REV\_C13\_10

**Format**A [data.frame](#) with 34 rows and 2 columns

---

REV_C13_13	<i>Review Exercise 13 of Chapter 13</i>
------------	---

---

**Description**

REV\_C13\_13

**Usage**

REV\_C13\_13

**Format**A [data.frame](#) with 70 rows and 2 columns

---

REV_C13_15	<i>Review Exercise 15 of Chapter 13</i>
------------	---

---

**Description**

REV\_C13\_15

**Usage**

REV\_C13\_15

**Format**A [data.frame](#) with 12 rows and 2 columns

---

REV\_C13\_16                      *Review Exercise 16 of Chapter 13*

---

**Description**

REV\_C13\_16

**Usage**

REV\_C13\_16

**Format**

A [data.frame](#) with 43 rows and 5 columns

---

REV\_C13\_17                      *Review Exercise 17 of Chapter 13*

---

**Description**

REV\_C13\_17

**Usage**

REV\_C13\_17

**Format**

A [data.frame](#) with 67 rows and 2 columns

---

REV\_C13\_18                      *Review Exercise 18 of Chapter 13*

---

**Description**

REV\_C13\_18

**Usage**

REV\_C13\_18

**Format**

A [data.frame](#) with 18 rows and 3 columns

---

REV\_C13\_19

*Review Exercise 19 of Chapter 13*

---

**Description**

REV\_C13\_19

**Usage**

REV\_C13\_19

**Format**

A [data.frame](#) with 50 rows and 2 columns

---

REV\_C13\_20

*Review Exercise 20 of Chapter 13*

---

**Description**

REV\_C13\_20

**Usage**

REV\_C13\_20

**Format**

A [data.frame](#) with 31 rows and 3 columns

---

REV\_C13\_21

*Review Exercise 21 of Chapter 13*

---

**Description**

REV\_C13\_21

**Usage**

REV\_C13\_21

**Format**

A [data.frame](#) with 45 rows and 3 columns

---

REV\_C13\_22

*Review Exercise 22 of Chapter 13*

---

**Description**

REV\_C13\_22

**Usage**

REV\_C13\_22

**Format**

A [data.frame](#) with 18 rows and 2 columns

---

REV\_C13\_23

*Review Exercise 23 of Chapter 13*

---

**Description**

REV\_C13\_23

**Usage**

REV\_C13\_23

**Format**

A [data.frame](#) with 44 rows and 5 columns

---

REV\_C13\_24

*Review Exercise 24 of Chapter 13*

---

**Description**

REV\_C13\_24

**Usage**

REV\_C13\_24

**Format**

A [data.frame](#) with 20 rows and 6 columns

---

REV\_C13\_25

*Review Exercise 25 of Chapter 13*

---

**Description**

REV\_C13\_25

**Usage**

REV\_C13\_25

**Format**

A [data.frame](#) with 20 rows and 3 columns

---

REV\_C13\_26

*Review Exercise 26 of Chapter 13*

---

**Description**

REV\_C13\_26

**Usage**

REV\_C13\_26

**Format**

A [data.frame](#) with 18 rows and 3 columns

---

REV\_C13\_27

*Review Exercise 27 of Chapter 13*

---

**Description**

REV\_C13\_27

**Usage**

REV\_C13\_27

**Format**

A [data.frame](#) with 9 rows and 6 columns

---

REV\_C13\_28                      *Review Exercise 28 of Chapter 13*

---

**Description**

REV\_C13\_28

**Usage**

REV\_C13\_28

**Format**

A [data.frame](#) with 31 rows and 2 columns

---

REV\_C13\_29                      *Review Exercise 29 of Chapter 13*

---

**Description**

REV\_C13\_29

**Usage**

REV\_C13\_29

**Format**

A [data.frame](#) with 17 rows and 2 columns

---

REV\_C14\_11                      *Review Exercise 11 of Chapter 14*

---

**Description**

REV\_C14\_11

**Usage**

REV\_C14\_11

**Format**

A [data.frame](#) with 55 rows and 4 columns



---

REV\_C14\_12

*Review Exercise 12 of Chapter 14*

---

**Description**

REV\_C14\_12

**Usage**

REV\_C14\_12

**Format**

A [data.frame](#) with 77 rows and 4 columns

---

show, addedProbs-method

*Show [addedProbs](#)*

---

**Description**

..

**Usage**

```
## S4 method for signature 'addedProbs'  
show(object)
```

**Arguments**

object            [addedProbs](#) object

**Value**

The [show](#) method for [addedProbs](#) object does not have a returned value.

---

show, BooleanTable-method

*Show BooleanTable Object*

---

### Description

Show [BooleanTable](#) object

### Usage

```
## S4 method for signature 'BooleanTable'  
show(object)
```

### Arguments

object            a [BooleanTable](#) object

### Value

The [show](#) method for [BooleanTable](#) object does not have a returned value.

---

show, freqs-method

*Show freqs Object*

---

### Description

Show [freqs](#) object

### Usage

```
## S4 method for signature 'freqs'  
show(object)
```

### Arguments

object            an [freqs](#) object

### Value

The [show](#) method for [freqs](#) object does not have a returned value.

---

summary.BooleanTable *Summarize Boolean Test-&-Disease and/or Risk-&-Disease Table*

---

### Description

Summarize Boolean test-&-disease and/or risk-&-disease table using sensitivity, specificity, diagnostic accuracy, predictive values, relative risk and odds ratio, together with their 95% Clopper-Pearson exact confidence intervals.

### Usage

```
## S3 method for class 'BooleanTable'  
summary(object, prevalence, ...)
```

### Arguments

object	a <a href="#">BooleanTable</a> object
prevalence	(optional) <a href="#">numeric</a> scalar, prevalence of disease
...	potential parameters, currently not in use

### Details

..

### Value

[summary.BooleanTable](#) do not have a returned value.

### References

[https://en.wikipedia.org/wiki/Diagnostic\\_odds\\_ratio](https://en.wikipedia.org/wiki/Diagnostic_odds_ratio)

### Examples

```
(x = array(c(95L, 10L, 31L, 82L), dim = c(2L, 2L)))  
summary(BooleanTable(x))  
summary(BooleanTable(x), prevalence = .14)
```

# Index

## \* datasets

EXA\_C01\_S04\_01, [31](#)  
EXA\_C02\_S05\_05, [31](#)  
EXA\_C06\_S02\_04, [32](#)  
EXA\_C07\_S02\_03, [32](#)  
EXA\_C07\_S03\_02, [32](#)  
EXA\_C07\_S04\_01, [33](#)  
EXA\_C07\_S07\_01, [33](#)  
EXA\_C08\_S02\_01, [33](#)  
EXA\_C08\_S03\_01, [34](#)  
EXA\_C08\_S04\_01, [34](#)  
EXA\_C08\_S04\_02, [34](#)  
EXA\_C08\_S05\_02, [35](#)  
EXA\_C09\_S03\_01, [35](#)  
EXA\_C09\_S07\_01, [35](#)  
EXA\_C10\_S03\_01, [36](#)  
EXA\_C10\_S06\_01, [36](#)  
EXA\_C11\_S01\_01, [36](#)  
EXA\_C11\_S01\_02, [37](#)  
EXA\_C11\_S02\_01, [37](#)  
EXA\_C11\_S02\_03, [37](#)  
EXA\_C11\_S03\_01, [38](#)  
EXA\_C11\_S04\_02, [38](#)  
EXA\_C11\_S05\_01, [38](#)  
EXA\_C12\_S02\_03, [39](#)  
EXA\_C13\_S03\_02, [39](#)  
EXA\_C13\_S05\_01, [39](#)  
EXA\_C13\_S06\_01, [40](#)  
EXA\_C13\_S07\_01, [40](#)  
EXA\_C13\_S08\_02, [40](#)  
EXA\_C13\_S09\_01, [41](#)  
EXA\_C13\_S09\_02, [41](#)  
EXA\_C13\_S10\_01, [41](#)  
EXA\_C13\_S10\_02, [42](#)  
EXA\_C14\_S03\_01, [42](#)  
EXA\_C14\_S05\_01, [42](#)  
EXR\_C02\_S03\_01, [43](#)  
EXR\_C02\_S03\_02, [43](#)  
EXR\_C02\_S03\_03, [43](#)

EXR\_C02\_S03\_04, [44](#)  
EXR\_C02\_S03\_05, [44](#)  
EXR\_C02\_S03\_06, [44](#)  
EXR\_C02\_S03\_07, [45](#)  
EXR\_C02\_S03\_08, [45](#)  
EXR\_C02\_S03\_09, [45](#)  
EXR\_C02\_S03\_11, [46](#)  
EXR\_C02\_S03\_12, [46](#)  
EXR\_C02\_S05\_03, [46](#)  
EXR\_C02\_S05\_06, [47](#)  
EXR\_C06\_S02\_05, [47](#)  
EXR\_C06\_S04\_10, [47](#)  
EXR\_C06\_S09\_07, [48](#)  
EXR\_C06\_S10\_07, [48](#)  
EXR\_C07\_S02\_13, [48](#)  
EXR\_C07\_S02\_15, [49](#)  
EXR\_C07\_S02\_16, [49](#)  
EXR\_C07\_S03\_03, [49](#)  
EXR\_C07\_S03\_04, [50](#)  
EXR\_C07\_S03\_05, [50](#)  
EXR\_C07\_S03\_10, [50](#)  
EXR\_C07\_S03\_11, [51](#)  
EXR\_C07\_S03\_12, [51](#)  
EXR\_C07\_S04\_01, [51](#)  
EXR\_C07\_S04\_02, [52](#)  
EXR\_C07\_S04\_03, [52](#)  
EXR\_C07\_S04\_04, [52](#)  
EXR\_C07\_S08\_07, [53](#)  
EXR\_C08\_S02\_01, [53](#)  
EXR\_C08\_S02\_02, [53](#)  
EXR\_C08\_S02\_03, [54](#)  
EXR\_C08\_S02\_04, [54](#)  
EXR\_C08\_S02\_05, [54](#)  
EXR\_C08\_S02\_06, [55](#)  
EXR\_C08\_S02\_07, [55](#)  
EXR\_C08\_S03\_01, [55](#)  
EXR\_C08\_S03\_02, [56](#)  
EXR\_C08\_S03\_03, [56](#)  
EXR\_C08\_S03\_04, [56](#)

EXR\_C08\_S03\_05, 57  
EXR\_C08\_S04\_01, 57  
EXR\_C08\_S04\_02, 57  
EXR\_C08\_S04\_03, 58  
EXR\_C08\_S04\_06, 58  
EXR\_C08\_S05\_01, 58  
EXR\_C08\_S05\_02, 59  
EXR\_C08\_S05\_03, 59  
EXR\_C08\_S05\_04, 59  
EXR\_C09\_S03\_02, 60  
EXR\_C09\_S03\_03, 60  
EXR\_C09\_S03\_04, 60  
EXR\_C09\_S03\_06, 61  
EXR\_C09\_S03\_07, 61  
EXR\_C09\_S07\_01, 61  
EXR\_C09\_S07\_02, 62  
EXR\_C09\_S07\_04, 62  
EXR\_C09\_S07\_05, 62  
EXR\_C09\_S07\_06, 63  
EXR\_C10\_S03\_01, 63  
EXR\_C10\_S03\_02, 63  
EXR\_C10\_S03\_03, 64  
EXR\_C10\_S03\_04, 64  
EXR\_C10\_S03\_05, 64  
EXR\_C10\_S03\_06, 65  
EXR\_C10\_S06\_01, 65  
EXR\_C10\_S06\_02, 65  
EXR\_C10\_S06\_03, 66  
EXR\_C10\_S06\_04, 66  
EXR\_C11\_S02\_01, 66  
EXR\_C11\_S02\_02, 67  
EXR\_C11\_S02\_03, 67  
EXR\_C11\_S02\_04, 67  
EXR\_C11\_S03\_01, 68  
EXR\_C11\_S03\_02, 68  
EXR\_C11\_S03\_03, 68  
EXR\_C11\_S04\_01, 69  
EXR\_C11\_S04\_02, 69  
EXR\_C11\_S05\_01, 69  
EXR\_C11\_S05\_02, 70  
EXR\_C11\_S05\_04, 70  
EXR\_C13\_S05\_01, 70  
EXR\_C13\_S05\_02, 71  
EXR\_C13\_S06\_01, 71  
EXR\_C13\_S06\_02, 71  
EXR\_C13\_S06\_03, 72  
EXR\_C13\_S07\_02, 72  
EXR\_C13\_S08\_01, 72  
EXR\_C13\_S08\_02, 73  
EXR\_C13\_S08\_03, 73  
EXR\_C13\_S08\_04, 73  
EXR\_C13\_S08\_05, 74  
EXR\_C13\_S08\_06, 74  
EXR\_C13\_S09\_01, 74  
EXR\_C13\_S09\_02, 75  
EXR\_C13\_S09\_03, 75  
EXR\_C13\_S10\_01, 75  
EXR\_C13\_S10\_02, 76  
EXR\_C13\_S10\_03, 76  
EXR\_C13\_S10\_04, 76  
EXR\_C13\_S10\_05, 77  
EXR\_C13\_S10\_06, 77  
EXR\_C14\_S03\_01, 77  
EXR\_C14\_S03\_02, 78  
EXR\_C14\_S04\_03, 78  
LDS\_C02\_NCBIRTH800, 80  
LDS\_C06\_BABYWGTS, 80  
LDS\_C06\_BOYHGTS, 80  
LDS\_C06\_CHOLEST, 81  
LDS\_C07\_HEADCIRC, 81  
LDS\_C07\_HEMOGLOB, 81  
LDS\_C07\_MANDEXT, 82  
LDS\_C07\_PCKDATA, 82  
LDS\_C07\_PROTHROM, 82  
LDS\_C08\_CSFDATA, 83  
LDS\_C08\_LSADATA, 83  
LDS\_C08\_MEDSCORES, 83  
LDS\_C08\_RBCDATA, 84  
LDS\_C08\_SACEDATA, 84  
LDS\_C08\_SERUMCHO, 84  
LDS\_C09\_CALCIIUM, 85  
LDS\_C09\_CEREBRAL, 85  
LDS\_C09\_HYPERTEN, 85  
LDS\_C10\_LTEXER, 86  
LDS\_C10\_RESPDIS, 86  
LDS\_C10\_RISKFACT, 86  
LDS\_C10\_STERLENGTH, 87  
LDS\_C11\_AQUATICS, 87  
LDS\_C11\_TEACHERS, 87  
LDS\_C11\_WGTLOSS, 88  
LDS\_C12\_SMOKING, 88  
LDS\_C13\_KLETTER, 88  
REV\_C02\_13, 89  
REV\_C02\_15, 89  
REV\_C02\_16, 89  
REV\_C02\_19, 90

REV\_C02\_29, 90  
REV\_C06\_22, 90  
REV\_C06\_23, 91  
REV\_C06\_28, 91  
REV\_C07\_18, 91  
REV\_C07\_19, 92  
REV\_C07\_22, 92  
REV\_C07\_24, 92  
REV\_C07\_29, 93  
REV\_C07\_40, 93  
REV\_C07\_41, 93  
REV\_C07\_42, 94  
REV\_C07\_43, 94  
REV\_C07\_44, 94  
REV\_C07\_45, 95  
REV\_C07\_46, 95  
REV\_C07\_47, 95  
REV\_C07\_48, 96  
REV\_C07\_49, 96  
REV\_C07\_50, 96  
REV\_C07\_51, 97  
REV\_C07\_52, 97  
REV\_C07\_53, 97  
REV\_C07\_54, 98  
REV\_C07\_55, 98  
REV\_C08\_13, 98  
REV\_C08\_14, 99  
REV\_C08\_15, 99  
REV\_C08\_16, 99  
REV\_C08\_17, 100  
REV\_C08\_18, 100  
REV\_C08\_19, 100  
REV\_C08\_20, 101  
REV\_C08\_21, 101  
REV\_C08\_22, 101  
REV\_C08\_23, 102  
REV\_C08\_24, 102  
REV\_C08\_25, 102  
REV\_C08\_31, 103  
REV\_C08\_32, 103  
REV\_C08\_33, 103  
REV\_C08\_39, 104  
REV\_C08\_40, 104  
REV\_C08\_41, 104  
REV\_C08\_42, 105  
REV\_C08\_43, 105  
REV\_C08\_44, 105  
REV\_C08\_45, 106  
REV\_C08\_46, 106  
REV\_C08\_47, 106  
REV\_C08\_48, 107  
REV\_C08\_49, 107  
REV\_C08\_50, 107  
REV\_C08\_51, 108  
REV\_C08\_52, 108  
REV\_C08\_53, 108  
REV\_C08\_54, 109  
REV\_C08\_55, 109  
REV\_C08\_56, 109  
REV\_C08\_57, 110  
REV\_C08\_58, 110  
REV\_C08\_59, 110  
REV\_C08\_60, 111  
REV\_C08\_61, 111  
REV\_C08\_62, 111  
REV\_C08\_63, 112  
REV\_C08\_64, 112  
REV\_C08\_65, 112  
REV\_C08\_66, 113  
REV\_C09\_16, 113  
REV\_C09\_17, 113  
REV\_C09\_18, 114  
REV\_C09\_19, 114  
REV\_C09\_20, 114  
REV\_C09\_21, 115  
REV\_C09\_22, 115  
REV\_C09\_23, 115  
REV\_C09\_24, 116  
REV\_C09\_25, 116  
REV\_C09\_29, 116  
REV\_C09\_30, 117  
REV\_C09\_31, 117  
REV\_C09\_32, 117  
REV\_C09\_33, 118  
REV\_C09\_34, 118  
REV\_C09\_35, 118  
REV\_C09\_36, 119  
REV\_C09\_37, 119  
REV\_C09\_38, 119  
REV\_C09\_39, 120  
REV\_C09\_40, 120  
REV\_C09\_41, 120  
REV\_C09\_42, 121  
REV\_C09\_43, 121  
REV\_C09\_44, 121  
REV\_C09\_45, 122

- REV\_C09\_46, 122
- REV\_C10\_06, 122
- REV\_C10\_07, 123
- REV\_C10\_08, 123
- REV\_C10\_09, 123
- REV\_C10\_10, 124
- REV\_C10\_11, 124
- REV\_C10\_17, 124
- REV\_C10\_18, 125
- REV\_C10\_19, 125
- REV\_C11\_14, 125
- REV\_C11\_15, 126
- REV\_C11\_16, 126
- REV\_C11\_17, 126
- REV\_C11\_18, 127
- REV\_C11\_22, 127
- REV\_C11\_23, 127
- REV\_C11\_24, 128
- REV\_C11\_25, 128
- REV\_C11\_26, 128
- REV\_C11\_27, 129
- REV\_C11\_28, 129
- REV\_C11\_29, 129
- REV\_C13\_06, 130
- REV\_C13\_08, 130
- REV\_C13\_09, 130
- REV\_C13\_10, 131
- REV\_C13\_13, 131
- REV\_C13\_15, 131
- REV\_C13\_16, 132
- REV\_C13\_17, 132
- REV\_C13\_18, 132
- REV\_C13\_19, 133
- REV\_C13\_20, 133
- REV\_C13\_21, 133
- REV\_C13\_22, 134
- REV\_C13\_23, 134
- REV\_C13\_24, 134
- REV\_C13\_25, 135
- REV\_C13\_26, 135
- REV\_C13\_27, 135
- REV\_C13\_28, 136
- REV\_C13\_29, 136
- REV\_C14\_11, 136
- REV\_C14\_12, 137
- \* **package**
  - DanielBiostatistics10th-package, 9
- addedProbs, 9, 137
- addedProbs-class (addProbs), 9
- addmargins, 9, 10
- addProbs, 9
- addProbs(), 9
- aggregated\_t (Chapter05to07), 18
- aggregated\_t(), 19, 20
- aggregated\_var (Chapter05to07), 18
- aggregated\_var(), 20
- aggregated\_z (Chapter05to07), 18
- aggregated\_z(), 19, 20
- autolayer, 11, 15, 17, 25, 26
- autoplot, 11, 15, 17, 25, 26
- autoplot.BooleanTable, 10, 10
- binom2pois, 11
- binom2pois(), 11
- binomBar (Chapter04), 16
- binomBar(), 17
- binomial, 26
- BooleanTable, 10, 12, 12, 138, 139
- BooleanTable(), 12
- BooleanTable-class (BooleanTable), 12
- Chapter01, 13
- Chapter02, 14
- Chapter03, 16
- Chapter04, 16
- Chapter05to07, 18
- Chapter07\_power, 23
- Chapter09, 24
- Chapter11, 26
- Chapter12, 28
- character, 17, 20, 23, 78
- colSums, 10
- confusionMatrix, 13
- cumsum, 15
- cut.default, 14, 15
- DanielBiostatistics10th-package, 9
- data.frame, 13, 31–78, 80–137
- dbinom, 11, 17
- double, 29, 79
- dpois, 11, 17
- EXA\_C01\_S04\_01, 31
- EXA\_C02\_S05\_05, 31
- EXA\_C06\_S02\_04, 32
- EXA\_C07\_S02\_03, 32
- EXA\_C07\_S03\_02, 32

EXA\_C07\_S04\_01, 33  
EXA\_C07\_S07\_01, 33  
EXA\_C08\_S02\_01, 33  
EXA\_C08\_S03\_01, 34  
EXA\_C08\_S04\_01, 34  
EXA\_C08\_S04\_02, 34  
EXA\_C08\_S05\_02, 35  
EXA\_C09\_S03\_01, 35  
EXA\_C09\_S07\_01, 35  
EXA\_C10\_S03\_01, 36  
EXA\_C10\_S06\_01, 36  
EXA\_C11\_S01\_01, 36  
EXA\_C11\_S01\_02, 37  
EXA\_C11\_S02\_01, 37  
EXA\_C11\_S02\_03, 37  
EXA\_C11\_S03\_01, 38  
EXA\_C11\_S04\_02, 38  
EXA\_C11\_S05\_01, 38  
EXA\_C12\_S02\_03, 39  
EXA\_C13\_S03\_02, 39  
EXA\_C13\_S05\_01, 39  
EXA\_C13\_S06\_01, 40  
EXA\_C13\_S07\_01, 40  
EXA\_C13\_S08\_02, 40  
EXA\_C13\_S09\_01, 41  
EXA\_C13\_S09\_02, 41  
EXA\_C13\_S10\_01, 41  
EXA\_C13\_S10\_02, 42  
EXA\_C14\_S03\_01, 42  
EXA\_C14\_S05\_01, 42  
EXR\_C02\_S03\_01, 43  
EXR\_C02\_S03\_02, 43  
EXR\_C02\_S03\_03, 43  
EXR\_C02\_S03\_04, 44  
EXR\_C02\_S03\_05, 44  
EXR\_C02\_S03\_06, 44  
EXR\_C02\_S03\_07, 45  
EXR\_C02\_S03\_08, 45  
EXR\_C02\_S03\_09, 45  
EXR\_C02\_S03\_11, 46  
EXR\_C02\_S03\_12, 46  
EXR\_C02\_S05\_03, 46  
EXR\_C02\_S05\_06, 47  
EXR\_C06\_S02\_05, 47  
EXR\_C06\_S04\_10, 47  
EXR\_C06\_S09\_07, 48  
EXR\_C06\_S10\_07, 48  
EXR\_C07\_S02\_13, 48  
EXR\_C07\_S02\_15, 49  
EXR\_C07\_S02\_16, 49  
EXR\_C07\_S03\_03, 49  
EXR\_C07\_S03\_04, 50  
EXR\_C07\_S03\_05, 50  
EXR\_C07\_S03\_10, 50  
EXR\_C07\_S03\_11, 51  
EXR\_C07\_S03\_12, 51  
EXR\_C07\_S04\_01, 51  
EXR\_C07\_S04\_02, 52  
EXR\_C07\_S04\_03, 52  
EXR\_C07\_S04\_04, 52  
EXR\_C07\_S08\_07, 53  
EXR\_C08\_S02\_01, 53  
EXR\_C08\_S02\_02, 53  
EXR\_C08\_S02\_03, 54  
EXR\_C08\_S02\_04, 54  
EXR\_C08\_S02\_05, 54  
EXR\_C08\_S02\_06, 55  
EXR\_C08\_S02\_07, 55  
EXR\_C08\_S03\_01, 55  
EXR\_C08\_S03\_02, 56  
EXR\_C08\_S03\_03, 56  
EXR\_C08\_S03\_04, 56  
EXR\_C08\_S03\_05, 57  
EXR\_C08\_S04\_01, 57  
EXR\_C08\_S04\_02, 57  
EXR\_C08\_S04\_03, 58  
EXR\_C08\_S04\_06, 58  
EXR\_C08\_S05\_01, 58  
EXR\_C08\_S05\_02, 59  
EXR\_C08\_S05\_03, 59  
EXR\_C08\_S05\_04, 59  
EXR\_C09\_S03\_02, 60  
EXR\_C09\_S03\_03, 60  
EXR\_C09\_S03\_04, 60  
EXR\_C09\_S03\_06, 61  
EXR\_C09\_S03\_07, 61  
EXR\_C09\_S07\_01, 61  
EXR\_C09\_S07\_02, 62  
EXR\_C09\_S07\_04, 62  
EXR\_C09\_S07\_05, 62  
EXR\_C09\_S07\_06, 63  
EXR\_C10\_S03\_01, 63  
EXR\_C10\_S03\_02, 63  
EXR\_C10\_S03\_03, 64  
EXR\_C10\_S03\_04, 64  
EXR\_C10\_S03\_05, 64



- EXR\_C10\_S03\_06, 65  
 EXR\_C10\_S06\_01, 65  
 EXR\_C10\_S06\_02, 65  
 EXR\_C10\_S06\_03, 66  
 EXR\_C10\_S06\_04, 66  
 EXR\_C11\_S02\_01, 66  
 EXR\_C11\_S02\_02, 67  
 EXR\_C11\_S02\_03, 67  
 EXR\_C11\_S02\_04, 67  
 EXR\_C11\_S03\_01, 68  
 EXR\_C11\_S03\_02, 68  
 EXR\_C11\_S03\_03, 68  
 EXR\_C11\_S04\_01, 69  
 EXR\_C11\_S04\_02, 69  
 EXR\_C11\_S05\_01, 69  
 EXR\_C11\_S05\_02, 70  
 EXR\_C11\_S05\_04, 70  
 EXR\_C13\_S05\_01, 70  
 EXR\_C13\_S05\_02, 71  
 EXR\_C13\_S06\_01, 71  
 EXR\_C13\_S06\_02, 71  
 EXR\_C13\_S06\_03, 72  
 EXR\_C13\_S07\_02, 72  
 EXR\_C13\_S08\_01, 72  
 EXR\_C13\_S08\_02, 73  
 EXR\_C13\_S08\_03, 73  
 EXR\_C13\_S08\_04, 73  
 EXR\_C13\_S08\_05, 74  
 EXR\_C13\_S08\_06, 74  
 EXR\_C13\_S09\_01, 74  
 EXR\_C13\_S09\_02, 75  
 EXR\_C13\_S09\_03, 75  
 EXR\_C13\_S10\_01, 75  
 EXR\_C13\_S10\_02, 76  
 EXR\_C13\_S10\_03, 76  
 EXR\_C13\_S10\_04, 76  
 EXR\_C13\_S10\_05, 77  
 EXR\_C13\_S10\_06, 77  
 EXR\_C14\_S03\_01, 77  
 EXR\_C14\_S03\_02, 78  
 EXR\_C14\_S04\_03, 78
- factor, 14  
 freqs, 15, 78, 138  
 freqs-class, 78
- ggplot, 10  
 glm, 26  
 Gosset\_Welch, 79
- Gosset\_Welch(), 79
- htest, 20
- integer, 9, 11–13, 17, 19, 20, 23, 28, 78, 79
- kurtosis, 15
- LDS\_C02\_NCBIRTH800, 80  
 LDS\_C06\_BABYWGTS, 80  
 LDS\_C06\_BOYHGTS, 80  
 LDS\_C06\_CHOLEST, 81  
 LDS\_C07\_HEADCIRC, 81  
 LDS\_C07\_HEMOGLOB, 81  
 LDS\_C07\_MANDEXT, 82  
 LDS\_C07\_PCKDATA, 82  
 LDS\_C07\_PROTHROM, 82  
 LDS\_C08\_CSFDATA, 83  
 LDS\_C08\_LSADATA, 83  
 LDS\_C08\_MEDSCORES, 83  
 LDS\_C08\_RBCDATA, 84  
 LDS\_C08\_SACEDATA, 84  
 LDS\_C08\_SERUMCHO, 84  
 LDS\_C09\_CALCIIUM, 85  
 LDS\_C09\_CEREBRAL, 85  
 LDS\_C09\_HYPERTEN, 85  
 LDS\_C10\_LTEXER, 86  
 LDS\_C10\_RESPDIS, 86  
 LDS\_C10\_RISKFACT, 86  
 LDS\_C10\_STERLENGTH, 87  
 LDS\_C11\_AQUATICS, 87  
 LDS\_C11\_TEACHERS, 87  
 LDS\_C11\_WGTLOSS, 88  
 LDS\_C12\_SMOKING, 88  
 LDS\_C13\_KLETTER, 88
- lm, 25
- logical, 13, 14, 19, 20, 79
- margin.table, 10  
 marginSums, 10  
 matrix, 9, 12  
 mean.default, 15  
 median.default, 15  
 Mode, 15  
 model.frame.default, 12
- numeric, 10, 11, 13, 14, 17, 19, 20, 23, 25, 26,  
 28, 79, 139
- poisBar (Chapter04), 16

poisBar(), 17  
 power.t.test, 24  
 power.z (Chapter07\_power), 23  
 power.z(), 24  
 predict.glm, 26  
 predict.lm, 25  
 predict.glm\_binomial (Chapter11), 26  
 predict.glm\_binomial(), 26  
 predict\_lm (Chapter09), 24  
 predict\_lm(), 25  
 print, 11, 17, 25, 26  
 print\_freqs (Chapter02), 14  
 print\_freqs(), 14, 15  
 print\_OE (Chapter12), 28  
 print\_OE(), 29  
 print\_stats (Chapter02), 14  
 print\_stats(), 15  
 prop.test, 21  
 prop\_CLT (Chapter05to07), 18  
 prop\_CLT(), 20  
 proportions, 10  
  
 quantile, 15  
  
 REV\_C02\_13, 89  
 REV\_C02\_15, 89  
 REV\_C02\_16, 89  
 REV\_C02\_19, 90  
 REV\_C02\_29, 90  
 REV\_C06\_22, 90  
 REV\_C06\_23, 91  
 REV\_C06\_28, 91  
 REV\_C07\_18, 91  
 REV\_C07\_19, 92  
 REV\_C07\_22, 92  
 REV\_C07\_24, 92  
 REV\_C07\_29, 93  
 REV\_C07\_40, 93  
 REV\_C07\_41, 93  
 REV\_C07\_42, 94  
 REV\_C07\_43, 94  
 REV\_C07\_44, 94  
 REV\_C07\_45, 95  
 REV\_C07\_46, 95  
 REV\_C07\_47, 95  
 REV\_C07\_48, 96  
 REV\_C07\_49, 96  
 REV\_C07\_50, 96  
 REV\_C07\_51, 97  
 REV\_C07\_52, 97  
 REV\_C07\_53, 97  
 REV\_C07\_54, 98  
 REV\_C07\_55, 98  
 REV\_C08\_13, 98  
 REV\_C08\_14, 99  
 REV\_C08\_15, 99  
 REV\_C08\_16, 99  
 REV\_C08\_17, 100  
 REV\_C08\_18, 100  
 REV\_C08\_19, 100  
 REV\_C08\_20, 101  
 REV\_C08\_21, 101  
 REV\_C08\_22, 101  
 REV\_C08\_23, 102  
 REV\_C08\_24, 102  
 REV\_C08\_25, 102  
 REV\_C08\_31, 103  
 REV\_C08\_32, 103  
 REV\_C08\_33, 103  
 REV\_C08\_39, 104  
 REV\_C08\_40, 104  
 REV\_C08\_41, 104  
 REV\_C08\_42, 105  
 REV\_C08\_43, 105  
 REV\_C08\_44, 105  
 REV\_C08\_45, 106  
 REV\_C08\_46, 106  
 REV\_C08\_47, 106  
 REV\_C08\_48, 107  
 REV\_C08\_49, 107  
 REV\_C08\_50, 107  
 REV\_C08\_51, 108  
 REV\_C08\_52, 108  
 REV\_C08\_53, 108  
 REV\_C08\_54, 109  
 REV\_C08\_55, 109  
 REV\_C08\_56, 109  
 REV\_C08\_57, 110  
 REV\_C08\_58, 110  
 REV\_C08\_59, 110  
 REV\_C08\_60, 111  
 REV\_C08\_61, 111  
 REV\_C08\_62, 111  
 REV\_C08\_63, 112  
 REV\_C08\_64, 112  
 REV\_C08\_65, 112  
 REV\_C08\_66, 113

- REV\_C09\_16, [113](#)
- REV\_C09\_17, [113](#)
- REV\_C09\_18, [114](#)
- REV\_C09\_19, [114](#)
- REV\_C09\_20, [114](#)
- REV\_C09\_21, [115](#)
- REV\_C09\_22, [115](#)
- REV\_C09\_23, [115](#)
- REV\_C09\_24, [116](#)
- REV\_C09\_25, [116](#)
- REV\_C09\_29, [116](#)
- REV\_C09\_30, [117](#)
- REV\_C09\_31, [117](#)
- REV\_C09\_32, [117](#)
- REV\_C09\_33, [118](#)
- REV\_C09\_34, [118](#)
- REV\_C09\_35, [118](#)
- REV\_C09\_36, [119](#)
- REV\_C09\_37, [119](#)
- REV\_C09\_38, [119](#)
- REV\_C09\_39, [120](#)
- REV\_C09\_40, [120](#)
- REV\_C09\_41, [120](#)
- REV\_C09\_42, [121](#)
- REV\_C09\_43, [121](#)
- REV\_C09\_44, [121](#)
- REV\_C09\_45, [122](#)
- REV\_C09\_46, [122](#)
- REV\_C10\_06, [122](#)
- REV\_C10\_07, [123](#)
- REV\_C10\_08, [123](#)
- REV\_C10\_09, [123](#)
- REV\_C10\_10, [124](#)
- REV\_C10\_11, [124](#)
- REV\_C10\_17, [124](#)
- REV\_C10\_18, [125](#)
- REV\_C10\_19, [125](#)
- REV\_C11\_14, [125](#)
- REV\_C11\_15, [126](#)
- REV\_C11\_16, [126](#)
- REV\_C11\_17, [126](#)
- REV\_C11\_18, [127](#)
- REV\_C11\_22, [127](#)
- REV\_C11\_23, [127](#)
- REV\_C11\_24, [128](#)
- REV\_C11\_25, [128](#)
- REV\_C11\_26, [128](#)
- REV\_C11\_27, [129](#)
- REV\_C11\_28, [129](#)
- REV\_C11\_29, [129](#)
- REV\_C13\_06, [130](#)
- REV\_C13\_08, [130](#)
- REV\_C13\_09, [130](#)
- REV\_C13\_10, [131](#)
- REV\_C13\_13, [131](#)
- REV\_C13\_15, [131](#)
- REV\_C13\_16, [132](#)
- REV\_C13\_17, [132](#)
- REV\_C13\_18, [132](#)
- REV\_C13\_19, [133](#)
- REV\_C13\_20, [133](#)
- REV\_C13\_21, [133](#)
- REV\_C13\_22, [134](#)
- REV\_C13\_23, [134](#)
- REV\_C13\_24, [134](#)
- REV\_C13\_25, [135](#)
- REV\_C13\_26, [135](#)
- REV\_C13\_27, [135](#)
- REV\_C13\_28, [136](#)
- REV\_C13\_29, [136](#)
- REV\_C14\_11, [136](#)
- REV\_C14\_12, [137](#)
- rowSums, [10](#)
  
- sample.int, [13](#)
- sampleRow (Chapter01), [13](#)
- sampleRow(), [13](#)
- sd, [15](#)
- show, [15](#), [137](#), [138](#)
- show, addedProbs-method, [137](#)
- show, BooleanTable-method, [138](#)
- show, freqs-method, [138](#)
- skewness, [15](#)
- summary.BooleanTable, [10](#), [139](#), [139](#)
  
- t.test, [21](#), [79](#)
- t.test.default, [79](#)
- table, [15](#)
- typeof, [9](#)
  
- var, [15](#)
- var.test, [21](#)
- vector, [9](#), [23](#), [78](#), [79](#)