

Package ‘dmai’

October 13, 2022

Type Package

Title Divisia Monetary Aggregates Index

Version 0.4.0

Author Muhammad Yaseen [aut, cre],
Ahmad Nadeem [aut, ctb]

Maintainer Muhammad Yaseen <myaseen208@gmail.com>

Description Functions to calculate Divisia monetary aggregates index as given in Barnett, W. A. (1980) (<[DOI:10.1016/0304-4076\(80\)90070-6](https://doi.org/10.1016/0304-4076(80)90070-6)>).

Depends R (>= 3.1)

Imports dplyr, magrittr, ggplot2, stringr, tibble, tidyr

License GPL-2

URL <https://github.com/myaseen208/dmai>,
<https://myaseen208.github.io/dmai/>

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

Note Department of Mathematics and Statistics, University of
Agriculture Faisalabad, Faisalabad-Pakistan.

Suggests testthat

NeedsCompilation no

Repository CRAN

Date/Publication 2019-05-18 17:20:03 UTC

R topics documented:

dmai	2
dmaiIntro	4
Index	5

 dmai

Divisia Monetary Aggregates Index

Description

Calculates Divisia monetary aggregates index as given in Barnett, W. A. (1980).

Usage

```
## Default S3 method:
dmai(.data, method = c("Barnett", "Hancock"),
     logbase = NULL)
```

Arguments

.data	data.frame
method	Method to calculate Divisia monetary aggregates index, Barnett or Hancock
logbase	base of log to be used in Barnett divisia monetary aggregates index method, default is NULL or 10

Value

Divisia Monetary Aggregates Index

Author(s)

1. Muhammad Yaseen (<myaseen208@gmail.com>)
2. Ahmad Nadeem (<Ahmed.Nadeem@sbp.org.pk>)

References

Barnett, W. A. (1980). Economic Monetary Aggregates: An Application of Aggregation and Index Number Theory. *Journal of Econometrics*. **14**(1):11-48. (<https://www.sciencedirect.com/science/article/pii/03044076809007>)

Examples

```
Data <-
  tibble::tibble(
    Date = paste(c("Jun", "Dec"), rep(seq(from = 2000, to = 2017, by = 1), each = 2), sep = "-"),
    , x1 = runif(n = 36, min = 162324, max = 2880189)
    , x2 = runif(n = 36, min = 2116, max = 14542)
    , x3 = runif(n = 36, min = 92989, max = 3019556)
    , x4 = runif(n = 36, min = 205155, max = 4088784)
    , x5 = runif(n = 36, min = 6082, max = 186686)
    , x6 = runif(n = 36, min = 11501, max = 50677)
    , x7 = runif(n = 36, min = 61888, max = 901419)
    , x8 = runif(n = 36, min = 13394, max = 347020)
```

```

, x9   = runif(n = 36, min = 25722, max = 701887)
, x10  = runif(n = 36, min = 6414,  max = 37859)
, x11  = runif(n = 36, min = 11688, max = 113865)
, x12  = runif(n = 36, min = 2311,  max = 23130)
, x13  = runif(n = 36, min = 23955, max = 161318)
, r1   = runif(n = 36, min = 0.00,  max = 0.00)
, r2   = runif(n = 36, min = 0.00,  max = 0.00)
, r3   = runif(n = 36, min = 0.00,  max = 0.00)
, r4   = runif(n = 36, min = 0.93,  max = 7.43)
, r5   = runif(n = 36, min = 1.12,  max = 7.00)
, r6   = runif(n = 36, min = 0.99,  max = 7.93)
, r7   = runif(n = 36, min = 1.51,  max = 7.42)
, r8   = runif(n = 36, min = 2.20,  max = 9.15)
, r9   = runif(n = 36, min = 2.64,  max = 9.37)
, r10  = runif(n = 36, min = 2.80,  max = 11.34)
, r11  = runif(n = 36, min = 3.01,  max = 12.41)
, r12  = runif(n = 36, min = 2.78,  max = 13.68)
, r13  = runif(n = 36, min = 3.23,  max = 14.96)
)

Data$Date <- as.Date(paste("01", Data$Date, sep = "-"), format = "%d-%b-%Y")
Data

# Divisia monetary aggregates index using Barnett method
DMAIBarnett <- dmai(.data = Data, method = "Barnett", logbase = NULL)
DMAIBarnett
DMAIBarnett1 <- dmai(.data = Data, method = "Barnett", logbase = 10)
DMAIBarnett1
DMAIBarnett2 <- dmai(.data = Data, method = "Barnett", logbase = 2)
DMAIBarnett2
DMAIBarnett3 <- dmai(.data = Data, method = "Barnett", logbase = exp(1))
DMAIBarnett3

# Divisia monetary aggregates index using Hancock method
DMAIHancock <- dmai(.data = Data, method = "Hancock")
DMAIHancock

library(ggplot2)
ggplot(data = DMAIBarnett, mapping = aes(x = Date, y = DMAI)) +
  geom_point() +
  geom_line() +
  geom_text(aes(label = round(DMAI, 2)), vjust = "inward", hjust = "inward") +
  scale_x_date(
    date_breaks = "6 months"
    , date_labels = "%b-%Y"
    , limits = c(min(DMAIBarnett$Date), max = max(DMAIBarnett$Date))) +
  theme_bw() +
  theme(axis.text.x = element_text(angle = 90))

ggplot(data = DMAIHancock, mapping = aes(x = Date, y = DMAI)) +
  geom_point() +
  geom_line() +
  geom_text(aes(label = round(DMAI, 2)), vjust = "inward", hjust = "inward") +

```

```
scale_x_date(  
  date_breaks = "6 months"  
  , date_labels = "%b-%Y"  
  , limits = c(min(DMAIHancock$Date), max = max(DMAIHancock$Date))) +  
theme_bw() +  
theme(axis.text.x = element_text(angle = 90))
```

dmaiIntro

Divisia Monetary Aggregates Index

Description

The dmai package provides functionalities to calculate Divisia monetary aggregates index as given in Barnett, W. A. (1980).

Author(s)

1. Muhammad Yaseen (<myaseen208@gmail.com>)
2. Ahmad Nadeem (<Ahmed.Nadeem@sbp.org.pk>)

References

Barnett, W. A. (1980). Economic Monetary Aggregates: An Application of Aggregation and Index Number Theory. *Journal of Econometrics*. **14**(1):11-48. (<https://www.sciencedirect.com/science/article/pii/03044076809007>)

Index

`dmai`, [2](#)
`dmaiIntro`, [4](#)
`dmaiIntro-package (dmaiIntro)`, [4](#)