

Package ‘viewscape’

February 4, 2024

Type Package

Title Viewscape Analysis

Version 1.0.0

Description A collection of functions to make R a more effective viewscape analysis tool for calculating viewscape metrics based on computing the viewable area for given a point/multiple viewpoints and a digital elevation model. The method of calculating viewscape metrics implemented in this package are based on the work of Tabrizian et al. (2020) <[doi:10.1016/j.landurbplan.2019.103704](https://doi.org/10.1016/j.landurbplan.2019.103704)>. The algorithm of computing viewshed is based on the work of Franklin & Ray. (1994) <<https://citeseerx.ist.psu.edu/document?repid=rep1&type=pdf&doi=555780f6f5d7e537eb1edb28862c86d1519af2be>>.

Depends R (>= 4.2)

License GPL-3

Encoding UTF-8

RoxygenNote 7.3.1

Language en_GB

Suggests testthat (>= 3.0.0), knitr, rmarkdown

Config/testthat/edition 3

VignetteBuilder knitr, rmarkdown

biocViews

Imports Rcpp, rlang, methods, dplyr, sf, sp, terra, ForestTools, parallel, pbmcapply

LinkingTo Rcpp

NeedsCompilation yes

Author Xiaohao Yang [aut, cre, cph],
Nathan Fox [aut],
Derek Van Berkel [aut],
Mark Lindquist [aut]

Maintainer Xiaohao Yang <xiaohaoy@umich.edu>

Repository CRAN

Date/Publication 2024-02-04 10:10:02 UTC

R topics documented:

calculate_diversity	2
calculate_feature	3
calculate_viewmetrics	4
compute_viewshed	5
Viewshed-class	7
visualize_viewshed	7

Index	9
--------------	----------

calculate_diversity *calculate_diversity*

Description

The `calculate_diversity` function is designed to calculate landscape diversity metrics within a viewshed. It takes as input a land cover raster, a viewshed object representing the observer's line of sight, and an optional parameter to compute class proportions.

Usage

```
calculate_diversity(viewshed, land, proportion = FALSE)
```

Arguments

<code>viewshed</code>	Viewshed object.
<code>land</code>	Raster. The raster of land use/land cover representing different land use/cover classes.
<code>proportion</code>	logical (Optional), indicating whether to return class proportions along with the Shannon Diversity Index (SDI). (default is FALSE).

Value

List. a list containing the Shannon Diversity Index (SDI) and, if the `proportion` parameter is set to TRUE, a table of class proportions within the viewshed.

Examples

```
# Load a viewpoint
test_viewpoint <- sf::read_sf(system.file("test_viewpoint.shp", package = "viewscape"))
# load dsm raster
dsm <- terra::rast(system.file("test_dsm.tif", package = "viewscape"))
#Compute viewshed
output <- compute_viewshed(dsm = dsm,
                           viewpoints = test_viewpoint,
                           offset_viewpoint = 6)

# load landuse raster
test_landuse <- terra::rast(system.file("test_landuse.tif",
```

calculate_viewmetrics *calculate_viewmetrics*

Description

The `calculate_viewmetrics` function is designed to compute a set of configuration metrics based on a given viewshed object and optionally, digital surface models (DSM) and digital terrain models (DTM) for terrain analysis. The function calculates various metrics that describe the visibility characteristics of a landscape from a specific viewpoint. The metrics include:

1. Extent: The total area of the viewshed, calculated as the number of visible grid cells multiplied by the grid resolution
2. Depth: The furthest visible distance within the viewshed from the viewpoint
3. Vdepth: The standard deviation of distances to visible points, providing a measure of the variation in visible distances
4. Horizontal: The total visible horizontal or terrestrial area within the viewshed
5. Relief: The standard deviation of elevations of the visible ground surface
6. Skyline: The standard deviation of the vertical viewscape, including visible canopy and buildings, when specified
7. Number of patches: Visible fragmentation measured by total visible patches with the viewscape
8. Mean shape index: Visible patchiness based on average perimeter-to-area ratio for all viewscape patches (vegetation and building)
9. Edge density: A measure of visible complexity based on the length of patch edges per unit area
10. Patch size: Total average size of a patches over the entire viewscape area
11. Patch density: Visible landscape granularity based on measuring patch density
12. Shannon diversity index: The abundance and evenness of land cover/use in a viewshed
13. Proportion of object: Proportion of a single type of land use or cover in a viewshed

Usage

```
calculate_viewmetrics(viewshed, dsm, dtm, masks = list())
```

Arguments

<code>viewshed</code>	Viewshed object.
<code>dsm</code>	Raster, Digital Surface Model for the calculation of
<code>dtm</code>	Raster, Digital Terrain Model
<code>masks</code>	List, a list including rasters of canopy and building footprints. For example of canopy raster, the value for cells without canopy should be 0 and the value for cells with canopy can be any number.

Value

List

References

Tabrizian, P., Baran, P.K., Berkel, D.B., Mitásová, H., & Meentemeyer, R.K. (2020). Modeling restorative potential of urban environments by coupling viewscape analysis of lidar data with experiments in immersive virtual environments. *Landscape and Urban Planning*, 195, 103704.

Examples

```
# Load in DSM
test_dsm <- terra::rast(system.file("test_dsm.tif",
                                   package = "viewscape"))

# Load DTM
test_dtm <- terra::rast(system.file("test_dtm.tif",
                                   package = "viewscape"))

# Load canopy raster
test_canopy <- terra::rast(system.file("test_canopy.tif",
                                       package = "viewscape"))

# Load building footprints raster
test_building <- terra::rast(system.file("test_building.tif",
                                       package = "viewscape"))

# Load in the viewpoint
test_viewpoint <- sf::read_sf(system.file("test_viewpoint.shp",
                                         package = "viewscape"))

# Compute viewshed
output <- viewscape::compute_viewshed(dsm = test_dsm,
                                       viewpoints = test_viewpoint,
                                       offset_viewpoint = 6)

# calculate metrics given the viewshed, canopy, and building footprints
test_metrics <- viewscape::calculate_viewmetrics(output,
                                                test_dsm,
                                                test_dtm,
                                                list(test_canopy, test_building))
```

Description

The compute_viewshed function is designed for computing viewsheds, which are areas visible from specific viewpoints, based on a Digital Surface Model (DSM). It provides flexibility for single or multi-viewpoint analyses and allows options for parallel processing, raster output, and plotting.

Usage

```
compute_viewshed(
    dsm,
    viewpoints,
    offset_viewpoint = 1.7,
    offset_height = 0,
    r = NULL,
    parallel = FALSE,
    workers = 0,
    raster = FALSE,
    plot = FALSE
)
```

Arguments

dsm	Raster, the digital surface model/digital elevation model
viewpoints	sf point(s) or vector including x,y coordinates of a viewpoint or a matrix including several viewpoints with x,y coordinates
offset_viewpoint	numeric, setting the height of the viewpoint. (default is 1.7 meters).
offset_height	numeric, setting the height of positions that a given viewpoint will look at. (default is 0)
r	Numeric (optional), setting the radius for viewshed analysis. (it is defaulted as NULL)
parallel	Logical, (default is FALSE) indicating if parallel computing should be used to compute viewsheds of multiview points. When it is TRUE, arguments 'raster' and 'plot' are ignored
workers	Numeric, indicating the number of CPU cores that will be used for parallel computing. It is required if 'parallel' is 'TRUE'.
raster	Logical, (default is FALSE) if it is TRUE, the raster of viewshed will be returned. The default is FALSE
plot	Logical, (default is FALSE) if it is TRUE, the raster of viewshed will be displayed

Value

Raster or list. For single-viewpoint analysis, the function returns either a raster (raster is TRUE) or a viewshed object. Value 1 means visible while value 0 means invisible. For multi-viewpoint analysis, a list of viewsheds is returned.

Examples

```
# Load a viewpoint
test_viewpoint <- sf::read_sf(system.file("test_viewpoint.shp", package = "viewscape"))
# load dsm raster
dsm <- terra::rast(system.file("test_dsm.tif", package = "viewscape"))
#Compute viewshed
output <- compute_viewshed(dsm = dsm,
                           viewpoints = test_viewpoint,
                           offset_viewpoint = 6)
```

Viewshed-class	<i>An S4 class to represent the viewshed</i>
----------------	--

Description

A viewshed object contains a 'matrix' of visible and invisible area, resolution, extent, and crs

Slots

visible matrix
 resolution vector
 extent numeric
 crs character

visualize_viewshed	<i>visualize_viewshed</i>
--------------------	---------------------------

Description

The visualize_viewshed function is designed for the visualization of a viewshed analysis, providing users with various options for visualizing the results. The function works with a viewshed object and offers multiple plotting and output types.

Usage

```
visualize_viewshed(viewshed, plottype = "", outputtype = "")
```

Arguments

viewshed	Viewshed object
plottype	Character, specifying the type of visualization ("polygon" or "raster").
outputtype	Character, specifying the type of output object ("raster" or "polygon").

Index

`calculate_diversity`, [2](#)
`calculate_feature`, [3](#)
`calculate_viewmetrics`, [4](#)
`compute_viewshed`, [5](#)

`Viewshed-class`, [7](#)
`visualize_viewshed`, [7](#)