

sion mode:

\$Line_17

NUM	SQZ	DIF	DIF	DIF	DIF	DIF	DIF
"4861896"	"G493"	"j"	"k"	"n"	"k"	"J"	"l"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"k"	"J"	"j"	"J"	"l"	"K"	"%"	"j"
DIF	DIF	DIF	DIF	DUP	DIF	DIF	DIF
"O"	"%"	"k"	"N"	"T"	"j"	"N"	"K"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"J"	"N"	"K"	"M"	"l"	"m"	"K"	"q"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"%"	"M"	"n"	"K"	"k"	"%"	"O"	"j"
DIF	DIF	DIF	DIF	DUP	DIF	DIF	DIF
"J"	"K"	"J"	"K"	"T"	"N"	"%"	"N"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"M"	"%"	"N"	"K"	"%"	"J"	"M"	"%"
DIF	DIF	DIF	DUP	DIF	DUP	DIF	DIF
"J"	"j"	"K"	"T"	"J"	"T"	"k"	"M"
DIF	DIF	DIF	DIF	DIF			
"l"	"K"	"l"	"K"	"J"			

The input to *unDIF* is a character vector with entries named with ASDF mode:

NUM	SQZ	DIF	DIF	DIF	DIF	DIF	DIF
"4861896"	"G493"	"j"	"k"	"n"	"k"	"J"	"l"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"k"	"J"	"j"	"J"	"l"	"K"	"%"	"j"
DIF	DIF	DIF	DIF	DUP	DIF	DIF	DIF
"O"	"%"	"k"	"N"	"T"	"j"	"N"	"K"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"J"	"N"	"K"	"M"	"l"	"m"	"K"	"q"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"%"	"M"	"n"	"K"	"k"	"%"	"O"	"j"
DIF	DIF	DIF	DIF	DUP	DIF	DIF	DIF
"J"	"K"	"J"	"K"	"T"	"N"	"%"	"N"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"M"	"%"	"N"	"K"	"%"	"J"	"M"	"%"
DIF	DIF	DIF	DUP	DIF	DUP	DIF	DIF
"J"	"j"	"K"	"T"	"J"	"T"	"k"	"M"
DIF	DIF	DIF	DIF	DIF			
"l"	"K"	"l"	"K"	"J"			

The input to *repDUPs* is a character vector with length one:

DUP
"T"