

# Package ‘gamlss.tr’

October 13, 2022

**Type** Package

**Title** Generating and Fitting Truncated ‘gamlss.family’ Distributions

**Version** 5.1-7

**Date** 2020-07-13

**Author** Mikis Stasinopoulos <d.stasinopoulos@londonmet.ac.uk>, Bob Rigby <r.rigby@londonmet.ac.uk>

**Maintainer** Mikis Stasinopoulos <d.stasinopoulos@londonmet.ac.uk>

**LazyLoad** yes

**Depends** R (>= 2.2.1), gamlss.dist, gamlss (>= 5.0-0), methods

**Description** This is an add on package to GAMLSS. The purpose of this package is to allow users to defined truncated distributions in GAMLSS models. The main function gen.trun() generates truncated version of an existing GAMLSS family distribution.

**License** GPL-2 | GPL-3

**URL** <http://www.gamlss.org/>

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2020-07-13 13:10:02 UTC

## R topics documented:

gamlss.tr-package . . . . .	2
fitTail . . . . .	3
gen.trun . . . . .	5
trun . . . . .	7
trun.d . . . . .	9
trun.p . . . . .	12
trun.q . . . . .	16
trun.r . . . . .	18

<b>Index</b>	<b>22</b>
--------------	-----------

gamlss.tr-package

*Generating and Fitting Truncated 'gamlss.family' Distributions***Description**

This is an add on package to GAMLSS. The purpose of this package is to allow users to defined truncated distributions in GAMLSS models. The main function `gen.trun()` generates truncated version of an existing GAMLSS family distribution.

**Details**

The DESCRIPTION file:

```
Package:      gamlss.tr
Type:         Package
Title:        Generating and Fitting Truncated 'gamlss.family' Distributions
Version:      5.1-7
Date:         2020-07-13
Author:       Mikis Stasinopoulos <d.stasinopoulos@londonmet.ac.uk>, Bob Rigby <r.rigby@londonmet.ac.uk>
Maintainer:  Mikis Stasinopoulos <d.stasinopoulos@londonmet.ac.uk>
LazyLoad:    yes
Depends:      R (>= 2.2.1), gamlss.dist, gamlss (>= 5.0-0), methods
Description:  This is an add on package to GAMLSS. The purpose of this package is to allow users to defined truncated distr
License:      GPL-2 | GPL-3
URL:          http://www.gamlss.org/
```

Index of help topics:

```
fitTail      For fitting truncated distribution to the tails
              of data
gamlss.tr-package  Generating and Fitting Truncated
                  'gamlss.family' Distributions
gen.trun     Generates a truncated distribution from a
              gamlss.family
trun         Fits a Truncate Distribution from a
              gamlss.family
trun.d       Truncated Probability Density Function of a
              gamlss.family Distribution
trun.p       Truncated Cumulative Density Function of a
              gamlss.family Distribution
trun.q       Truncated Inverse Cumulative Density Function
              of a gamlss.family Distribution
trun.r       Generates Random Values from a Truncated
              Density Function of a gamlss.family
              Distribution
```

**Author(s)**

Mikis Stasinopoulos <d.stasinopoulos@londonmet.ac.uk>, Bob Rigby <r.rigby@londonmet.ac.uk>  
 Maintainer: Mikis Stasinopoulos <d.stasinopoulos@londonmet.ac.uk>

**References**

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <http://www.gamlss.org/>).

**Examples**

```
# generating a t-distribution from 0 to 100
gen.trun(par=c(0,100),family="TF", name="0to100", type="both")
op<-par(mfrow=c(2,2))
plot(function(x) dTF0to100(x, mu=80 ,sigma=20, nu=5), 0, 100, ylab="pdf")
plot(function(x) pTF0to100(x, mu=80 ,sigma=20, nu=5), 0, 100, ylab="cdf")
plot(function(x) qTF0to100(x, mu=80 ,sigma=20, nu=5), 0.01, .999, ylab="invcdf")
hist(s1<-rTF0to100(1000, mu=80 ,sigma=20, nu=5), ylab="hist", xlab="x", main="generated data")
par(op)
```

---

 fitTail

*For fitting truncated distribution to the tails of data*


---

**Description**

There are two functions here. The function `fitTail()` which fits a truncated distribution to certain percentage of the tail of a response variable and the function `fitTailAll()` which does a sequence of truncated fits. Plotting the results from those fits is analogous to the Hill plot, Hill (1975).

**Usage**

```
fitTail(y, family = "WEI3", percentage = 10, howmany = NULL,
        type = c("right", "left"), ...)
```

```
fitTailAll(y, family = "WEI3", percentage = 10, howmany = NULL,
           type = c("right", "left"), plot = TRUE,
           print = TRUE, save = FALSE, start = 5, trace = 0, ...)
```

**Arguments**

<code>y</code>	The variable of interest
<code>family</code>	a <code>gamlsss</code> .family distribution
<code>percentage</code>	what percentage of the tail need to be modelled, default is 10%

howmany	how many observations in the tail needed. This is an alternative to percentage. If it specified it take over from the percentage argument otherwise percentage is used.
type	which tail needs checking the right (default) of the left
plot	whether to plot with default equal TRUE
print	whether to print the coefficients with default equal TRUE
save	whether to save the fitted linear model with default equal FALSE
start	where to start fitting from the tail of the data
trace	0: no output 1: minimal 2: print estimates
...	for further argument to the fitting function

### Details

The idea here is to fit a truncated distribution to the tail of the data. Truncated log-normal and Weibull distributions could be appropriate distributions. More details can be found in Chapter 6 of "The Distribution Toolbox of GAMLSS" book which can be found in <http://www.gamlss.org/>.

### Value

A fitted gamlss model

### Author(s)

Bob Rigby, Mikis Stasinopoulos and Vlassios Voudouris

### References

- Hill B. M. (1975) A Simple General Approach to Inference About the Tail of a Distribution *Ann. Statist.* Volume **3**, Number 5, pp 1163-1174.
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Stasinopoulos D. M., Rigby R.A. and Akantziliotou C. (2006) Instructions on how to use the GAMLSS package in R. Accompanying documentation in the current GAMLSS help files, (see also <http://www.gamlss.org/>).
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <http://www.jstatsoft.org/v23/i07>.

### See Also

[loglogSurv](#), [logSurv](#)

**Examples**

```

data(film90)
F90 <- exp(film90$lboev1)# original scale
# truncated plots
# 10%
w403<- fitTail(F90, family=WEI3)
qqnorm(resid(w403))
abline(0,1, col="red")

## Not run:
# hill -sequential plot 10
w1<-fitTailAll(F90)
# plot sigma
plot(w1[,2])
#-----
#LOGNO
l403<- fitTail(F90, family=LOGNO)
plot(l403)
qqnorm(resid(l403))
abline(0,1)
# hill -sequential plot 10
l1<-fitTailAll(F90, family=LOGNO)
plot(l1[,2])
#-----

## End(Not run)

```

---

gen.trun

*Generates a truncated distribution from a gamlss.family*


---

**Description**

The `gen.trun()` function allows the user to generate *d*, *p*, *q*, and *r* distribution functions plus an extra `gamlss.family` function for fitting a truncated distribution with `gamlss`.

For continuous distributions left truncation at 3 means that the random variable can take the value 3. For discrete distributions left truncation at 3 means that the random variable can take values from 4 onwards. This is the same for right truncation. Truncation at 15 for a discrete variable means that 15 and greater values are not allowed but for continuous variable it mean values greater that 15 are not allowed (so 15 is a possible value).

If the user want a different link (rather the default) for any of the parameters she/he has to declare at the generation of the functions, see example.

**Usage**

```

gen.trun(par = c(0), family = "NO", name = "tr",
         type = c("left", "right", "both"),
         varying = FALSE, print=TRUE, ...)

```

**Arguments**

par	a vector with one (for "left" or "right" truncation) or two elements for "both". When the argument varying = TRUE then par can be a vector or a matrix with two columns respectively.
family	a gamlss.family object, which is used to define the distribution and the link functions of the various parameters. The distribution families supported by gamlss() can be found in gamlss.family.
name	the extra characters to be added to the name of new truncated distribution, by default it adds tr
type	whether "left", "right" or in "both" sides truncation is required
varying	whether the truncation varies for different observations. This can be useful in regression analysis. If varying = TRUE then par should be an n-length vector for type equal "left" and "right" and an n by 2 matrix for type="both"
print	whether to print the names of the created distribution
...	for extra arguments

**Value**

Returns the d, the p, the q, the r and the fitting functions of a truncated gamlss.family distribution.

**Author(s)**

Mikis Stasinopoulos <mikis.stasinopoulos@gamlss.org> and Bob Rigby

**References**

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Stasinopoulos D. M., Rigby R.A. and Akantziliotou C. (2003) Instructions on how to use the GAMLSS package in R. Accompanying documentation in the current GAMLSS help files, (see also <http://www.gamlss.org/>).

**See Also**

[trun.d](#), [trun.p](#), [trun.q](#), [trun.r](#)

**Examples**

```
# generating a t-distribution from 0 to 100
gen.trun(par=c(0,100),family="TF", name="0to100", type="both")
op<-par(mfrow=c(2,2))
plot(function(x) dTF0to100(x, mu=80 ,sigma=20, nu=5), 0, 100, ylab="pdf")
plot(function(x) pTF0to100(x, mu=80 ,sigma=20, nu=5), 0, 100, ylab="cdf")
plot(function(x) qTF0to100(x, mu=80 ,sigma=20, nu=5), 0.01, .999, ylab="invcdf")
hist(s1<-rTF0to100(1000, mu=80 ,sigma=20, nu=5), ylab="hist", xlab="x",
      main="generated data")
par(op)
m1<-histDist(s1, family=TF0to100, xlim=c(0,100))# fitting the data
```

```

# using the argumnt varying
# left part varies right part equal 100
leftPAR <- rPO(100)
gen.trun(par=cbind(leftPAR,rep(100, 100)),family="TF", name="0to100Varying",
         type="both", varying=TRUE)
YY<- rTF0to100Varying(100, mu=80, sigma=20, nu=5)
m1<-gamlss(YY~1, family=TF0to100Varying)
m1

```

trun

*Fits a Truncate Distribution from a gamlss.family***Description**

This function can be used to fit truncated distributions. It takes as an argument an existing GAMLSS family distribution and a parameter vector, of the type `c(left.value, right.value)`, and generates a `gamlss.family` object which then can be used to fit a truncated distribution.

**Usage**

```
trun(par = c(0), family = "NO", type = c("left", "right", "both"), name = "tr",
     local = TRUE, delta=NULL, varying = FALSE, ...)
```

**Arguments**

<code>par</code>	a vector with one (for "left" or "right" truncation) or two elements for "both". When the argument <code>varying = TRUE</code> then <code>par</code> can be a vector or a matrix with two columns respectively.
<code>family</code>	an existing <code>gamlss.family</code> distribution
<code>type</code>	what type of truncation is required, left, right or both. If both the <code>par</code> should be a vector of length two. (the default is left truncation)
<code>name</code>	a character string to be added to name of the created object i.e. with <code>family=TF</code> and <code>name=trZero</code> the <code>gamlss.family</code> object will be called <code>TFtrZero</code>
<code>local</code>	if <code>TRUE</code> the function will try to find the environment of <code>gamlss</code> to generate the <code>d</code> and <code>p</code> functions required for the fitting, if <code>FALSE</code> the functions will be generated in the global environment
<code>delta</code>	the delta increment used in the numerical derivatives
<code>varying</code>	whether the truncation varies for diferent observations. This can be usefull in regression analysis. If <code>varying = TRUE</code> then <code>par</code> should be an <code>n</code> -length vector for type equal "left" and "right" and an <code>n</code> by 2 matrix for type="both"
<code>...</code>	for extra arguments

## Details

This function is created to help the user to fit a truncated form of existing `gamlss` distribution. It does this by taking an existing `gamlss.family` and changing some of the components of the distribution to help the fitting process. In particular it i) creates a pdf (`d`) and a cdf (`p`) function within `gamlss`, ii) changes the global deviance function `G.dev.incr`, the first derivative functions (see note below) and the quantile residual function.

## Value

It returns a `gamlss.family` object which has all the components needed for fitting a distribution in `gamlss`.

## Note

This function is experimental and could be changed. The function `trun` changes the first derivatives of the original `gamlss` family `d` function to numerical derivatives for the new truncated `d` function. The default increment `delta`, for this numerical derivatives function, is `eps * pmax(abs(x), 1)` where `eps <- sqrt(.Machine$double.eps)`. The default `delta` could be inappropriate for specific applications and can be overwritten by using the argument `delta`.

## Author(s)

Mikis Stasinopoulos <[mikis.stasinopoulos@gamlss.org](mailto:mikis.stasinopoulos@gamlss.org)> and Bob Rigby

## References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape, (with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Stasinopoulos D. M., Rigby R.A. and Akantziliotou C. (2003) Instructions on how to use the GAMLSS package in R. Accompanying documentation in the current GAMLSS help files, (see also <http://www.gamlss.org/>).

## See Also

[trun.d](#), [trun.p](#), [trun.q](#), [trun.r](#), [gen.trun](#)

## Examples

```
# generate a left truncated zero t family
gen.trun(0,family="TF")
# take a random sample of 1000 observations
sam<-rTFtr(1000,mu=10,sigma=5, nu=5 )
hist(sam)
# fit the distribution to the data
mod1<-gamlss(sam~1, family=trun(0,TF))
mod1
# now create a gamlss.family object before the fitting
Ttruc.Zero<- trun(par=0,family=TF, local=FALSE)
mod2<-gamlss(sam~1, family=Ttruc.Zero)
# now check the sensitivity of delta
```



```
Ttruc.Zero<- trun(par=0,family=TF, local=FALSE, delta=c(0.01,0.01, 0.01))
mod3<-gamlss(sam~1, family=Ttruc.Zero)
```

---

trun.d	<i>Truncated Probability Density Function of a gamlss.family Distribution</i>
--------	---

---

### Description

Creates a truncated probability density function version from a current GAMLSS family distribution. For continuous distributions left truncation at 3 means that the random variable can take the value 3. For discrete distributions left truncation at 3 means that the random variable can take values from 4 onwards. This is the same for right truncation. Truncation at 15 for a discrete variable means that 15 and greater values are not allowed but for continuous variable it mean values greater than 15 are not allowed (so 15 is a possible value).

### Usage

```
trun.d(par, family = "NO", type = c("left", "right", "both"),
       varying = FALSE, ...)
```

### Arguments

par	a vector with one (for "left" or "right" truncation) or two elements for "both". When the argument varying = TRUE then par can be a vector or a matrix with two columns respectively.
family	a gamlss.family object, which is used to define the distribution and the link functions of the various parameters. The distribution families supported by gamlss() can be found in gamlss.family. Functions such as BI() (binomial) produce a family object.
type	whether left, right or in both sides truncation is required, (left is the default).
varying	whether the truncation varies for different observations. This can be useful in regression analysis. If varying = TRUE then par should be an n-length vector for type equal "left" and "right" and an n by 2 matrix for type="both"
...	for extra arguments

### Value

Returns a d family function

### Author(s)

Mikis Stasinopoulos <mikis.stasinopoulos@gamlss.org> and Bob Rigby

## References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Stasinopoulos D. M., Rigby R.A. and Akantziliotou C. (2003) Instructions on how to use the GAMLSS package in R. Accompanying documentation in the current GAMLSS help files, (see also <http://www.gamlss.org/>).

## See Also

[trun.p](#), [trun.q](#), [trun.r](#), [gen.trun](#)

## Examples

```
#-----
# continuous distribution
# left truncation
test1<-trun.d(par=c(0), family="TF", type="left")
test1(1)
dTF(1)/(1-pTF(0))
if(abs(test1(1)-(dTF(1)/pTF(0)))>0.00001) stop("error in left truncation")
test1(1, log=TRUE)
log(dTF(1)/(1-pTF(0)))
if(abs(test1(1, log=TRUE)-log(dTF(1)/pTF(0)))>0.00001)
  stop("error in left truncation")
integrate(function(x) test1(x, mu=-2, sigma=1, nu=1),0,Inf)
# the pdf is defined even with negative mu
integrate(function(x) test1(x, mu=0, sigma=10, nu=1),0,Inf)
integrate(function(x) test1(x, mu=5, sigma=5, nu=10),0,Inf)
plot(function(x) test1(x, mu=-3, sigma=1, nu=1),0,10)
plot(function(x) test1(x, mu=3, sigma=5, nu=10),0,10)
#-----
# right truncation
test2<-trun.d(par=c(10), family="BCT", type="right")
test2(1)
dBCT(1)/(pBCT(10))
#if(abs(test2(1)-(dBCT(1)/pBCT(10)))>0.00001) stop("error in right truncation")
test2(1, log=TRUE)
log(dBCT(1)/(pBCT(10)))
if(abs(test2(1, log=TRUE)-log(dBCT(1)/(pBCT(10))))>0.00001)
  stop("error in right truncation")
integrate(function(x) test2(x, mu=2, sigma=1, nu=1),0,10)
integrate(function(x) test2(x, mu=2, sigma=.1, nu=1),0,10)
integrate(function(x) test2(x, mu=2, sigma=.1, nu=10),0,10)
plot(function(x) test2(x, mu=2, sigma=.1, nu=1),0,10)
plot(function(x) test2(x, mu=2, sigma=1, nu=1),0,10)
#-----
# both left and right truncation
test3<-trun.d(par=c(-3,3), family="TF", type="both")
test3(0)
dTF(0)/(pTF(3)-pTF(-3))
if(abs(test3(0)-dTF(0)/(pTF(3)-pTF(-3)))>0.00001)
```

```

        stop("error in right truncation")
test3(0, log=TRUE)
log(dTF(0)/(pTF(3)-pTF(-3)))
if(abs(test3(0, log=TRUE)-log(dTF(0)/(pTF(3)-pTF(-3))))>0.00001)
    stop("error in both truncation")
plot(function(x) test3(x, mu=0, sigma=1, nu=1),-3,3)
integrate(function(x) test3(x, mu=2, sigma=1, nu=1),-3,3)
#-----
# discrete distribution
# left
# Poisson truncated at zero means zero is excluded
test4<-trun.d(par=c(0), family="P0", type="left")
test4(1)
dP0(1)/(1-pP0(0))
if(abs(test4(1)-dP0(1)/(1-pP0(0)))>0.00001) stop("error in left truncation")
test4(1, log=TRUE)
log(dP0(1)/(1-pP0(0)))
if(abs(test4(1, log=TRUE)-log(dP0(1)/(1-pP0(0))))>0.00001)
    stop("error in left truncation")
sum(test4(x=1:20, mu=2)) #
sum(test4(x=1:200, mu=80)) #
plot(function(x) test4(x, mu=20), from=1, to=51, n=50+1, type="h") # pdf
# right
# right truncated at 10 means 10 is excluded
test5<-trun.d(par=c(10), family="NBI", type="right")
test5(2)
dNBI(2)/(pNBI(9))
if(abs(test5(1)-dNBI(1)/(pNBI(9)))>0.00001) stop("error in right truncation")
test5(1, log=TRUE)
log(dNBI(1)/(pNBI(9)))
if(abs(test5(1, log=TRUE)-log(dNBI(1)/(pNBI(9))))>0.00001) stop("error in right truncation")
sum(test5(x=0:9, mu=2, sigma=2)) #
sum(test5(x=0:9, mu=300, sigma=5)) # can have mu > parameter
plot(function(x) test5(x, mu=20, sigma=3), from=0, to=9, n=10, type="h") # pdf
plot(function(x) test5(x, mu=300, sigma=5), from=0, to=9, n=10, type="h") # pdf
#-----
# both
test6<-trun.d(par=c(0,10), family="NBI", type="both")
test6(2)
dNBI(2)/(pNBI(9)-pNBI(0))
if(abs(test6(2)-dNBI(2)/(pNBI(9)-pNBI(0)))>0.00001)
    stop("error in right truncation")
test6(1, log=TRUE)
log(dNBI(1)/(pNBI(9)-pNBI(0)))
if(abs(test6(1, log=TRUE)-log(dNBI(1)/(pNBI(9)-pNBI(0))))>0.00001)
    stop("error in right truncation")
sum(test6(x=1:9, mu=2, sigma=2)) #
sum(test6(x=1:9, mu=100, sigma=5)) # can have mu > parameter
plot(function(x) test6(x, mu=20, sigma=3), from=1, to=9, n=9, type="h") # pdf
plot(function(x) test6(x, mu=300, sigma=.4), from=1, to=9, n=9, type="h") # pdf
#-----
# now try when the truncated points varies for each observation
# this will be appropriate for regression models only

```

```

# continuous
#-----
# left truncation
test7<-trun.d(par=c(0,1,2), family="TF", type="left", varying=TRUE)
test7(c(1,2,3))
dTF(c(1,2,3))/(1-pTF(c(0,1,2)))
test7(c(1,2,3), log=TRUE)
#-----
# right truncation
test8<-trun.d(par=c(10,11,12), family="BCT", type="right", varying=TRUE)
test8(c(1,2,3))
dBCT(c(1,2,3))/(pBCT(c(10,11,12)))
test8(c(1,2,3), log=TRUE)
#-----
# both left and right truncation
test9<-trun.d(par=cbind(c(0,1,2),c(10,11,12) ), family="TF", type="both",
              varying=TRUE)
test9(c(1,2,3))
dTF(c(1,2,3)/ (pTF(c(10,11,12))-pTF(c(0,1,2))))
test3(c(1,2,3), log=TRUE)
#-----
# discrete
# left
test10<-trun.d(par=c(0,1,2), family="PO", type="left", varying=TRUE)
test10(c(1,2,3))
dPO(c(1,2,3))/(1-pPO(c(0,1,2)))
# right
test11<-trun.d(par=c(10,11,12), family="NBI", type="right", varying=TRUE)
test11(c(1,2,3))
dNBI(c(1,2,3))/pNBI(c(9,10,11))
# both
test12<-trun.d(par=rbind(c(0,10), c(1,11), c(2,12)), family="NBI", type="both", varying=TRUE)
test12(c(2,3,4))
dNBI(c(2,3,4))/(pNBI(c(9,10,11))-pNBI(c(0,1,2)))

```

---

trun.p

*Truncated Cumulative Density Function of a gamlss.family Distribution*


---

## Description

Creates a truncated cumulative density function version from a current GAMLSS family distribution.

For continuous distributions left truncation at 3 means that the random variable can take the value 3. For discrete distributions left truncation at 3 means that the random variable can take values from 4 onwards. This is the same for right truncation. Truncation at 15 for a discrete variable means that 15 and greater values are not allowed but for continuous variable it mean values greater that 15 are not allowed (so 15 is a possible value).

**Usage**

```
trun.p(par, family = "NO", type = c("left", "right", "both"),
       varying = FALSE, ...)
```

**Arguments**

par	a vector with one (for "left" or "right" truncation) or two elements for "both". When the argument varying = TRUE then par can be a vector or a matrix with two columns respectively.
family	a <code>gamlss.family</code> object, which is used to define the distribution and the link functions of the various parameters. The distribution families supported by <code>gamlss()</code> can be found in <code>gamlss.family</code> . Functions such as <code>BI()</code> (binomial) produce a family object.
type	whether left, right or in both sides truncation is required, (left is the default)
varying	whether the truncation varies for different observations. This can be useful in regression analysis. If varying = TRUE then par should be an n-length vector for type equal "left" and "right" and an n by 2 matrix for type="both"
...	for extra arguments

**Value**

Return a p family function

**Author(s)**

Mikis Stasinopoulos <[mikis.stasinopoulos@gamlss.org](mailto:mikis.stasinopoulos@gamlss.org)> and Bob Rigby

**References**

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape, (with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Stasinopoulos D. M., Rigby R.A. and Akantziliotou C. (2003) Instructions on how to use the GAMLSS package in R. Accompanying documentation in the current GAMLSS help files, (see also <http://www.gamlss.org/>).

**See Also**

[trun.d](#), [trun.q](#), [trun.r](#), [gen.trun](#)

**Examples**

```
# truncated p continuous function
# continuous
#-----
# left
test1<-trun.p(par=c(0), family="TF", type="left")
test1(1)
(pTF(1)-pTF(0))/(1-pTF(0))
```

```

if(abs(test1(1)-(pTF(1)-pTF(0))/(1-pTF(0)))>0.00001)
  stop("error in left truncation of p")
plot(function(x) test1(x, mu=2, sigma=1, nu=2),0,10)
#-----
# right
test2 <- trun.p(par=c(10), family="BCT", type="right")
test2(1)
pBCT(1)/pBCT(10)
if(abs(test2(1)-pBCT(1)/pBCT(10))>0.00001) stop("error in right truncation")
test2(1, lower.tail=FALSE)
1-pBCT(1)/pBCT(10)
if(abs(test2(1, lower.tail=FALSE)-(1-pBCT(1)/pBCT(10)))>0.00001)
  stop("error in right truncation")
test2(1, log.p=TRUE)
log(pBCT(1)/pBCT(10))
if(abs(test2(1, log.p=TRUE)-log(pBCT(1)/pBCT(10)))>0.00001)
  stop("error in right truncation")
plot(function(x) test2(x, mu=2, sigma=1, nu=2, tau=2),0,10)
plot(function(x) test2(x, mu=2, sigma=1, nu=2, tau=2,
  lower.tail=FALSE),0,10)
#-----
# both
test3<-trun.p(par=c(-3,3), family="TF", type="both")
test3(1)
(pTF(1)-pTF(-3))/(pTF(3)-pTF(-3))
if(abs(test3(1)-(pTF(1)-pTF(-3))/(pTF(3)-pTF(-3)))>0.00001)
  stop("error in right truncation")
test3(1, lower.tail=FALSE)
1-(pTF(1)-pTF(-3))/(pTF(3)-pTF(-3))
if(abs(test3(0,lower.tail=FALSE)-
  (1-(pTF(0)-pTF(-3))/(pTF(3)-pTF(-3))))>0.00001)
  stop("error in right truncation")
plot(function(x) test3(x, mu=2, sigma=1, nu=2, ),-3,3)
plot(function(x) test3(x, mu=2, sigma=1, nu=2, lower.tail=FALSE),-3,3)
#-----
# Discrete
#-----
# truncated p function
# left
test4<-trun.p(par=c(0), family="P0", type="left")
test4(1)
(pP0(1)-pP0(0))/(1-pP0(0))
if(abs(test4(1)-(pP0(1)-pP0(0))/(1-pP0(0)))>0.00001)
  stop("error in left truncation of p")
plot(function(x) test4(x, mu=2), from=1, to=10, n=10, type="h")
cdf <- stepfun(1:40, test4(1:41, mu=5), f = 0)
plot(cdf, main="cdf", ylab="cdf(x)", do.points=FALSE )
#-----
# right
test5<-trun.p(par=c(10), family="NBI", type="right")
test5(2)
pNBI(2)/(pNBI(9))
if(abs(test5(2)-(pNBI(2)/(pNBI(9))))>0.00001)

```

```

        stop("error in right truncation of p")
plot(function(x) test5(x, mu=2), from=0, to=9, n=10, type="h")
cdf <- stepfun(0:8, test5(0:9, mu=5), f = 0)
plot(cdf, main="cdf", ylab="cdf(x)", do.points=FALSE )
#-----
# both
test6<-trun.p(par=c(0,10), family="NBI", type="both")
test6(2)
(pNBI(2)-pNBI(0))/(pNBI(9)-pNBI(0))
if(abs(test6(2)-(pNBI(2)-pNBI(0))/(pNBI(9)-pNBI(0)))>0.00001)
  stop("error in the both truncation")
test6(1, log=TRUE)
log((pNBI(1)-pNBI(0))/(pNBI(9)-pNBI(0)))
if(abs(test6(1, log=TRUE)-log((pNBI(1)-pNBI(0))/(pNBI(9)-pNBI(0))))>0.00001)
  stop("error in both truncation")
plot(function(y) test6(y, mu=20, sigma=3), from=1, to=9, n=9, type="h")
plot(function(y) test6(y, mu=300, sigma=.4), from=1, to=9, n=9, type="h")
cdf <- stepfun(1:8, test6(1:9, mu=5), f = 0)
plot(cdf, main="cdf", ylab="cdf(x)", do.points=FALSE )
#-----
# varying truncation
#-----
# coninuous
# left
test6<-trun.p(par=c(0,1,2), family="TF", type="left", varying=TRUE)
test6(c(2,3,4))
(pTF(c(2,3,4))-pTF(c(0,1,2)))/(1-pTF(c(0,1,2)))
test6(c(2,3,4), log.p=TRUE)
#-----
# right
test7 <- trun.p(par=c(10,11,12), family="BCT", type="right", varying=TRUE)
test7(c(1,2,3))
pBCT(c(1,2,3))/pBCT(c(10,11,12))
test7(c(1,2,3), lower.tail=FALSE)
1-pBCT(c(1,2,3))/pBCT(c(10,11,12))
test7(c(1,2,3), log.p=TRUE)
#-----
# both
test8<-trun.p(par=cbind(c(0,1,2), c(10,11,12)), family="TF",
  type="both", varying=TRUE)
test8(c(1,2,3))
(pTF(c(1,2,3))-pTF(c(0,1,2)))/(pTF(c(10,11,12))-pTF(c(0,1,2)))
test8(c(1,2,3), lower.tail=FALSE)
1-(pTF(c(1,2,3))-pTF(c(0,1,2)))/(pTF(c(10,11,12))-pTF(c(0,1,2)))
#-----
# discrete
#-----
# left
test9<-trun.p(par=c(0,1,2), family="PO", type="left", varying=TRUE)
test9(c(1,2,3))
(pPO(c(1,2,3))-pPO(c(0,1,2)))/(1-pPO(c(0,1,2)))
#-----
# right

```

```

test10<-trun.p(par=c(10,11,12), family="NBI", type="right", varying=TRUE)
test10(c(2,3,4))
pNBI(c(2,3,4))/(pNBI(c(9,10,11)))
#-----
# both
test11<-trun.p(par=rbind(c(0,10), c(1,11), c(2, 12)), family="NBI",
               type="both", varying=TRUE)
test11(c(2,3,4))
(pNBI(c(2,3,4))-pNBI(c(0,1,2)))/(pNBI(c(9,10,11))-pNBI(c(0,1,2)))
#-----

```

---

trun.q	<i>Truncated Inverse Cumulative Density Function of a gamlss.family Distribution</i>
--------	--

---

## Description

Creates a function to produce the inverse of a truncated cumulative density function generated from a current GAMLSS family distribution.

For continuous distributions left truncation at 3 means that the random variable can take the value 3. For discrete distributions left truncation at 3 means that the random variable can take values from 4 onwards. This is the same for right truncation. Truncation at 15 for a discrete variable means that 15 and greater values are not allowed but for continuous variable it mean values greater that 15 are not allowed (so 15 is a possible value).

## Usage

```
trun.q(par, family = "NO", type = c("left", "right", "both"),
       varying = FALSE, ...)
```

## Arguments

par	a vector with one (for "left" or "right" truncation) or two elements for "both". When the argument varying = TRUE then par can be a vector or a matrix with two columns respectively.
family	a gamlss.family object, which is used to define the distribution and the link functions of the various parameters. The distribution families supported by gamlss() can be found in gamlss.family. Functions such as BI() (binomial) produce a family object.
type	whether left, right or in both sides truncation is required, (left is the default)
varying	whether the truncation varies for diferent observations. This can be usefull in regression analysis. If varying = TRUE then par should be an n-length vector for type equal "left" and "right" and an n by 2 matrix for type="both"
...	for extra arguments

## Value

Returns a q family function



**Author(s)**

Mikis Stasinopoulos <mikis.stasinopoulos@gamlss.org> and Bob Rigby

**References**

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Stasinopoulos D. M., Rigby R.A. and Akantziliotou C. (2003) Instructions on how to use the GAMLSS package in R. Accompanying documentation in the current GAMLSS help files, (see also <http://www.gamlss.org/>).

**See Also**

[trun.d](#), [trun.q](#), [trun.r](#), [gen.trun](#)

**Examples**

```
# truncated q continuous function
# continuous
#-----
# left
test1<-trun.q(par=c(0), family="TF", type="left")
test1(.6)
qTF(pTF(0)+0.6*(1-pTF(0)))
#-----
# right
test2 <- trun.q(par=c(10), family="BCT", type="right")
test2(.6)
qBCT(0.6*pBCT(10))
#-----
# both
test3<-trun.q(par=c(-3,3), family="TF", type="both")
test3(.6)
qTF(0.6*(pTF(3)-pTF(-3))+pTF(-3))
#-----
# varying par
#-----
# left
test7<-trun.q(par=c(0,1,2), family="TF", type="left", varying=TRUE)
test7(c(.5,.5,.6))
qTF(pTF(c(0,1,2))+c(.5,.5,.6)*(1-pTF(c(0,1,2))))
#-----
# right
test9 <- trun.q(par=c(10,11,12), family="BCT", type="right", varying=TRUE)
test9(c(.5,.5,.6))
qBCT(c(.5,.5,.6)*pBCT(c(10,11,12)))
#-----
# both
test10<-trun.q(par=cbind(c(0,1,2), c(10,11,12)), family="TF", type="both", varying=TRUE)
test10(c(.5, .5, .7))
qTF(c(.5, .5, .7)*(pTF(c(10,11,12))-pTF(c(0,1,2)))+pTF(c(0,1,2)))
```

```

#-----
# FOR DISCRETE DISTRIBUTIONS
# truncated q function
# left
test4<-trun.q(par=c(0), family="P0", type="left")
test4(.6)
qP0(pP0(0)+0.6*(1-pP0(0)))
# varying
test41<-trun.q(par=c(0,1,2), family="P0", type="left", varying=TRUE)
test41(c(.6,.4,.5))
qP0(pP0(c(0,1,2))+c(.6,.4,.5)*(1-pP0(c(0,1,2))))
#-----
# right
test5 <- trun.q(par=c(10), family="NBI", type="right")
test5(.6)
qNBI(0.6*pNBI(10))
test5(.6, mu=10, sigma=2)
qNBI(0.6*pNBI(10, mu=10, sigma=2), mu=10, sigma=2)
# varying
test51 <- trun.q(par=c(10, 11, 12), family="NBI", type="right", varying=TRUE)
test51(c(.6,.4,.5))
qNBI(c(.6,.4,.5)*pNBI(c(10, 11, 12)))
test51(c(.6,.4,.5), mu=10, sigma=2)
qNBI(c(.6,.4,.5)*pNBI(c(10, 11, 12), mu=10, sigma=2), mu=10, sigma=2)
#-----
# both
test6<-trun.q(par=c(0,10), family="NBI", type="both")
test6(.6)
qNBI(0.6*(pNBI(10)-pNBI(0))+pNBI(0))
# varying
test61<-trun.q(par=cbind(c(0,1,2), c(10,11,12)), family="NBI", type="both", varying=TRUE)
test61(c(.6,.4,.5))
qNBI(c(.6,.4,.5)*(pNBI(c(10,11,12))-pNBI(c(0,1,2)))+pNBI(c(0,1,2)))
#-----

```

trun.r

*Generates Random Values from a Truncated Density Function of a  
gamlss.family Distribution*

## Description

Creates a function to generate random values from a truncated probability density function created from a current GAMLSS family distribution

For continuous distributions left truncation at 3 means that the random variable can take the value 3. For discrete distributions left truncation at 3 means that the random variable can take values from 4 onwards. This is the same for right truncation. Truncation at 15 for a discrete variable means that 15 and greater values are not allowed but for continuous variable it mean values greater than 15 are not allowed (so 15 is a possible value).

**Usage**

```
trun.r(par, family = "NO", type = c("left", "right", "both"),
       varying = FALSE, ...)
```

**Arguments**

par	a vector with one (for "left" or "right" truncation) or two elements for "both". When the argument varying = TRUE then par can be a vector or a matrix with two columns respectively.
family	a <code>gamlss.family</code> object, which is used to define the distribution and the link functions of the various parameters. The distribution families supported by <code>gamlss()</code> can be found in <code>gamlss.family</code> . Functions such as <code>BI()</code> (binomial) produce a family object.
type	whether left, right or in both sides truncation is required, (left is the default)
varying	whether the truncation varies for different observations. This can be useful in regression analysis. If varying = TRUE then par should be an n-length vector for type equal "left" and "right" and an n by 2 matrix for type="both"
...	for extra arguments

**Value**

Returns a r family function

**Author(s)**

Mikis Stasinopoulos <[mikis.stasinopoulos@gamlss.org](mailto:mikis.stasinopoulos@gamlss.org)> and Bob Rigby

**References**

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Stasinopoulos D. M., Rigby R.A. and Akantziliotou C. (2003) Instructions on how to use the GAMLSS package in R. Accompanying documentation in the current GAMLSS help files, (see also <http://www.gamlss.org/>).

**See Also**

[trun.p](#), [trun.q](#), [trun.d](#), [gen.trun](#)

**Examples**

```
# truncated r function
# continuous
#-----
# left
test1<-trun.r(par=c(0), family="TF", type="left")
rr<-test1(1000)
hist(rr)
```

```

#-----
# right
test2 <- trun.r(par=c(10), family="BCT", type="right")
rr<-test2(1000)
hist(rr)
#-----
# both
test3<-trun.r(par=c(-3,3), family="TF", type="both")
rr<-test3(1000)
hist(rr)
#-----
# discrete
# truncated r function
# left
test4<-trun.r(par=c(0), family="PO", type="left")
tN <- table(Ni <- test4(1000))
r <- barplot(tN, col='lightblue')
#-----
# right
test5 <- trun.r(par=c(10), family="NBI", type="right")
tN <- table(Ni <- test5(1000))
r <- barplot(tN, col='lightblue')
tN <- table(Ni <- test5(1000,mu=5))
r <- barplot(tN, col='lightblue')
tN <- table(Ni <- test5(1000,mu=10, sigma=.1))
r <- barplot(tN, col='lightblue')
#-----
# both
test6<-trun.r(par=c(0,10), family="NBI", type="both")
tN <- table(Ni <- test6(1000,mu=5))
r <- barplot(tN, col='lightblue')
#-----
# varying = TRUE
#-----
# continuous
#-----
# left
test7<-trun.r(par=c(0,1,2), family="TF", type="left", varying=TRUE)
test7(3)

#-----
# right
test8 <- trun.r(par=c(10,11,12), family="BCT", type="right", varying=TRUE)
test8(3)
#-----
# both
test9<-trun.r(par=rbind(c(-3,3), c(-1,5), c(0,6)), , family="TF", type="both", varying=TRUE)
test9(3)
#-----
# discrete
# truncated r function
# left
test10<-trun.r(par=c(0,1,2), family="PO", type="left", varying=TRUE)

```

```
test10(3)
#-----
# right
test11 <- trun.r(par=c(10,11,12), family="NBI", type="right", varying=TRUE)
test11(3)
test11(3, mu=10, sigma=.1)
#-----
# both
test12<-trun.r(par=rbind(c(0,10), c(1,11), c(2,12)), family="NBI", type="both", varying=TRUE)
test12(3,mu=5)
```

# Index

## \* **distribution**

- fitTail, 3
- gamlss.tr-package, 2
- gen.trun, 5
- trun, 7
- trun.d, 9
- trun.p, 12
- trun.q, 16
- trun.r, 18

## \* **package**

- gamlss.tr-package, 2

## \* **regression**

- fitTail, 3
- gamlss.tr-package, 2
- gen.trun, 5
- trun, 7
- trun.d, 9
- trun.p, 12
- trun.q, 16
- trun.r, 18

fitTail, 3

fitTailAll (fitTail), 3

gamlss.tr (gamlss.tr-package), 2

gamlss.tr-package, 2

gen.trun, 5, 8, 10, 13, 17, 19

loglogSurv, 4

logSurv, 4

trun, 7

trun.d, 6, 8, 9, 13, 17, 19

trun.p, 6, 8, 10, 12, 19

trun.q, 6, 8, 10, 13, 16, 17, 19

trun.r, 6, 8, 10, 13, 17, 18