

Package ‘multiblock’

November 18, 2023

Encoding UTF-8

Type Package

Title Multiblock Data Fusion in Statistics and Machine Learning

Version 0.8.7

Date 2023-11-18

Description

Functions and datasets to support Smilde, Næs and Liland (2021, ISBN: 978-1-119-60096-1)

“Multiblock Data Fusion in Statistics and Machine Learning -

Applications in the Natural and Life Sciences”.

This implements and imports a large collection of methods for multiblock data analy-

sis with common interfaces, result- and plotting

functions, several real data sets and six vignettes covering a range different applications.

License GPL (>= 2)

URL <https://khliland.github.io/multiblock/>,

<https://github.com/khliland/multiblock/>

BugReports <https://github.com/khliland/multiblock/issues/>

Depends R (>= 3.5.0)

Imports ade4, car, lme4, MASS, mixlm, plotrix, pls, plsVarSel, pracma,
progress, Rcpp, RSpectra, SSBtools

Suggests EMSC, FactoMineR, geigen, RGCCA (>= 3.0.0), r.jive,
rmarkdown, knitr

LinkingTo Rcpp, RcppEigen

RoxygenNote 7.2.3

VignetteBuilder knitr

NeedsCompilation yes

Author Kristian Hovde Liland [aut, cre]

(<<https://orcid.org/0000-0001-6468-9423>>),

Solve Sæbø [ctb],

Stefan Schrunner [rev]

Maintainer Kristian Hovde Liland <kristian.liland@nmbu.no>

Repository CRAN

Date/Publication 2023-11-18 11:40:02 UTC

R topics documented:

| | |
|----------------------|----|
| asca | 3 |
| asca_plots | 4 |
| asca_results | 6 |
| basic | 7 |
| block.data.frame | 8 |
| candies | 9 |
| cca | 10 |
| complex | 11 |
| compnames | 11 |
| disco | 12 |
| DISCOsca | 13 |
| dummycode | 14 |
| explvar | 15 |
| extended.model.frame | 15 |
| gca | 16 |
| gpa | 17 |
| gsvd | 18 |
| hogsvd | 19 |
| hpca | 20 |
| ifa | 21 |
| jive | 22 |
| lpls | 23 |
| lplsData | 25 |
| lpls_results | 26 |
| maage | 28 |
| mbpls | 30 |
| mbrda | 32 |
| mcoa | 33 |
| mcolors | 34 |
| mfa | 35 |
| multiblock_plots | 36 |
| multiblock_results | 39 |
| pca | 40 |
| pcagca | 41 |
| popls | 43 |
| potato | 45 |
| preprocess | 46 |
| rosa | 47 |
| rosa_plots | 49 |
| rosa_results | 51 |
| sca | 53 |
| simulated | 55 |

smbpls 56
 sops 58
 sops_plots 60
 sops_results 63
 SO_TDI 67
 statis 69
 supervised 70
 unique_combos 71
 unsupervised 72
 wine 73

Index 75

asca *Analysis of Variance Simultaneous Component Analysis - ASCA*

Description

This is a quite general and flexible implementation of ASCA.

Usage

asca(formula, data, subset, weights, na.action, family, pca.in = FALSE)

Arguments

- formula Model formula accepting a single response (block) and predictor names separated by + signs.
- data The data set to analyse.
- subset Subset of objects
- weights Optional object weights.
- na.action How to handle NAs (no action implemented).
- family Error distributions and link function for Generalized Linear Models.
- pca.in Compress response before ASCA (number of components).

Details

ASCA is a method which decomposes a multivariate response according to one or more design variables. ANOVA is used to split variation into contributions from factors, and PCA is performed on the corresponding least squares estimates, i.e., $Y = X_1 B_1 + X_2 B_2 + \dots + E = T_1 P_1' + T_2 P_2' + \dots + E$. This version of ASCA encompasses variants of LiMM-PCA, generalized ASCA and covariates ASCA. It includes confidence ellipsoids for the balanced fixed effect ASCA.

Value

An asca object containing loadings, scores, explained variances, etc. The object has associated plotting ([asca_plots](#)) and result ([asca_results](#)) functions.

References

- Smilde, A., Jansen, J., Hoefsloot, H., Lamers, R., Van Der Greef, J., and Timmerman, M. (2005). ANOVA-Simultaneous Component Analysis (ASCA): A new tool for analyzing designed metabolomics data. *Bioinformatics*, 21(13), 3043–3048.
- Liland, K.H., Smilde, A., Marini, F., and Næs, T. (2018). Confidence ellipsoids for ASCA models based on multivariate regression theory. *Journal of Chemometrics*, 32(e2990), 1–13.
- Martin, M. and Govaerts, B. (2020). LiMM-PCA: Combining ASCA+ and linear mixed models to analyse high-dimensional designed data. *Journal of Chemometrics*, 34(6), e3232.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [asca_results](#) and [asca_plots](#), respectively.

Examples

```
# Load candies data
data(candies)

# Basic ASCA model with two factors
mod <- asca(assessment ~ candy + assessor, data=candies)
print(mod)

# ASCA model with interaction
mod <- asca(assessment ~ candy * assessor, data=candies)
print(mod)

# Result plotting for first factor
loadingplot(mod, scatter=TRUE, labels="names")
scoreplot(mod, ellipsoids = "confidence")

# ASCA model with compressed response using 5 principal components
mod.pca <- asca(assessment ~ candy + assessor, data=candies, pca.in=5)

# Mixed Model ASCA, random assessor
mod.mix <- asca(assessment ~ candy + (1|assessor), data=candies)
scoreplot(mod.mix)
```

asca_plots

ASCA Result Methods

Description

Various plotting procedures for [asca](#) objects.

Usage

```
## S3 method for class 'asca'
loadingplot(object, factor = 1, comps = 1:2, ...)

## S3 method for class 'asca'
scoreplot(
  object,
  factor = 1,
  comps = 1:2,
  pch.scores = 19,
  pch.projections = 1,
  gr.col = 1:nlevels(object$effects[[factor]]),
  ellipsoids,
  confidence,
  xlim,
  ylim,
  xlab,
  ylab,
  legendpos,
  ...
)
```

Arguments

| | |
|-----------------|---|
| object | asca object. |
| factor | integer/character for selecting a model factor. |
| comps | integer vector of selected components. |
| ... | additional arguments to underlying methods. |
| pch.scores | integer plotting symbol. |
| pch.projections | integer plotting symbol. |
| gr.col | integer vector of colours for groups. |
| ellipsoids | character "confidence" or "data" ellipsoids for balanced fixed effect models. |
| confidence | numeric vector of ellipsoid confidences, default = c(0.4, 0.68, 0.95). |
| xlim | numeric x limits. |
| ylim | numeric y limits. |
| xlab | character x label. |
| ylab | character y label. |
| legendpos | character position of legend. |

Details

Usage of the functions are shown using generics in the examples in [asca](#). Plot routines are available as `scoreplot.asca` and `loadingplot.asca`.

Value

The plotting routines have no return.

References

- Smilde, A., Jansen, J., Hoefsloot, H., Lamers, R., Van Der Greef, J., and Timmerman, M. (2005). ANOVA-Simultaneous Component Analysis (ASCA): A new tool for analyzing designed metabolomics data. *Bioinformatics*, 21(13), 3043–3048.
- Liland, K.H., Smilde, A., Marini, F., and Næs, T. (2018). Confidence ellipsoids for ASCA models based on multivariate regression theory. *Journal of Chemometrics*, 32(e2990), 1–13.
- Martin, M. and Govaerts, B. (2020). LiMM-PCA: Combining ASCA+ and linear mixed models to analyse high-dimensional designed data. *Journal of Chemometrics*, 34(6), e3232.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results are found in [asca_results](#).

asca_results

ASCA Result Methods

Description

Standard result computation and extraction functions for ASCA ([asca](#)).

Usage

```
## S3 method for class 'asca'
print(x, ...)

## S3 method for class 'asca'
summary(object, ...)

## S3 method for class 'summary.asca'
print(x, digits = 2, ...)

## S3 method for class 'asca'
loadings(object, factor = 1, ...)

## S3 method for class 'asca'
scores(object, factor = 1, ...)

projections(object, ...)

## S3 method for class 'asca'
projections(object, factor = 1, ...)
```

Arguments

| | |
|---------------------|---|
| <code>x</code> | asca object. |
| <code>...</code> | additional arguments to underlying methods. |
| <code>object</code> | asca object. |
| <code>digits</code> | integer number of digits for printing. |
| <code>factor</code> | integer/character for selecting a model factor. |

Details

Usage of the functions are shown using generics in the examples in [asca](#). Explained variances are available (block-wise and global) through `blockexpl` and `print.rosaexpl`. Object printing and summary are available through: `print.asca` and `summary.asca`. Scores and loadings have their own extensions of `scores()` and `loadings()` through `scores.asca` and `loadings.asca`. Special to ASCA is that scores are on a factor level basis, while back-projected samples have their own function in `projections.asca`.

Value

Returns depend on method used, e.g. `projections.asca` returns projected samples, `scores.asca` return scores, while `print` and `summary` methods return the object invisibly.

References

- Smilde, A., Jansen, J., Hoefsloot, H., Lamers, R., Van Der Greef, J., and Timmerman, M. (2005). ANOVA-Simultaneous Component Analysis (ASCA): A new tool for analyzing designed metabolomics data. *Bioinformatics*, 21(13), 3043–3048.
- Liland, K.H., Smilde, A., Marini, F., and Næs, T. (2018). Confidence ellipsoids for ASCA models based on multivariate regression theory. *Journal of Chemometrics*, 32(e2990), 1–13.
- Martin, M. and Govaerts, B. (2020). LiMM-PCA: Combining ASCA+ and linear mixed models to analyse high-dimensional designed data. *Journal of Chemometrics*, 34(6), e3232.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for plotting are found in [asca_plots](#).

Description

This documentation covers a range of single- and two-block methods. In particular:

- PCA - Principal Component Analysis ([pca](#))
- PCR - Principal Component Regression ([pcr](#))
- PLSR - Partial Least Squares Regression ([pls](#))
- CCA - Canonical Correlation Analysis ([cca](#))
- IFA - Interbattery Factor Analysis ([ifa](#))
- GSVD - Generalized SVD ([gsvd](#))

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#).

Examples

```
data(potato)
X <- potato$Chemical
y <- potato$Sensory[,1,drop=FALSE]

pca.pot <- pca(X, ncomp = 2)
pcr.pot <- pcr(y ~ X, ncomp = 2)
pls.pot <- pls(y ~ X, ncomp = 2)
cca.pot <- cca(potato[1:2])
ifa.pot <- ifa(potato[1:2])
gsvd.pot <- gsvd(lapply(potato[3:4], t))
```

block.data.frame

Block-wise indexable data.frame

Description

This is a convenience function for making data.frames that are easily indexed on a block-wise basis.

Usage

```
block.data.frame(X, block_inds = NULL, to.matrix = TRUE)
```

Arguments

| | |
|------------|--|
| X | Either a single data.frame to index or a list of matrices/data.frames |
| block_inds | Named list of indexes if X is a single data.frame, otherwise NULL. |
| to.matrix | logical indicating if input list elements should be converted to matrices. |

Value

A data.frame which can be indexed block-wise.

Examples

```
# Random data
M <- matrix(rnorm(200), nrow = 10)
# .. with dimnames
dimnames(M) <- list(LETTERS[1:10], as.character(1:20))

# A named list for indexing
inds <- list(B1 = 1:10, B2 = 11:20)

X <- block.data.frame(M, inds)
str(X)
```

candies

Sensory assessment of candies.

Description

A dataset containing 9 sensory attributes for 5 candies assessed by 11 trained assessors.

Usage

```
data(candies)
```

Format

A data.frame having 165 rows and 3 variables:

assessment Matrix of sensory attributes

assessor Factor of assessors

candy Factor of candies

References

Luciano G, Næs T. Interpreting sensory data by combining principal component analysis and analysis of variance. *Food Qual Prefer.* 2009;20(3):167-175.

`cca`*Canonical Correlation Analysis - CCA*

Description

This is a wrapper for the `stats::cancor` function for computing CCA.

Usage

```
cca(X)
```

Arguments

`X` list of input data blocks.

Details

CCA is a method which maximises correlation between linear combinations of the columns of two blocks, i.e. $\max(\text{cor}(X1 \times a, X2 \times b))$. This is done sequentially with deflation in between, such that a sequence of correlations and weight vectors `a` and `b` are associated with a pair of matrices.

Value

multiblock object with associated with printing, scores, loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Hotelling, H. (1936) Relations between two sets of variates. *Biometrika*, 28, 321–377.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(potato)
X <- potato$Chemical

cca.pot <- cca(potato[1:2])
```

 complex

Methods With Complex Linkage

Description

This documentation covers a few complex methods. In particular:

- L-PLS - Partial Least Squares in L configuration ([lpls](#))
- SO-PLS-PM - Sequential and Orthogonalised PLS Path Modeling ([sopls_pm](#))

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#).

Examples

```
# L-PLS
sim <- lplsData(I = 30, N = 20, J = 5, K = 6, ncomp = 2)
X1 <- sim$X1; X2 <- sim$X2; X3 <- sim$X3
lp <- lpls(X1,X2,X3) # exo-L-PLS
```

 compnames

Vector of component names

Description

Convenience function for creating a vector of component names based on the dimensions the input object (matrix or object having a score function).

Usage

```
compnames(object, comps, explvar = FALSE, ...)
```

Arguments

| | |
|---------|---|
| object | An object fitted using the multiblock package. |
| comps | integer vector of components. |
| explvar | logical indicating if explained variances should be included. |
| ... | Unused |

Details

This is a copy of `compnames` from the `pls` package to work with `multiblock` objects.

Value

A character vector of component names.

disco

Distinctive and Common Components with SCA - DISCO

Description

This is a wrapper for the DISCOsca function by Zhengguo Gu for computing DISCO.

Usage

```
disco(X, ncomp = 2, ...)
```

Arguments

| | |
|-------|--|
| X | list of input blocks. |
| ncomp | integer number of components to extract. |
| ... | additional arguments (not used). |

Details

DISCO is a restriction of SCA where Alternating Least Squares is used for estimation of loadings and scores. The SCA solution is rotated towards loadings (in sample linked mode) which are filled with zeros in a pattern resembling distinct, local and common components. When used in sample linked mode and only selecting distinct components, it shares a resemblance to SO-PLS, only in an unsupervised setting. Explained variances are computed as proportion of block variation explained by scores*loadings'.

Value

multiblock object including relevant scores and loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Schouteden, M., Van Deun, K., Wilderjans, T. F., & Van Mechelen, I. (2014). Performing DISCO-SCA to search for distinctive and common information in linked data. *Behavior research methods*, 46(2), 576-587.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#).

Examples

```
data(potato)
potList <- as.list(potato[c(1,2,9)])
pot.disco <- disco(potList)
plot(scores(pot.disco), labels="names")
```

DISCOsca

*DISCO-SCA rotation.***Description**

A DISCO-SCA procedure for identifying common and distinctive components. The code is adapted from the orphaned RegularizedSCA package by Zhengguo Gu.

Usage

```
DISCOsca(DATA, R, Jk)
```

Arguments

| | |
|------|--|
| DATA | A matrix, which contains the concatenated data with the same subjects from multiple blocks. Note that each row represents a subject. |
| R | Number of components ($R \geq 2$). |
| Jk | A vector containing number of variables in the concatenated data matrix. |

Value

| | |
|-------------------|---|
| Trot_best | Estimated component score matrix (i.e., T) |
| Prot_best | Estimated component loading matrix (i.e., P) |
| comdist | A matrix representing common distinctive components. (Rows are data blocks and columns are components.) 0 in the matrix indicating that the corresponding component of that block is estimated to be zeros, and 1 indicates that (at least one component loading in) the corresponding component of that block is not zero. Thus, if a column in the comdist matrix contains only 1's, then this column is a common component, otherwise distinctive component. |
| propExp_component | Proportion of variance per component. |

References

Schouteden, M., Van Deun, K., Wilderjans, T. F., & Van Mechelen, I. (2014). Performing DISCO-SCA to search for distinctive and common information in linked data. *Behavior research methods*, 46(2), 576-587.

Examples

```
## Not run:
DATA1 <- matrix(rnorm(50), nrow=5)
DATA2 <- matrix(rnorm(100), nrow=5)
DATA <- cbind(DATA1, DATA2)
R <- 5
Jk <- c(10, 20)
DISCOsca(DATA, R, Jk)

## End(Not run)
```

dummycode

Dummy-coding of a single vector

Description

Flexible dummy-coding allowing for all R's built-in types of contrasts and optional dropping of a factor level to reduce rank deficiency probability.

Usage

```
dummycode(Y, contrast = "contr.sum", drop = TRUE)
```

Arguments

Y vector to dummy code.

contrast Contrast type, default = "contr.sum".

drop logical indicating if one level should be dropped (default = TRUE).

Value

matrix made by dummy-coding the input vector.

Examples

```
vec <- c("a", "a", "b", "b", "c", "c")
dummycode(vec)
```

| | |
|---------|-------------------------------------|
| explvar | <i>Explained predictor variance</i> |
|---------|-------------------------------------|

Description

Extraction and/or computation of explained variances for various object classes in the `multiblock` package.

Usage

```
explvar(object)
```

Arguments

`object` An object fitted using a method from the `multiblock` package

Value

A vector of component-wise explained variances for predictors.

Examples

```
data(potato)
so <- soplS(Sensory ~ Chemical + Compression, data=potato, ncomp=c(10,10),
           max_comps=10)
explvar(so)
```

| | |
|-----------------------------------|--|
| <code>extended.model.frame</code> | <i>Extracting the Extended Model Frame from a Formula or Fit</i> |
|-----------------------------------|--|

Description

This function attempts to apply `model.frame` and extend the result with columns of interactions.

Usage

```
extended.model.frame(formula, data, ..., sep = ".")
```

Arguments

`formula` a model formula or terms object or an R object.
`data` a `data.frame`, list or environment (see `model.frame`).
`...` further arguments to pass to `model.frame`.
`sep` separator in contraction of names for interactions (default = ".").

Value

A `data.frame` that includes everything a `model.frame` does plus interaction terms.

Examples

```
dat <- data.frame(Y = c(1,2,3,4,5,6),
                 X = factor(LETTERS[c(1,1,2,2,3,3)]),
                 W = factor(letters[c(1,2,1,2,1,2)]))
extended.model.frame(Y ~ X*W, dat)
```

gca

*Generalized Canonical Analysis - GCA***Description**

This is an interface to both SVD-based (default) and RGCCA-based GCA (wrapping the RGCCA: `rgcca` function)

Usage

```
gca(X, ncomp = "max", svd = TRUE, tol = 10^-12, corrs = TRUE, ...)
```

Arguments

| | |
|--------------------|--|
| <code>X</code> | list of input blocks. |
| <code>ncomp</code> | integer number of components to extract, either single integer (equal for all blocks), vector (individual per block) or 'max' for maximum possible number of components. |
| <code>svd</code> | logical indicating if Singular Value Decomposition approach should be used (default=TRUE). |
| <code>tol</code> | numeric tolerance for component inclusion (singular values). |
| <code>corrs</code> | logical indicating if correlations should be calculated for RGCCA based approach. |
| <code>...</code> | additional arguments for RGCCA approach. |

Details

GCA is a generalisation of Canonical Correlation Analysis to handle three or more blocks. There are several ways to generalise, and two of these are available through `gca`. The default is an SVD based approach estimating a common subspace and measuring mean squared correlation to this. An alternative approach is available through RGCCA. For the SVD based approach, the `ncomp` parameter controls the block-wise decomposition while the following the consensus decomposition is limited to the minimum number of components from the individual blocks.

Value

multiblock object including relevant scores and loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#). `blockCoef` contains canonical coefficients, while `blockDecomp` contains decompositions of each block.

References

- Carroll, J. D. (1968). Generalization of canonical correlation analysis to three or more sets of variables. *Proceedings of the American Psychological Association*, pages 227-22.
- Van der Burg, E. and Dijksterhuis, G. (1996). Generalised canonical analysis of individual sensory profiles and instrument data, Elsevier, pp. 221–258.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(potato)
potList <- as.list(potato[c(1,2,9)])
pot.gca <- gca(potList)
plot(scores(pot.gca), labels="names")
```

gpa

Generalized Procrustes Analysis - GPA

Description

This is a wrapper for the `FactoMineR::GPA` function for computing GPA.

Usage

```
gpa(X, graph = FALSE, ...)
```

Arguments

| | |
|--------------------|--|
| <code>X</code> | list of input blocks. |
| <code>graph</code> | logical indicating if decomposition should be plotted. |
| <code>...</code> | additional arguments for RGCCA approach. |

Details

GPA is a generalisation of Procrustes analysis, where one matrix is scaled and rotated to be as similar as possible to another one. Through the generalisation, individual scaling and rotation of each input matrix is performed against a common representation which is estimated in an iterative manner.

Value

multiblock object including relevant scores and loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Gower, J. C. (1975). Generalized procrustes analysis. *Psychometrika*. 40: 33–51.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(potato)
potList <- as.list(potato[c(1,2,9)])
pot.gpa <- gpa(potList)
plot(scores(pot.gpa), labels="names")
```

gsvd

Generalised Singular Value Decomposition - GSVD

Description

This is a wrapper for the `geigen::gsvd` function for computing GSVD.

Usage

```
gsvd(X)
```

Arguments

X list of input data blocks.

Details

GSVD is a generalisation of SVD to two variable-linked matrices where common loadings and block-wise scores are estimated.

Value

multiblock object with associated with printing, scores, loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Van Loan, C. (1976) Generalizing the singular value decomposition. SIAM Journal on Numerical Analysis, 13, 76–83.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(potato)
X <- potato$Chemical

gsvd.pot <- gsvd(lapply(potato[3:4], t))
```

hogsvd

Higher Order Generalized SVD - HOGSVD

Description

This is a simple implementation for computing HOGSVD

Usage

```
hogsvd(X)
```

Arguments

X list of input blocks.

Details

HOGSVD is a generalisation of SVD to two or more blocks. It finds a common set of loadings across blocks and individual sets of scores per block.

Value

multiblock object including relevant scores and loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Ponnappalli, S. P., Saunders, M. A., Van Loan, C. F., & Alter, O. (2011). A higher-order generalized singular value decomposition for comparison of global mRNA expression from multiple organisms. *PloS one*, 6(12), e28072.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(candies)
candyList <- lapply(1:nlevels(candies$candy), function(x) candies$assessment[candies$candy==x,])
can.hogsvd <- hogsvd(candyList)
scoreplot(can.hogsvd, block=1, labels="names")
```

hpca

Hierarchical Principal component analysis - HPCA

Description

This is a wrapper for the `RGCCA::rgcca` function for computing HPCA.

Usage

```
hpca(X, ncomp = 2, scale = FALSE, verbose = FALSE, ...)
```

Arguments

| | |
|----------------------|---|
| <code>X</code> | list of input blocks. |
| <code>ncomp</code> | integer number of components to extract. |
| <code>scale</code> | logical indicating if variables should be scaled. |
| <code>verbose</code> | logical indicating if diagnostic information should be printed. |
| <code>...</code> | additional arguments for <code>RGCCA</code> . |

Details

HPCA is a hierarchical PCA analysis which combines two or more blocks into a two-level decomposition with block-wise loadings and scores and superlevel common loadings and scores. The method is closely related to the supervised method MB-PLS in structure.

Value

multiblock object including relevant scores and loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Westerhuis, J.A., Kourti, T., and MacGregor, J.F. (1998). Analysis of multiblock and hierarchical PCA and PLS models. *Journal of Chemometrics*, 12, 301–321.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(potato)
potList <- as.list(potato[c(1,2,9)])
pot.hpca <- hpca(potList)
plot(scores(pot.hpca), labels="names")
```

ifa

Inter-battery Factor Analysis - IFA

Description

This is a wrapper for the `RGCCA::rgcca` function for computing IFA.

Usage

```
ifa(X, ncomp = 1, scale = FALSE, verbose = FALSE, ...)
```

Arguments

| | |
|---------|---|
| X | list of input data blocks. |
| ncomp | integer number of principal components to return. |
| scale | logical indicating if variables should be standardised (default=FALSE). |
| verbose | logical indicating if intermediate results should be printed. |
| ... | additional arguments to <code>RGCCA::rgcca</code> . |

Details

IFA rotates two matrices to align one or more factors against each other, maximising correlations.

Value

multiblock object with associated with printing, scores, loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Tucker, L. R. (1958). An inter-battery method of factor analysis. *Psychometrika*, 23(2), 111-136.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(potato)
X <- potato$Chemical

ifa.pot <- ifa(potato[1:2])
```

jive

Joint and Individual Variation Explained - JIVE

Description

This is a wrapper for the `r.jive::jive` function for computing JIVE.

Usage

```
jive(X, ...)
```

Arguments

| | |
|------------------|--|
| <code>X</code> | list of input blocks. |
| <code>...</code> | additional arguments for <code>r.jive::jive</code> . |

Details

Jive performs a decomposition of the variation in two or more blocks into low-dimensional representations of individual and joint variation plus residual variation.

Value

multiblock object including relevant scores and loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Lock, E., Hoadley, K., Marron, J., and Nobel, A. (2013) Joint and individual variation explained (JIVE) for integrated analysis of multiple data types. *Ann Appl Stat*, 7 (1), 523–542.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#).

Examples

```
# Too time consuming for testing
data(candies)
candyList <- lapply(1:nlevels(candies$candy), function(x) candies$assessment[candies$candy==x,])
can.jive <- jive(candyList)
summary(can.jive)
```

lpls

L-PLS regression

Description

Simultaneous decomposition of three blocks connected in an L pattern.

Usage

```
lpls(
  X1,
  X2,
  X3,
  ncomp = 2,
  doublecenter = TRUE,
  scale = c(FALSE, FALSE, FALSE),
  type = c("exo"),
  impute = FALSE,
  niter = 25,
  subsetX2 = NULL,
  subsetX3 = NULL,
  ...
)
```


Arguments

| | |
|--------------|---|
| X1 | matrix of size IxN (middle matrix) |
| X2 | matrix of size IxJ (left matrix) |
| X3 | matrix of size KxN (top matrix) |
| ncomp | number of L-PLS components |
| doublecenter | logical indicating if centering should be done both ways for X1 (default=TRUE) |
| scale | logical vector of length three indicating if each of the matrices should be autoscaled. |
| type | character indicating type of L-PLS ("exo"=default, "exo_ort" or "endo") |
| impute | logical indicating if SVD-based imputation of missing data is required. |
| niter | numeric giving number of iterations in component extraction loop. |
| subsetX2 | vector defining optional sub-setting of X2 data. |
| subsetX3 | vector defining optional sub-setting of X3 data. |
| ... | Additional arguments, not used. |

Details

Two versions of L-PLS are available: exo- and endo-L-PLS which assume an outward or inward relationship between the main block X1 and the two other blocks X2 and X3.

The exo_ort algorithm returns orthogonal scores and should be chosen for visual exploration in correlation loading plots. If exo-L-PLS with prediction is the main purpose of the model then the non-orthogonal exo type L-PLS should be chosen for which the predict function has prediction implemented.



Value

An object of type `lpls` and `multiblock` containing all results from the L-PLS analysis. The object type `lpls` is associated with functions for correlation loading plots, prediction and cross-validation. The type `multiblock` is associated with the default functions for result presentation ([multiblock_results](#)) and plotting ([multiblock_plots](#)).

Author(s)

Solve Sæbø (adapted by Kristian Hovde Liland)

References

- Martens, H., Anderssen, E., Flatberg, A., Gidskehaug, L.H., Høy, M., Westad, F., Thybo, A., and Martens, M. (2005). Regression of a data matrix on descriptors of both its rows and of its columns via latent variables: L-PLSR. *Computational Statistics & Data Analysis*, 48(1), 103 – 123.
- Sæbø, S., Almøy, T., Flatberg, A., Aastveit, A.H., and Martens, H. (2008). LPLS-regression: a method for prediction and classification under the influence of background information on predictor variables. *Chemometrics and Intelligent Laboratory Systems*, 91, 121–132.
- Sæbø, S., Martens, M. and Martens H. (2010) Three-block data modeling by endo- and exo-LPLS regression. In *Handbook of Partial Least Squares: Concepts, Methods and Applications*. Esposito Vinzi, V.; Chin, W.W.; Henseler, J.; Wang, H. (Eds.). Springer.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Functions for computation and extraction of results and plotting are found in [lpls_results](#).

Examples

```
# Simulate data set
sim <- lplsData(I = 30, N = 20, J = 5, K = 6, ncomp = 2)
X1 <- sim$X1; X2 <- sim$X2; X3 <- sim$X3
lp <- lpls(X1,X2,X3) # exo-L-PLS
```

`lplsData`

L-PLS data simulation for exo-type analysis

Description

Three data blocks are simulated to express covariance in an exo-L-PLS direction (see [lpls](#). Dimensionality and number of underlying components can be controlled.

Usage

```
lplsData(I = 30, N = 20, J = 5, K = 6, ncomp = 2)
```

Arguments

| | |
|-------|--|
| I | numeric number of rows of X1 and X2 |
| N | numeric number of columns in X1 and X3 |
| J | numeric number of columns in X2 |
| K | numeric number of rows in X3 |
| ncomp | numeric number of latent components |

Value

A list of three matrices with dimensions matching in an L-shape.

Author(s)

Solve Sæbø (adapted by Kristian Hovde Liland)

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#).

Examples

```
lp <- lplsData(I = 30, N = 20, J = 5, K = 6, ncomp = 2)
names(lp)
```

lpls_results

Result functions for L-PLS objects (lpls)

Description

Correlation loading plot, prediction and cross-validation for L-PLS models with class [lpls](#).

Usage

```
## S3 method for class 'lpls'
plot(
  x,
  comps = c(1, 2),
  doplot = c(TRUE, TRUE, TRUE),
  level = c(2, 2, 2),
  arrow = c(1, 0, 1),
  xlim = c(-1, 1),
  ylim = c(-1, 1),
  samplecol = 4,
  pathcol = 2,
```

```

    varcol = "grey70",
    varsize = 1,
    sampleindex = 1:dim(x$corloadings$R22)[1],
    pathindex = 1:dim(x$corloadings$R3)[1],
    varindex = 1:dim(x$corloadings$R21)[1],
    ...
)

## S3 method for class 'lpls'
predict(
  object,
  X1new = NULL,
  X2new = NULL,
  X3new = NULL,
  exo.direction = c("X2", "X3"),
  ...
)

lplsCV(object, segments1 = NULL, segments2 = NULL, trace = TRUE)

```

Arguments

| | |
|---------------|---|
| x | lpls object |
| comps | integer vector of components. |
| doplot | logical indicating if plotting should be performed. |
| level | integer vector of length 3 for selecting plot symbol. 1=dots. 2=dimnames. |
| arrow | integer vector of length 3 indicating arrows (1) or not (0). |
| xlim | numeric x limits. |
| ylim | numeric y limits. |
| samplecol | character for sample colours. |
| pathcol | character for third colour. |
| varcol | character for variable colours. |
| varsize | numeric size of symbols for variables. |
| sampleindex | integer for selecting samples. |
| pathindex | integer for selecting in third direction. |
| varindex | integer for selecting variables. |
| ... | Not implemented. |
| object | lpls object. |
| X1new | matrix of new X1 samples. |
| X2new | matrix of new X2 samples. |
| X3new | matrix of new X3 samples. |
| exo.direction | character selecting "X2" or "X3" prediction. |
| segments1 | list of sample segments. |
| segments2 | list of variable segments. |
| trace | logical indicating if verbose mode should be selected. |

Value

Nothing is return for plotting (`plot.lpls`), predicted values are returned for predictions (`predict.lpls`) and cross-validation metrics are returned for for cross-validation (`lplsCV`).

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#).

Examples

```
# Simulate data set
sim <- lplsData(I = 30, N = 20, J = 5, K = 6, ncomp = 2)
X1 <- sim$X1; X2 <- sim$X2; X3 <- sim$X3

# exo-L-PLS:
lp.exo <- lpls(X1,X2,X3, ncomp = 2)
# Predict X1
pred.exo.X2 <- predict(lp.exo, X1new = X1, exo.direction = "X2")
# Predict X3
pred.exo.X2 <- predict(lp.exo, X1new = X1, exo.direction = "X3")

# endo-L-PLS:
lp.endo <- lpls(X1,X2,X3, ncomp = 2, type = "endo")
# Predict X1 from X2 and X3 (in this case fitted values):
pred.endo.X1 <- predict(lp.endo, X2new = X2, X3new = X3)

# L00 cross-validation horizontally
lp.cv1 <- lplsCV(lp.exo, segments1 = as.list(1:dim(X1)[1]))

# L00 cross-validation vertically
lp.cv2 <- lplsCV(lp.exo, segments2 = as.list(1:dim(X1)[2]))

# Three-fold CV, horizontal
lp.cv3 <- lplsCV(lp.exo, segments1 = as.list(1:10, 11:20, 21:30))
```

maage

Måge plot

Description

Måge plot for SO-PLS ([sopls](#)) cross-validation visualisation.

Usage

```
maage(
  object,
  expl_var = TRUE,
```

```

    pure.trace = FALSE,
    pch = 20,
    xlab = "# components",
    ylab = ifelse(expl_var, "Explained variance (%)", "RMSECV"),
    xlim = NULL,
    ylim = NULL,
    cex.text = 0.8,
    ...
)

maageSeq(
  object,
  compSeq = TRUE,
  expl_var = TRUE,
  pch = 20,
  xlab = "# components",
  ylab = ifelse(expl_var, "Explained variance (%)", "RMSECV"),
  xlim = NULL,
  ylim = NULL,
  cex.text = 0.8,
  col = "gray",
  col.block = c("red", "blue", "darkgreen", "purple", "black", "red", "blue",
    "darkgreen"),
  ...
)

```

Arguments

| | |
|-------------------------|---|
| <code>object</code> | An SO-PLS model (<code>sopls</code> object) |
| <code>expl_var</code> | Logical indicating if explained variance (default) or RMSECV should be displayed. |
| <code>pure.trace</code> | Logical indicating if single block solutions should be traced in the plot. |
| <code>pch</code> | Scalar or symbol giving plot symbol. |
| <code>xlab</code> | Label for x-axis. |
| <code>ylab</code> | Label for y-axis. |
| <code>xlim</code> | Plot limits for x-axis (numeric vector). |
| <code>ylim</code> | Plot limits for y-axis (numeric vector). |
| <code>cex.text</code> | Text scaling (scalar) for better readability of plots. |
| <code>...</code> | Additional arguments to plot. |
| <code>compSeq</code> | Integer vector giving the sequence of previous components chosen for <code>maageSeq</code> (see example). |
| <code>col</code> | Line colour in plot. |
| <code>col.block</code> | Line colours for blocks (default = <code>c('red','blue','darkgreen','purple','black')</code>) |

Details

This function can either be used for global optimisation across blocks or sequential optimisation, using `maageSeq`. The examples below show typical usage.

Value

The `maage` plot has no return.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#).

Examples

```
data(wine)
ncomp <- unlist(lapply(wine, ncol))[-5]
so.wine <- sops('Global quality' ~ ., data=wine, ncomp=ncomp,
              max_comps=10, validation="CV", segments=10)
maage(so.wine)

# Sequential search for optimal number of components per block
old.par <- par(mfrow=c(2,2), mar=c(3,3,0.5,1), mgp=c(2,0.7,0))
maageSeq(so.wine)
maageSeq(so.wine, 2)
maageSeq(so.wine, c(2,1))
maageSeq(so.wine, c(2,1,1))
par(old.par)
```

mbpls

Multiblock Partial Least Squares - MB-PLS

Description

A function computing MB-PLS scores, loadings, etc. on the super-level and block-level.

Usage

```
mbpls(
  formula,
  data,
  subset,
  na.action,
  X = NULL,
  Y = NULL,
  ncomp = 1,
  scale = FALSE,
  blockScale = c("sqrtnvar", "ssq", "none"),
  ...
)
```

Arguments

| | |
|------------|---|
| formula | Model formula accepting a single response (block) and predictor block names separated by + signs. |
| data | The data set to analyse. |
| subset | Expression for subsetting the data before modelling. |
| na.action | How to handle NAs (no action implemented). |
| X | list of input blocks. If X is supplied, the formula interface is skipped. |
| Y | matrix of responses. |
| ncomp | integer number of PLS components. |
| scale | logical for autoscaling inputs (default = FALSE). |
| blockScale | Either a character indicating type of block scaling or a numeric vector of block weights (see Details). |
| ... | additional arguments to pls::plsr. |

Details

MB-PLS is the prototypical component based supervised multiblock method. It was originally formulated as a two-level method with a block-level and a super-level, but it was later discovered that it could be expressed as an ordinary PLS on concatenated weighted X blocks followed by a simple loop for calculating block-level loading weights, loadings and scores. This implementation uses the `plsr` function on the scaled input blocks ($1/\sqrt{\text{ncol}}$) enabling all summaries and plots from the `pls` package.

Block weighting is performed after scaling all variables and is by default "sqrtnvar": $1/\sqrt{\text{ncol}(X[[i]])}$ in each block. Alternatives are "ssq": $1/\text{norm}(X[[i]], "F")^2$ and "none": $1/1$. Finally, if a numeric vector is supplied, it will be used to scale the blocks after "ssq" scaling, i.e., $Z[[i]] = X[[i]] / \text{norm}(X[[i]], "F")^2 * \text{blockScale}[i]$.

Value

multiblock, mvr object with super-scores, super-loadings, block-scores and block-loading, and the underlying mvr (PLS) object for the super model, with all its result and plot possibilities. Relevant plotting functions: `multiblock_plots` and result functions: `multiblock_results`.

References

- Wangen, L.E. and Kowalski, B.R. (1988). A multiblock partial least squares algorithm for investigating complex chemical systems. *Journal of Chemometrics*, 3, 3–20.
- Westerhuis, J.A., Kourti, T., and MacGregor, J.F. (1998). Analysis of multiblock and hierarchical PCA and PLS models. *Journal of Chemometrics*, 12, 301–321.

See Also

Overviews of available methods, `multiblock`, and methods organised by main structure: `basic`, `unsupervised`, `asca`, `supervised` and `complex`.

Examples

```

data(potato)
# Formula interface
mb <- mbpls(Sensory ~ Chemical+Compression, data=potato, ncomp = 5)

# ... or X and Y
mb.XY <- mbpls(X=potato[c('Chemical','Compression')], Y=potato[['Sensory']], ncomp = 5)
identical(mb$scores, mb.XY$scores)
print(mb)
scoreplot(mb, labels="names") # Exploiting mvr object structure from pls package

# Block scaling with emphasis on first block
mbs <- mbpls(Sensory ~ Chemical+Compression, data=potato, ncomp = 5, blockScale = c(10, 1))
scoreplot(mbs, labels="names") # Exploiting mvr object structure from pls package

```

mbrda

Multiblock Redundancy Analysis - mBRDA

Description

This is a wrapper for the `ade4::mbpcaiv` function for computing mBRDA.

Usage

```
mbrda(formula, data, subset, na.action, X = NULL, Y = NULL, ncomp = 1, ...)
```

Arguments

| | |
|-----------|---|
| formula | Model formula accepting a single response (block) and predictor block names separated by + signs. |
| data | The data set to analyse. |
| subset | Expression for subsetting the data before modelling. |
| na.action | How to handle NAs (no action implemented). |
| X | list of input blocks. |
| Y | matrix of responses. |
| ncomp | integer number of PLS components. |
| ... | additional arguments to <code>ade4::mbpcaiv</code> . |

Details

mBRDA is a multiblock formulation of Redundancy (Data) Analysis. RDA is theoretically between PLS and GCA. Like GCA, RDA does not consider correlations within X, but like PLS it does consider correlations within Y. RDA can also be viewed as a PCR of Y constrained to have scores that are also linear combinations of X. If the `adegraphics` package is attached, a nice overview can be plotted as `plot(mbr$mbpcaiv)` following the example below.

Value

multiblock, mvr object with scores, block-scores and block-loading. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Bougeard, S., Qannari, E.M., Lupo, C., and Hanafi, M. (2011). From Multiblock Partial Least Squares to Multiblock Redundancy Analysis. A Continuum Approach. *Informatica*, 22(1), 11–26.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#).

Examples

```
# Convert data.frame with AsIs objects to list of matrices
data(potato)
potatoList <- lapply(potato, unclass)

mbr <- mbrda(Sensory ~ Chemical + Compression, data = potatoList, ncomp = 10)
mbr.XY <- mbrda(X = potatoList[c('Chemical', 'Compression')], Y = potatoList[['Sensory']],
               ncomp = 10)
print(mbr)
scoreplot(mbr) # Exploiting mvr object structure from pls package
```

mcoa

Multiple Co-Inertia Analysis - MCOA

Description

This is a wrapper for the `RGCCA::rgcca` function for computing MCOA.

Usage

```
mcoa(X, ncomp = 2, scale = FALSE, verbose = FALSE, ...)
```

Arguments

| | |
|---------|---|
| X | list of input blocks. |
| ncomp | integer number of components to extract. |
| scale | logical indicating if variables should be scaled. |
| verbose | logical indicating if diagnostic information should be printed. |
| ... | additional arguments for RGCCA. |

Details

MCOA resembles GCA and MFA in that it creates a set of reference scores, for which each block's individual scores should correlate maximally too, but also the variance within each block should be taken into account. A single component solution is equivalent to a PCA on concatenated blocks scaled by the so called inverse inertia.

Value

multiblock object including relevant scores and loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

- Le Roux; B. and H. Rouanet (2004). Geometric Data Analysis, From Correspondence Analysis to Structured Data Analysis. Dordrecht. Kluwer: p.180.
- Greenacre, Michael and Blasius, Jörg (editors) (2006). Multiple Correspondence Analysis and Related Methods. London: Chapman & Hall/CRC.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(potato)
potList <- as.list(potato[c(1,2,9)])
pot.mcoa <- mcoa(potList)
plot(scores(pot.mcoa), labels="names")
```

mcolors

Colour palette generation from matrix of RGB values

Description

Colour palette generation from matrix of RGB values

Usage

```
mcolors(
  n,
  colmatrix = matrix(c(0, 0, 1, 1, 1, 1, 1, 0, 0), 3, 3, byrow = TRUE)
)
```

Arguments

| | |
|-----------|--|
| n | Integer number of colours to produce. |
| colmatrix | A numeric matrix of three columns (R,G,B) to generate colour palette from. |

Value

A vector of n colours in hexadecimal RGB format.

Examples

```
mcolors(5)
```

mfa

Multiple Factor Analysis - MFA

Description

This is a wrapper for the FactoMineR::MFA function for computing MFA.

Usage

```
mfa(X, type = rep("c", length(X)), graph = FALSE, ...)
```

Arguments

| | |
|-------|---|
| X | list of input blocks. |
| type | character vector indicating block types, defaults to rep("c", length(X)) for continuous values. |
| graph | logical indicating if decomposition should be plotted. |
| ... | additional arguments for RGCCA approach. |

Details

MFA is a methods typically used to compare several equally sized matrices. It is often used in sensory analyses, where matrices consist of sensory characteristics and products, and each assessor generates one matrix each. In its basic form, MFA scales all matrices by their largest eigenvalue, concatenates them and performs PCA on the result. There are several possibilities for plots and inspections of the model, handling of categorical and continuous inputs etc. connected to MFA.

Value

multiblock object including relevant scores and loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Pagès, J. (2005). Collection and analysis of perceived product inter-distances using multiple factor analysis: Application to the study of 10 white wines from the Loire valley. *Food Quality and Preference*, 16(7), 642–649.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(potato)
potList <- as.list(potato[c(1,2,9)])
pot.mfa  <- mfa(potList)
if(interactive()){
  plot(pot.mfa$MFA)
}
```

multiblock_plots

Plot Functions for Multiblock Objects

Description

Plotting procedures for multiblock objects.

Usage

```
## S3 method for class 'multiblock'
scoreplot(
  object,
  comps = 1:2,
  block = 0,
  labels,
  identify = FALSE,
  type = "p",
  xlab,
  ylab,
  main,
  ...
)

## S3 method for class 'multiblock'
loadingplot(
```

```
    object,  
    comps = 1:2,  
    block = 0,  
    scatter = TRUE,  
    labels,  
    identify = FALSE,  
    type,  
    lty,  
    lwd = NULL,  
    pch,  
    cex = NULL,  
    col,  
    legendpos,  
    xlab,  
    ylab,  
    main,  
    pretty.xlabels = TRUE,  
    xlim,  
    ...  
)  
  
loadingweightplot(object, main = "Loading weights", ...)  
  
## S3 method for class 'multiblock'  
biplot(  
  x,  
  block = 0,  
  comps = 1:2,  
  which = c("x", "y", "scores", "loadings"),  
  var.axes = FALSE,  
  xlabs,  
  ylabs,  
  main,  
  ...  
)  
  
corrplot(object, ...)  
  
## Default S3 method:  
corrplot(object, ...)  
  
## S3 method for class 'mvr'  
corrplot(object, ...)  
  
## S3 method for class 'multiblock'  
corrplot(  
  object,  
  comps = 1:2,
```

```

    labels = TRUE,
    col = 1:5,
    plotx = TRUE,
    ploty = TRUE,
    blockScores = FALSE,
    ...
)

```

Arguments

| | |
|----------------|--|
| object | multiblock object. |
| comps | integer vector giving components, within block, to plot. |
| block | integer/character for block selection. |
| labels | character indicating if "names" or "numbers" should be plot symbols (optional). |
| identify | logical for activating identify to interactively identify points. |
| type | character for selecting type of plot to make. Defaults to "p" (points) for scatter plots and "l" (lines) for line plots. |
| xlab | character text for x labels. |
| ylab | character text for y labels. |
| main | character text for main header. |
| ... | Not implemented. |
| scatter | logical indicating if a scatterplot of loadings should be made (default = TRUE). |
| lty | Vector of line type specifications (see par for details). |
| lwd | numeric vector of line width specifications. |
| pch | Vector of point specifications (see points for details). |
| cex | numeric vector of plot size expansions (see par for details). |
| col | integer vector of symbol/line colours (see par for details). |
| legendpos | character indicating legend position (if scatter is FALSE), e.g. legendpos = "topright". |
| pretty.xlabels | logical indicating if xlabels should be more nicely plotted (default = TRUE). |
| xlim | numeric vector of length two, with the x limits of the plot (optional). |
| x | multiblock object. |
| which | character for selecting type of biplot ("x" = default, "y", "scores", "loadings"). |
| var.axes | logical indicating if second axes of a biplot should have arrows. |
| xlabs | character vector for labelling first set of biplot points (optional). |
| ylabs | character vector for labelling second set of biplot points (optional). |
| plotx | logical or integer/character. Whether to plot the X correlation loadings, optionally which block(s). Defaults to TRUE. |
| ploty | logical. Whether to plot the Y correlation loadings. Defaults to TRUE. |
| blockScores | logical. Correlation loadings from blockScores (default = FALSE). |

Details

Plot functions for scores, loadings and loading.weights based on the functions found in the pls package.

Value

These plotting routines only generate plots and return no values.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results are found in [multiblock_results](#).

Examples

```
data(wine)
sc <- sca(wine[c('Smell at rest', 'View', 'Smell after shaking')], ncomp = 4)
loadingplot(sc, block = 1, labels = "names", scatter = TRUE)
scoreplot(sc, labels = "names")
corrplot(sc)

data(potato)
so <- sopl(Sensory ~ NIRraw + Chemical + Compression, data=potato, ncomp = c(2,2,2),
          max_comps = 6, validation = "CV", segments = 10)
scoreplot(so, ncomp = c(2,1), block = 3, labels = "names")
corrplot(pcp(so, ncomp = c(2,2,2)))
```

multiblock_results *Result Functions for Multiblock Objects*

Description

Standard result computation and extraction functions for multiblock objects.

Usage

```
## S3 method for class 'multiblock'
scores(object, block = 0, ...)

## S3 method for class 'multiblock'
loadings(object, block = 0, ...)

## S3 method for class 'multiblock'
print(x, ...)

## S3 method for class 'multiblock'
summary(object, ...)
```

Arguments

| | |
|--------|--|
| object | multiblock object. |
| block | integer/character for block selection. |
| ... | Not implemented. |
| x | multiblock object. |

Details

Usage of the functions are shown using generics in the examples below. Object printing and summary are available through: `print.multiblock` and `summary.multiblock`. Scores and loadings have their own extensions of `scores()` and `loadings()` through `scores.multiblock` and `loadings.multiblock`.

Value

Scores or loadings are returned by `scores.multiblock` and `loadings.multiblock`, while `print` and `summary` methods invisibly returns the object.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for plotting are found in [multiblock_plots](#), respectively.

Examples

```
data(wine)
sc <- sca(wine[c('Smell at rest', 'View', 'Smell after shaking')], ncomp = 4)
print(sc)
summary(sc)
head(loadings(sc, block = 1))
head(scores(sc))
```

pca

Principal Component Analysis - PCA

Description

This is a wrapper for the `pls::PCR` function for computing PCA.

Usage

```
pca(X, scale = FALSE, ncomp = 1, ...)
```


Arguments

| | |
|--------------------|---|
| <code>X</code> | matrix of input data. |
| <code>scale</code> | logical indicating if variables should be standardised (default=FALSE). |
| <code>ncomp</code> | integer number of principal components to return. |
| <code>...</code> | additional arguments to <code>pls:pcr</code> . |

Details

PCA is a method for decomposing a matrix into subspace components with sample scores and variable loadings. It can be formulated in various ways, but the standard formulation uses singular value decomposition to create scores and loadings. PCA is guaranteed to be the optimal way of extracting orthogonal subspaces from a matrix with regard to the amount of explained variance per component.

Value

multiblock object with scores, loadings, mean X values and explained variances. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Pearson, K. (1901) On lines and planes of closest fit to points in space. *Philosophical Magazine*, 2, 559–572.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(potato)
X <- potato$Chemical

pca.pot <- pca(X, ncomp = 2)
```

pcagca

PCA-GCA

Description

PCA-GCA is a methods which aims at estimating subspaces of common, local and distinct variation from two or more blocks.

Usage

```
pcagca(
  X,
  commons = 2,
  auto = TRUE,
  auto.par = list(explVarLim = 40, rLim = 0.8),
  manual.par = list(ncomp = 0, ncommon = 0),
  tol = 10^-12
)
```

Arguments

| | |
|-------------------------|--|
| <code>X</code> | list of input blocks |
| <code>commons</code> | numeric giving the highest number of blocks to combine when calculating local or common scores. |
| <code>auto</code> | logical indicating if automatic choice of complexities should be used. |
| <code>auto.par</code> | named list setting limits for automatic choice of complexities. |
| <code>manual.par</code> | named list for manual choice of blocks. The list consists of <code>ncomp</code> which indicates the number of components to extract from each block and <code>ncommon</code> which is the corresponding for choosing the block combinations (local/common). For the latter, use <code>unique_combos(n_blocks, commons)</code> to see order of local/common blocks. Component numbers will be reduced if simpler models give better predictions. See example. |
| <code>tol</code> | numeric tolerance for component inclusion (singular values). |

Details

The name PCA-GCA comes from the process of first applying PCA to each block, then using GCA to estimate local and common components, and finally orthogonalising the block-wise scores on the local/common ones and re-estimating these to obtain distinct components. The procedure is highly similar to the supervised method PO-PLS, where the PCA steps are exchanged with PLS.

Value

`multiblock` object including relevant scores and loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#). Distinct components are marked as 'D(x), Comp c' for block `x` and component `c` while local and common components are marked as "C(x1, x2), Comp c", where `x1` and `x2` (and more) are block numbers.

References

Smilde, A., Måge, I., Naes, T., Hankemeier, T., Lips, M., Kiers, H., Acar, E., and Bro, R. (2017). Common and distinct components in data fusion. *Journal of Chemometrics*, 31(7), e2900.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(potato)
potList <- as.list(potato[c(1,2,9)])
pot.pcagca <- pcagca(potList)

# Show origin and type of all components
lapply(pot.pcagca$blockScores,colnames)

# Basic multiblock plot
plot(scores(pot.pcagca, block=2), comps=1, labels="names")
```

 popls

Parallel and Orthogonalised Partial Least Squares - PO-PLS

Description

This is a basic implementation of PO-PLS with manual and automatic component selections.

Usage

```
popls(
  X,
  Y,
  commons = 2,
  auto = TRUE,
  auto.par = list(explVarLim = 40, rLim = 0.8),
  manual.par = list(ncomp = rep(0, length(X)), ncommon = list())
)
```

Arguments

| | |
|----------|---|
| X | list of input blocks |
| Y | matrix of response variable(s) |
| commons | numeric giving the highest number of blocks to combine when calculating local or common scores. |
| auto | logical indicating if automatic choice of complexities should be used. |
| auto.par | named list setting limits for automatic choice of complexities. |

`manual.par` named list for manual choice of blocks. The list consists of `ncomp` which indicates the number of components to extract from each block and `ncommon` which is the corresponding for choosing the block combinations (local/common). For the latter, use `unique_combos(n_blocks, commons)` to see order of local/common blocks. Component numbers will be reduced if simpler models give better predictions. See example.

Details

PO-PLS decomposes a set of input data blocks into common, local and distinct components through a process involving `pls` and `gca`.

Value

A `multiblock` object with block-wise, local and common loadings and scores. Relevant plotting functions: `multiblock_plots` and result functions: `multiblock_results`.

References

- I Måge, BH Mevik, T Næs. (2008). Regression models with process variables and parallel blocks of raw material measurements. *Journal of Chemometrics: A Journal of the Chemometrics Society* 22 (8), 443-456
- I Måge, E Menichelli, T Næs (2012). Preference mapping by PO-PLS: Separating common and unique information in several data blocks. *Food quality and preference* 24 (1), 8-16

See Also

Overviews of available methods, `multiblock`, and methods organised by main structure: `basic`, `unsupervised`, `asca`, `supervised` and `complex`. Common functions for computation and extraction of results and plotting are found in `multiblock_results` and `multiblock_plots`, respectively.

Examples

```
data(potato)

# Automatic analysis
pot.po.auto <- popls(potato[1:3], potato[['Sensory']][,1])
pot.po.auto$explVar

# Manual choice of up to 5 components for each block and 1, 0, and 2 blocks,
# respectively from the (1,2), (1,3) and (2,3) combinations of blocks.
pot.po.man <- popls(potato[1:3], potato[['Sensory']][,1], auto=FALSE,
                  manual.par = list(ncomp=c(5,5,5), ncommon=c(1,0,2)))
pot.po.man$explVar

# Score plot for local (2,3) components
plot(scores(pot.po.man,3), comps=1:2, labels="names")
```

potato

Sensory, rheological, chemical and spectroscopic analysis of potatoes.

Description

A dataset containing 9 blocks of measurements on 26 potatoes. Original dataset can be found at http://models.life.ku.dk/Texture_Potatoes. This version has been pre-processed as follows (corresponding to Liland et al. 2016):

- Variables containing NaN have been removed.
- Chemical and Compression blocks have been scaled by standard deviations.
- NIR blocks have been subjected to SNV (Standard Normal Variate).

Usage

```
data(potato)
```

Format

A data.frame having 26 rows and 9 variables:

Chemical Matrix of chemical measurements

Compression Matrix of rheological compression data

NIRraw Matrix of near-infrared measurements of raw potatoes

NIRcooked Matrix of near-infrared measurements of cooked potatoes

CPMGraw Matrix of NMR (CPMG) measurements of raw potatoes

CPMGcooked Matrix of NMR (CPMG) measurements of cooked potatoes

FIDraw Matrix of NMR (FID) measurements of raw potatoes

FIDcooked Matrix of NMR (FID) measurements of cooked potatoes

Sensory Matrix of sensory assessments

References

- L.G.Thygesen, A.K.Thybo, S.B.Engelsen, Prediction of Sensory Texture Quality of Boiled Potatoes From Low-field¹H NMR of Raw Potatoes. The Role of Chemical Constituents. LWT - Food Science and Technology 34(7), 2001, pp 469-477.
- Kristian Hovde Liland, Tormod Næs, Ulf Geir Indahl, ROSA – a fast extension of Partial Least Squares Regression for Multiblock Data Analysis, Journal of Chemometrics 30:11 (2016), pp. 651-662.

preprocess

*Preprocessing of block data***Description**

This is an interface to simplify preprocessing of one, a subset or all blocks in a multiblock object, e.g., a `data.frame` (see `block.data.frame`) or `list`. Several standard preprocessing methods are supplied in addition to letting the user supply its own function.

Usage

```
block.preprocess(
  X,
  block = 1:length(X),
  fun = c("autoscale", "center", "scale", "SNV", "EMSC", "Fro", "FroSq", "SingVal"),
  ...
)
```

Arguments

| | |
|--------------------|---|
| <code>X</code> | <code>data.frame</code> or <code>list</code> of data. |
| <code>block</code> | vector of block(s) to preprocess (integers or characters). |
| <code>fun</code> | character or function selecting which preprocessing to apply (see Details). |
| <code>...</code> | additional arguments to underlying functions. |

Details

The `fun` parameter controls the type of preprocessing to be performed:

- `autoscale`: centre and scale each feature/variable.
- `center`: centre each feature/variable.
- `scale`: scale each feature/variable.
- `SNV`: Standard Normal Variate correction, i.e., centre and scale each sample across features/variables.
- `EMSC`: Extended Multiplicative Signal Correction defaulting to basic EMSC (2nd order polynomials). Further parameters are sent to `EMSC : : EMSC`.
- `Fro`: Frobenius norm scaling of whole block.
- `FroSq`: Squared Frobenius norm scaling of whole block (sum of squared values).
- `SingVal`: Singular value scaling of whole block (first singular value).
- `User defined`: If a function is supplied, this will be applied to chosen blocks. Preprocessing can be done for all blocks or a subset. It can also be done in a series of operations to combine preprocessing techniques.

Value

The input multiblock object is preprocessed and returned.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(potato)
# Autoscale Chemical block
potato <- block.preprocess(potato, block = "Chemical", "autoscale")
# Apply SNV to NIR blocks
potato <- block.preprocess(potato, block = 3:4, "SNV")
# Centre Sensory block
potato <- block.preprocess(potato, block = "Sensory", "center")
# Scale all blocks to unit Frobenius norm
potato <- block.preprocess(potato, fun = "Fro")

# Effect of SNV
NIR <- (potato$NIRraw + rnorm(26)) * rnorm(26,1,0.2)
NIRc <- block.preprocess(list(NIR), fun = "SNV")[[1]]
old.par <- par(mfrow = c(2,1), mar = c(4,4,1,1))
matplot(t(NIR), type="l", main = "uncorrected", ylab = "")
matplot(t(NIRc), type="l", main = "corrected", ylab = "")
par(old.par)
```

Description

Formula based interface to the ROSA algorithm following the style of the pls package.

Usage

```
rosa(
  formula,
  ncomp,
  Y.add,
  common.comp = 1,
  data,
  subset,
  na.action,
```

```

scale = FALSE,
weights = NULL,
validation = c("none", "CV", "LOO"),
internal.validation = FALSE,
fixed.block = NULL,
design.block = NULL,
canonical = TRUE,
...
)

```

Arguments

| | |
|---------------------|---|
| formula | Model formula accepting a single response (block) and predictor block names separated by + signs. |
| ncomp | The maximum number of ROSA components. |
| Y.add | Optional response(s) available in the data set. |
| common.comp | Automatically create all combinations of common components up to length common.comp (default = 1). |
| data | The data set to analyse. |
| subset | Expression for subsetting the data before modelling. |
| na.action | How to handle NAs (no action implemented). |
| scale | Optionally scale predictor variables by their individual standard deviations. |
| weights | Optional object weights. |
| validation | Optional cross-validation strategy "CV" or "LOO". |
| internal.validation | Optional cross-validation for block selection process, "LOO", "CV3", "CV5", "CV10" (CV-number of segments), or vector of integers (default = FALSE). |
| fixed.block | integer vector with block numbers for each component (0 = not fixed) or list of length \leq ncomp (element length 0 = not fixed). |
| design.block | integer vector containing block numbers of design blocks |
| canonical | logical indicating if canonical correlation should be use when calculating loading weights (default), enabling B/W maximization, common components, etc. Alternatively (FALSE) a PLS2 strategy, e.g. for spectra response, is used. |
| ... | Additional arguments for <code>cvseg</code> or <code>rosa.fit</code> |

Details

ROSA is an opportunistic method sequentially selecting components from whichever block explains the response most effectively. It can be formulated as a PLS model on concatenated input block with block selection per component. This implementation adds several options that are not described in the literature. Most importantly, it opens for internal validation in the block selection process, making this more robust. In addition it handles design blocks explicitly, enables classification and secondary responses (CPLS), and definition of common components.

Value

An object of classes `rosa` and `mvr` having several associated printing ([rosa_results](#)) and plotting methods ([rosa_plots](#)).

References

Liland, K.H., Næs, T., and Indahl, U.G. (2016). ROSA - a fast extension of partial least squares regression for multiblock data analysis. *Journal of Chemometrics*, 30, 651–662, doi:10.1002/cem.2824.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [rosa_results](#) and [rosa_plots](#), respectively.

Examples

```
data(potato)
mod <- rosa(Sensory[,1] ~ ., data = potato, ncomp = 10, validation = "CV", segments = 5)
summary(mod)

# For examples of ROSA results and plotting see
# ?rosa_results and ?rosa_plots.
```

rosa_plots

Plotting functions for ROSA models

Description

Various plotting procedures for [rosa](#) objects.

Usage

```
## S3 method for class 'rosa'
image(
  x,
  type = c("correlation", "residual", "order"),
  ncomp = x$ncomp,
  col = mcolors(128),
  legend = TRUE,
  mar = c(5, 6, 4, 7),
  las = 1,
  ...
)

## S3 method for class 'rosa'
barplot(
```

```

    height,
    type = c("train", "CV"),
    ncomp = height$ncomp,
    col = mcolors(ncomp),
    ...
  )

```

Arguments

| | |
|--------|---|
| x | A rosa object |
| type | An optional character for selecting the plot type. For <code>image.rosa</code> the options are: "correlation" (default), "residual" or "order". For <code>barplot.rosa</code> the options indicate: explained variance should be based on training data ("train") or cross-validation ("CV"). |
| ncomp | Integer to control the number of components to plot (if fewer than the fitted number of components). |
| col | Colours used for the image and bar plot, defaulting to <code>mcolors(128)</code> . |
| legend | Logical indicating if a legend should be included (default = TRUE) for <code>image.rosa</code> . |
| mar | Figure margins, default = <code>c(5,6,4,7)</code> for <code>image.rosa</code> . |
| las | Axis text direction, default = 1 for <code>image.rosa</code> . |
| ... | Additional parameters passed to <code>loadingplot</code> , <code>image</code> , <code>axis</code> , <code>color.legend</code> , or <code>barplot</code> . |
| height | A rosa object. |

Details

Usage of the functions are shown using generics in the examples below. `image.rosa` makes an image plot of each candidate score's correlation to the winner or the block-wise response residual. These plots can be used to find alternative block selection for tweaking the ROSA model. `barplot.rosa` makes barplot of block and component explained variances. `loadingweightsplot` is an adaptation of `pls::loadingplot` to plot loading weights.

Value

No return.

References

Liland, K.H., Næs, T., and Indahl, U.G. (2016). ROSA - a fast extension of partial least squares regression for multiblock data analysis. *Journal of Chemometrics*, 30, 651–662, doi:10.1002/cem.2824.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results in [rosa_results](#).

Examples

```
data(potato)
mod <- rosa(Sensory[,1] ~ ., data = potato, ncomp = 5)
image(mod)
barplot(mod)
loadingweightplot(mod)
```

rosa_results

Result functions for ROSA models

Description

Standard result computation and extraction functions for ROSA ([rosa](#)).

Usage

```
## S3 method for class 'rosa'
predict(
  object,
  newdata,
  ncomp = 1:object$ncomp,
  comps,
  type = c("response", "scores"),
  na.action = na.pass,
  ...
)

## S3 method for class 'rosa'
coef(object, ncomp = object$ncomp, comps, intercept = FALSE, ...)

## S3 method for class 'rosa'
print(x, ...)

## S3 method for class 'rosa'
summary(
  object,
  what = c("all", "validation", "training"),
  digits = 4,
  print.gap = 2,
  ...
)

blockexpl(object, ncomp = object$ncomp, type = c("train", "CV"))

## S3 method for class 'rosaexpl'
print(x, digits = 3, compwise = FALSE, ...)
```

```
rosa.classify(object, classes, newdata, ncomp, LQ)
```

```
## S3 method for class 'rosa'
scores(object, ...)
```

```
## S3 method for class 'rosa'
loadings(object, ...)
```

Arguments

| | |
|-----------|--|
| object | A rosa object. |
| newdata | Optional new data with the same types of predictor blocks as the ones used for fitting the object. |
| ncomp | An integer giving the number of components to apply (cumulative). |
| comps | An integer vector giving the exact components to apply (subset). |
| type | For blockexpl: Character indicating which type of explained variance to compute (default = "train", alternative = "CV"). |
| na.action | Function determining what to do with missing values in newdata. |
| ... | Additional arguments. Currently not implemented. |
| intercept | A logical indicating if coefficients for the intercept should be included (default = FALSE). |
| x | A rosa object. |
| what | A character indicating if summary should include all, validation or training. |
| digits | The number of digits used for printing. |
| print.gap | Gap between columns when printing. |
| compwise | Logical indicating if block-wise (default/FALSE) or component-wise (TRUE) explained variance should be printed. |
| classes | A character vector of class labels. |
| LQ | A character indicating if 'max' (maximum score value), 'lda' or 'qda' should be used when classifying. |

Details

Usage of the functions are shown using generics in the examples below. Prediction, regression coefficients, object printing and summary are available through: `predict.rosa`, `coef.rosa`, `print.rosa` and `summary.rosa`. Explained variances are available (block-wise and global) through `blockexpl` and `print.rosaexpl`. Scores and loadings have their own extensions of `scores()` and `loadings()` through `scores.rosa` and `loadings.rosa`. Finally, there is work in progress on classification support through `rosa.classify`.

When `type` is "response" (default), predicted response values are returned. If `comps` is missing (or is NULL), predictions for `length(ncomp)` models with `ncomp[1]` components, `ncomp[2]` components, etc., are returned. Otherwise, predictions for a single model with the exact components in `comps` are returned. (Note that in both cases, the intercept is always included in the predictions. It can be removed by subtracting the `Ymeans` component of the fitted model.)

If `comps` is missing (or is `NULL`), `coef()[, , ncomp[i]]` are the coefficients for models with `ncomp[i]` components, for $i = 1, \dots, \text{length}(ncomp)$. Also, if `intercept = TRUE`, the first dimension is $n\text{var} + 1$, with the intercept coefficients as the first row.

If `comps` is given, however, `coef()[, , comps[i]]` are the coefficients for a model with only the component `comps[i]`, i.e., the contribution of the component `comps[i]` on the regression coefficients.

Value

Returns depend on method used, e.g. `predict.rosa` returns predicted responses or scores depending on inputs, `coef.rosa` returns regression coefficients, `blockexpl` returns an object of class `rosaexpl` containing block-wise and component-wise explained variance contained in a matrix with attributes.

References

Liland, K.H., Næs, T., and Indahl, U.G. (2016). ROSA - a fast extension of partial least squares regression for multiblock data analysis. *Journal of Chemometrics*, 30, 651–662, doi:10.1002/cem.2824.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [rosa_results](#) and [rosa_plots](#), respectively.

Examples

```
data(potato)
mod <- rosa(Sensory[,1] ~ ., data = potato, ncomp = 5, subset = 1:20)
testset <- potato[-(1:20),]; testset$Sensory <- testset$Sensory[,1,drop=FALSE]
predict(mod, testset, ncomp=5)
dim(coef(mod, ncomp=5)) # <variables x responses x components>
print(mod)
summary(mod)
blockexpl(mod)
print(blockexpl(mod), compwise=TRUE)
```

Description

This is a basic implementation of the SCA-P algorithm (least restricted SCA) with support for both sample- and variable-linked modes.

Usage

```
sca(X, ncomp = 2, scale = FALSE, samplelinked = "auto", ...)
```

Arguments

| | |
|---------------------------|--|
| <code>X</code> | list of input blocks. |
| <code>ncomp</code> | integer number of components to extract. |
| <code>scale</code> | logical indicating autoscaling of features (default = FALSE). |
| <code>samplelinked</code> | character/logical indicating if blocks are linked by samples (TRUE) or variables (FALSE). Using 'auto' (default), this will be determined automatically. |
| <code>...</code> | additional arguments (not used). |

Details

SCA, in its original variable-linked version, calculates common loadings and block-wise scores. There are many possible constraints and specialisations. This implementation uses PCA as the backbone, thus resulting in deterministic, ordered components. A parameter controls the linking mode, but if left untouched an attempt is made at automatically determining variable or sample linking.

Value

multiblock object including relevant scores and loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Levin, J. (1966) Simultaneous factor analysis of several gramian matrices. *Psychometrika*, 31(3), 413–419.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
# Object linked data
data(potato)
potList <- as.list(potato[c(1,2,9)])
pot.sca <- sca(potList)
plot(scores(pot.sca), labels="names")


# Variable linked data
data(candies)
candyList <- lapply(1:nlevels(candies$candy), function(x) candies$assessment[candies$candy==x,])
pot.sca <- sca(candyList, samplelinked = FALSE)
pot.sca
```

simulated

Data simulated to have certain characteristics.

Description

A dataset containing simulated data for 4 connected events where A is the starting point and D is the end point. This can be described as a directed acyclic graph (sketched below, moving left->right).



Subpaths include: ABD, AD, ABCD, ACD

Usage

```
data(simulated)
```

Format

A list of matrices having 200 rows and 10 variables:

A Simulated matrix A

B Simulated matrix B ...

References

Tormod Næs, Rosaria Romano, Oliver Tomic, Ingrid Måge, Age Smilde, Kristian Hovde Liland, Sequential and orthogonalized PLS (SO-PLS) regression for path analysis: Order of blocks and relations between effects. *Journal of Chemometrics*, In Press

smbpls

Sparse Multiblock Partial Least Squares - SMB-PLS

Description

sMB-PLS is an adaptation of MB-PLS ([mbpls](#)) that enforces sparseness in loading weights when computing PLS components in the global model.

Usage

```
smbpls(
  formula,
  data,
  subset,
  na.action,
  X = NULL,
  Y = NULL,
  ncomp = 1,
  scale = FALSE,
  shrink = NULL,
  truncation = NULL,
  trunc.width = 0.95,
  blockScale = c("sqrtnvar", "ssq", "none"),
  ...
)
```

Arguments

| | |
|-----------|---|
| formula | Model formula accepting a single response (block) and predictor block names separated by + signs. |
| data | The data set to analyse. |
| subset | Expression for subsetting the data before modelling. |
| na.action | How to handle NAs (no action implemented). |
| X | list of input blocks. If X is supplied, the formula interface is skipped. |
| Y | matrix of responses. |
| ncomp | integer number of PLS components. |
| scale | logical for autoscaling inputs (default = FALSE). |
| shrink | numeric scalar indicating degree of L1-shrinkage/Soft-Thresholding (optional), $0 \leq \text{shrink} < 1$. |

| | |
|-------------|--|
| truncation | character indicating type of truncation (optional) "Lenth" uses asymmetric confidence intervals to determine outlying loading weights. "quantile" uses a quantile plot approach to determining outliers. |
| trunc.width | numeric indicating confidence of "Lenth type" confidence interval or quantile in "quantile plot" approach. Default = 0.95. |
| blockScale | Either a character indicating type of block scaling or a numeric vector of block weights (see Details). |
| ... | additional arguments to pls::plsr. |

Details

Two versions of sparseness are supplied: Soft-Threshold PLS, also known as Sparse PLS, and Truncation PLS. The former uses L1 shrinkage of loading weights, while the latter comes in two flavours, both estimating inliers and outliers. The "Lenth" method uses asymmetric confidence intervals around the median of a loading weight vector to estimate inliers. The "quantile" method uses a quantile plot approach to estimate outliers as deviations from the estimated quantile line. As with ordinary MB-PLS scaled input blocks ($1/\sqrt{\text{ncol}}$) are used.

Block weighting is performed after scaling all variables and is by default "sqrt nvar": $1/\sqrt{\text{ncol}(X[[i]])}$ in each block. Alternatives are "ssq": $1/\text{norm}(X[[i]], "F")^2$ and "none": 1/1. Finally, if a numeric vector is supplied, it will be used to scale the blocks after "ssq" scaling, i.e., $Z[[i]] = X[[i]] / \text{norm}(X[[i]], "F")^2 * \text{blockScale}[i]$.

Value

multiblock, mvr object with super-scores, super-loadings, block-scores and block-loading, and the underlying mvr (PLS) object for the super model, with all its result and plot possibilities. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

- Sæbø, S.; Almøy, T.; Aarøe, J. & Aastveit, A. ST-PLS: a multi-directional nearest shrunken centroid type classifier via PLS *Journal of Chemometrics: A Journal of the Chemometrics Society*, Wiley Online Library, 2008, 22, 54-62.
- Lê Cao, K.; Rossouw, D.; Robert-Granié, C. & Besse, P. A sparse PLS for variable selection when integrating omics data *Statistical applications in genetics and molecular biology*, 2008, 7.
- Liland, K.; Høy, M.; Martens, H. & Sæbø, S. Distribution based truncation for variable selection in subspace methods for multivariate regression *Chemometrics and Intelligent Laboratory Systems*, 2013, 122, 103-111.
- Karaman, I.; Nørskov, N.; Yde, C.; Hedemann, M.; Knudsen, K. & Kohler, A. Sparse multi-block PLSR for biomarker discovery when integrating data from LC-MS and NMR metabolomics *Metabolomics*, 2015, 11, 367-379.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#).

Examples

```

data(potato)

# Truncation MB-PLS
# Loading weights inside 60% confidence intervals around the median are set to 0.
tmb <- smbpls(Sensory ~ Chemical+Compression, data=potato, ncomp = 5,
             truncation = "Lenth", trunc.width = 0.6)

# Alternative XY-interface
tmb.XY <- smbpls(X=potato[c('Chemical','Compression')], Y=potato[['Sensory']], ncomp = 5,
               truncation = "Lenth", trunc.width = 0.6)
identical(tmb, tmb.XY)
scoreplot(tmb, labels="names") # Exploiting mvr object structure from pls package
loadingweightplot(tmb, labels="names")

# Soft-Threshold / Sparse MB-PLS
# Loading weights are subtracted by 60% of maximum value.
smb <- smbpls(X=potato[c('Chemical','Compression')], Y=potato[['Sensory']],
             ncomp = 5, shrink = 0.6)
print(smb)
scoreplot(smb, labels="names") # Exploiting mvr object structure from pls package
loadingweightplot(smb, labels="names")

# Emphasis may be different for blocks
smb <- smbpls(X=potato[c('Chemical','Compression')], Y=potato[['Sensory']],
             ncomp = 5, shrink = 0.6, blockScale = c(1, 10))

```

sopls

Sequential and Orthogonalized PLS (SO-PLS)

Description

Function for computing standard SO-PLS based on the interface of the pls package.

Usage

```

sopls(
  formula,
  ncomp,
  max_comps = min(sum(ncomp), 20),
  data,
  subset,
  na.action,
  scale = FALSE,
  validation = c("none", "CV", "LOO"),
  sequential = FALSE,
  segments = 10,
  sel.comp = "opt",

```

```

    progress = TRUE,
    ...
)

```

Arguments

| | |
|------------|--|
| formula | Model formula accepting a single response (block) and predictor block names separated by + signs. |
| ncomp | Numeric vector of components per block or scalar of overall maximum components. |
| max_comps | Maximum total number of components from all blocks combined ($\leq \text{sum}(\text{ncomp})$). |
| data | The data set to analyse. |
| subset | Expression for subsetting the data before modelling. |
| na.action | How to handle NAs (no action implemented). |
| scale | Logical indicating if variables should be scaled. |
| validation | Optional cross-validation strategy "CV" or "LOO". |
| sequential | Logical indicating if optimal components are chosen sequentially or globally. |
| segments | Optional number of segments or list of segments for cross-validation. (See <code>[pls::cvsegments()]</code>). |
| sel.comp | Character indicating if sequential optimal number of components should be chosen as minimum RMSECV ('opt', default) or by Chi-square test ('chi'). |
| progress | Logical indicating if a progress bar should be displayed while cross-validating. |
| ... | Additional arguments to underlying methods. |

Details

SO-PLS is a method which handles two or more input blocks by sequentially performing PLS on blocks against a response and orthogonalising the remaining blocks on the extracted components. Component number optimisation can either be done globally (best combination across blocks) or sequentially (determine for one block, move to next, etc.).

Value

An `sopls`, `mvr` object with scores, loadings, etc. associated with printing (`sopls_results`) and plotting methods (`sopls_plots`).

References

Jørgensen K, Mevik BH, Næs T. Combining designed experiments with several blocks of spectroscopic data. *Chemometr Intell Lab Syst.* 2007;88(2): 154–166.

See Also

SO-PLS result functions, `sopls_results`, SO-PLS plotting functions, `sopls_plots`, SO-PLS Måge plot, `maage`, and SO-PLS path-modelling, `SO_TDI`. Overviews of available methods, `multiblock`, and methods organised by main structure: `basic`, `unsupervised`, `asca`, `supervised` and `complex`.

Examples

```

data(potato)
so <- sopls(Sensory ~ Chemical + Compression, data=potato, ncomp=c(10,10),
            max_comps=10, validation="CV", segments=10)
summary(so)

# Scatter plot matrix with two first components from Chemical block
# and 1 component from the Compression block.
scoreplot(so, comps=list(1:2,1), ncomp=2, block=2)

# Result functions and more plots for S0-PLS
# are found in ?sopls_results and ?sopls_plots.

```

sopls_plots

*Scores, loadings and plots for sopls objects***Description**

Extraction of scores and loadings and adaptation of scoreplot, loadingplot and biplot from package pls for sopls objects.

Usage

```

## S3 method for class 'sopls'
loadings(object, ncomp = "all", block = 1, y = FALSE, ...)

## S3 method for class 'sopls'
scores(object, ncomp = "all", block = 1, y = FALSE, ...)

## S3 method for class 'sopls'
scoreplot(
  object,
  comps = 1:2,
  ncomp = NULL,
  block = 1,
  labels,
  identify = FALSE,
  type = "p",
  xlab,
  ylab,
  ...
)

## S3 method for class 'sopls'
loadingplot(
  object,
  comps = 1:2,

```

```
    ncomp = NULL,  
    block = 1,  
    scatter = TRUE,  
    labels,  
    identify = FALSE,  
    type,  
    lty,  
    lwd = NULL,  
    pch,  
    cex = NULL,  
    col,  
    legendpos,  
    xlab,  
    ylab,  
    pretty.xlabels = TRUE,  
    xlim,  
    ...  
  )  
  
## S3 method for class 'sopls'  
corrplot(  
  object,  
  comps = 1:2,  
  ncomp = NULL,  
  block = 1,  
  labels = TRUE,  
  col = 1:5,  
  plotx = TRUE,  
  ploty = TRUE,  
  ...  
)  
  
## S3 method for class 'sopls'  
biplot(  
  x,  
  comps = 1:2,  
  ncomp = "all",  
  block = 1,  
  which = c("x", "y", "scores", "loadings"),  
  var.axes = FALSE,  
  xlabs,  
  ylabs,  
  main,  
  ...  
)
```

Arguments

object sopls object

| | |
|----------------|--|
| ncomp | integer vector giving components from all blocks before block (see next argument). |
| block | integer indicating which block to extract components from. |
| y | logical extract Y loadings/scores instead of X loadings/scores (default = FALSE). |
| ... | further arguments sent to the underlying plot function(s) |
| comps | integer vector giving components, within block, to plot (see Details regarding combination of blocks). |
| labels | character indicating if "names" or "numbers" should be plot symbols (optional). |
| identify | logical for activating identify to interactively identify points. |
| type | character for selecting type of plot to make. Defaults to "p" (points) for scatter plots and "l" (lines) for line plots. |
| xlab | character text for x labels. |
| ylab | character text for y labels. |
| scatter | logical indicating if a scatterplot of loadings should be made (default = TRUE). |
| lty | Vector of line type specifications (see par for details). |
| lwd | numeric vector of line width specifications. |
| pch | Vector of point specifications (see points for details). |
| cex | numeric vector of plot size expansions (see par for details). |
| col | integer vector of symbol/line colours (see par for details). |
| legendpos | character indicating legend position (if scatter is FALSE), e.g. legendpos = "topright". |
| pretty.xlabels | logical indicating if xlabels should be more nicely plotted (default = TRUE). |
| xlim | numeric vector of length two, with the x limits of the plot (optional). |
| plotx | logical or integer/character. Whether to plot the X correlation loadings, optionally which block(s). Defaults to TRUE. |
| ploty | logical. Whether to plot the Y correlation loadings. Defaults to TRUE. |
| x | sopls object |
| which | character for selecting type of biplot ("x" = default, "y", "scores", "loadings"). |
| var.axes | logical indicating if second axes of a biplot should have arrows. |
| xlabs | character vector for labelling first set of biplot points (optional). |
| ylabs | character vector for labelling second set of biplot points (optional). |
| main | character for setting the main title of a plot. |

Details

If `comps` is supplied as a list for `scoreplot`, it is assumed that its elements refer to each of the blocks up to block number `block`. For instance `comps = list(1, 0, 1:2)` will select 1 component from the first block, no components from the second block and the first two components from the last block. This must be matched by `ncomp`, specifying how many components were selected before block number `block`.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results are found in [sopls_results](#).

#' @return The score and loading functions return scores and loadings, while plot functions have no return (except use of 'identify').

Examples

```
data(potato)
so <- sopls(Sensory ~ Chemical + Compression + NIRraw, data=potato, ncomp=c(5,5,5))

# Loadings
loadings(so, ncomp=c(3), block=2)[, 1:3]

# Scores
scores(so, block=1)[, 1:4]

# Default plot from first block
scoreplot(so)

# Second block with names
scoreplot(so, ncomp=c(3), block=2, labels="names")

# Scatterplot matrix
scoreplot(so, ncomp=c(3,2), block=3, comps=1:3)

# Combination of blocks (see Details)
scoreplot(so, ncomp=c(3,2), block=3, comps=list(1,0,1))

# Default plot from first block
loadingplot(so, scatter=TRUE)

# Second block with names
loadingplot(so, ncomp=c(3), block=2, labels="names", scatter=TRUE)

# Scatterplot matrix
loadingplot(so, ncomp=c(3,2), block=3, comps=1:3, scatter=TRUE)

# Correlation loadings
corrplot(so, block=2, ncomp=1)

# Default plot from first block
biplot(so)
```

Description

Standard result functions for SO-PLS ([sopls](#)).

Usage

```
## S3 method for class 'sopls'
predict(
  object,
  newdata,
  ncomp = object$ncomp,
  type = c("response", "scores"),
  na.action = na.pass,
  ...
)

## S3 method for class 'sopls'
coef(object, ncomp = object$ncomp, intercept = FALSE, ...)

## S3 method for class 'sopls'
print(x, ...)

## S3 method for class 'sopls'
summary(
  object,
  what = c("all", "validation", "training"),
  digits = 4,
  print.gap = 2,
  ...
)

classify(object, ...)

## S3 method for class 'sopls'
classify(object, classes, newdata, ncomp, LQ = "LDA", ...)

## S3 method for class 'sopls'
R2(object, estimate, newdata, ncomp = "all", individual = FALSE, ...)

## S3 method for class 'sopls'
RMSEP(object, estimate, newdata, ncomp = "all", individual = FALSE, ...)

pcp(object, ...)

## S3 method for class 'sopls'
pcp(object, ncomp, ...)

## Default S3 method:
pcp(object, X, ...)
```



```

cvanova(pred, ...)

## Default S3 method:
cvanova(pred, true, absRes = TRUE, ...)

## S3 method for class 'sopls'
cvanova(pred, comps, absRes = TRUE, ...)

## S3 method for class 'cvanova'
print(x, ...)

## S3 method for class 'cvanova'
summary(object, ...)

## S3 method for class 'cvanova'
plot(x, ...)

## S3 method for class 'sopls'
residuals(object, ...)

```

Arguments

| | |
|------------|--|
| object | A sopls object. |
| newdata | Optional new data with the same types of predictor blocks as the ones used for fitting the object. |
| ncomp | An integer vector giving the exact components to apply. |
| type | A character for predict indicating if responses or scores should be predicted (default = "response", or "scores"), for summary indicating which type of explained variance to compute (default = "train", alternative = "CV"). |
| na.action | Function determining what to do with missing values in newdata. |
| ... | Additional arguments. Currently not implemented. |
| intercept | A logical indicating if coefficients for the intercept should be included (default = FALSE). |
| x | A sopls object. |
| what | A character indicating if summary should include all, validation or training. |
| digits | The number of digits used for printing. |
| print.gap | Gap between columns when printing. |
| classes | A character vector of class labels. |
| LQ | A character indicating if 'max' (maximum score value), 'lda' or 'qda' should be used when classifying. |
| estimate | A character indicating if 'train', 'CV' or 'test' results should be displayed. |
| individual | A logical indicating if results for individual responses should be displayed. |
| X | A list of data blocks. |

| | |
|--------|--|
| pred | An object holding the CV-predicted values (sopls, matrix or list of vectors) |
| true | A numeric of true response values for CVANOVA. |
| absRes | A logical indicating if absolute (TRUE) or squared (FALSE) residuals should be computed. |
| comps | An integer vector giving the exact components to apply. |

Details

The parameter `ncomp` controls which components to apply/extract, resulting in the sequence of components leading up to the specific choice, i.e. `ncomp = c(2, 2, 1)` results in the sequence 1,0,0; 2,0,0; 2,1,0; 2,2,0; 2,2,1. Usage of the functions are shown using generics in the examples below. Prediction, regression coefficients, object printing and summary are available through: `predict.sopls`, `coef.sopls`, `print.sopls` and `summary.sopls`. Explained variances and RMSEP are available through `R2.sopls` and `RMSEP.sopls`. Principal components of predictions are available through `pcp.sopls`. Finally, there is work in progress on classification support through `classify.sopls`.

Value

Returns depend on method used, e.g. `predict.sopls` returns predicted responses or scores depending on inputs, `coef.sopls` return regression coefficients, while `print` and `summary` methods return the object invisibly.

References

Jørgensen K, Mevik BH, Næs T. Combining designed experiments with several blocks of spectroscopic data. *Chemometr Intell Lab Syst.* 2007;88(2): 154–166.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for plotting are found in [sopls_plots](#).

Examples

```
data(potato)
mod <- sopls(Sensory[,1] ~ ., data = potato[c(1:3,9)], ncomp = 5, subset = 1:20)
testset <- potato[-(1:20),]; testset$Sensory <- testset$Sensory[,1,drop=FALSE]
predict(mod, testset, ncomp=c(2,1,2))
dim(coef(mod, ncomp=c(3,0,1))) # <variables x responses x components>
R2(mod, ncomp = c(4,1,2))
print(mod)
summary(mod)

# PCP from sopls object
modMulti <- sopls(Sensory ~ ., data = potato[c(1:3,9)], ncomp = 5, validation = "CV", segment = 5)
(PCP <- pcp(modMulti, c(2,1,2)))
scoreplot(PCP)

# PCP from matrices
```

```

preds <- modMulti$validation$Ypred[,,"2,1,2"]
PCP_default <- pcp(preds, potato[1:3])

# CVANOVA
modCV <- sopl(sensory[,1] ~ ., data = potato[c(1:3,9)], ncomp = 5, validation = "CV", segment = 5)
summary(cva <- cvanova(modCV, "2,1,2"))
plot(cva)

```

SO_TDI

Total, direct, indirect and additional effects in SO-PLS-PM.

Description

SO-PLS-PM is the use of SO-PLS for path-modelling. This particular function is used to compute effects (explained variances) in sub-paths of the directed acyclic graph.

Usage

```

sopl(pm(
  X,
  Y,
  ncomp,
  max_comps = min(sum(ncomp), 20),
  sel.comp = "opt",
  computeAdditional = FALSE,
  sequential = FALSE,
  B = NULL,
  k = 10,
  type = "consecutive",
  simultaneous = TRUE
)

## S3 method for class 'SO_TDI'
print(x, showComp = TRUE, heading = "SO-PLS path effects", digits = 2, ...)

sopl(pm_multiple(
  X,
  ncomp,
  max_comps = min(sum(ncomp), 20),
  sel.comp = "opt",
  computeAdditional = FALSE,
  sequential = FALSE,
  B = NULL,
  k = 10,
  type = "consecutive"
)

```

```
## S3 method for class 'SO_TDI_multiple'
print(x, heading = "SO-PLS path effects", digits = 2, ...)
```

Arguments

| | |
|-------------------|--|
| X | A list of input blocks (of type matrix). |
| Y | A matrix of response(s). |
| ncomp | An integer vector giving the number of components per block or a single integer for common number of components. |
| max_comps | Maximum total number of components. |
| sel.comp | A character or integer vector indicating the type ("opt" - minimum error / "chi" - chi-squared reduced) or exact number of components in selections. |
| computeAdditional | A logical indicating if additional components should be computed. |
| sequential | A logical indicating if sequential component optimization should be applied. |
| B | An integer giving the number of bootstrap replicates for variation estimation. |
| k | An integer indicating number of cross-validation segments (default = 10). |
| type | A character for selecting type of cross-validation segments (default = "consecutive"). |
| simultaneous | logical indicating if simultaneous orthogonalisation on intermediate blocks should be performed (default = TRUE). |
| x | An object of type SO_TDI. |
| showComp | A logical indicating if components should be shown in print (default = TRUE). |
| heading | A character giving the heading of the print. |
| digits | An integer for selecting number of digits in print. |
| ... | Not implemented |

Details

sopls_pm computes 'total', 'direct', 'indirect' and 'additional' effects for the 'first' versus the 'last' input block by cross-validated explained variances. 'total' is the explained variance when doing regression of 'first' -> 'last'. 'indirect' is the the same, but controlled for the intermediate blocks. 'direct' is the left-over part of the 'total' explained variance when subtracting the 'indirect'. Finally, 'additional' is the added explained variance of 'last' for each block following 'first'.

sopls_pm_multiple is a wrapper for sopls_pm that repeats the calculation for all pairs of blocks from 'first' to 'last'. Where sopls_pm has a separate response, Y, signifying the 'last' block, sopls_pm_multiple has multiple 'last' blocks, depending on sub-path, thus collects the response(s) from the list of blocks X.

When sel.comp = "opt", the number of components for all models are optimized using cross-validation within the ncomp and max_comps supplied. If sel.comp is "chi", an optimization is also performed, but parsimonious solutions are sought through a chi-square criterion. When setting sel.comp to a numeric vector, exact selection of number of components is performed.

When setting B to a number, e.g. 200, the procedures above are repeated B times using bootstrapping to estimate standard deviations of the cross-validated explained variances.

Value

An object of type `SO_TDI` containing total, direct and indirect effects, plus possibly additional effects and standard deviations (estimated by bootstrapping).

References

- Menichelli, E., Almøy, T., Tomic, O., Olsen, N. V., & Næs, T. (2014). SO-PLS as an exploratory tool for path modelling. *Food quality and preference*, 36, 122-134.
- Næs, T., Romano, R., Tomic, O., Måge, I., Smilde, A., & Liland, K. H. (2020). Sequential and orthogonalized PLS (SO-PLS) regression for path analysis: Order of blocks and relations between effects. *Journal of Chemometrics*, e3243.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#).

Examples

```
# Single path for the potato data:
data(potato)
pot.pm <- sopls_pm(potato[1:3], potato[['Sensory']], c(5,5,5), computeAdditional=TRUE)
pot.pm

# Corresponding SO-PLS model:
# so <- sopls(Sensory ~ ., data=potato[c(1,2,3,9)], ncomp=c(5,5,5), validation="CV", segments=10)
# maageSeq(pot.so, compSeq = c(3,2,4))

# All path in the forward direction for the wine data:
data(wine)
pot.pm.multiple <- sopls_pm_multiple(wine, ncomp = c(4,2,9,8))
pot.pm.multiple
```

 statis

Structuration des Tableaux à Trois Indices de la Statistique - STATIS

Description

This is a wrapper for the `ade4::statis` function for computing STATIS.

Usage

```
statis(X, ncomp = 3, scannf = FALSE, tol = 1e-07, ...)
```

Arguments

| | |
|---------------------|--|
| <code>x</code> | list of input blocks. |
| <code>ncomp</code> | integer number of components to extract. |
| <code>scannf</code> | logical indicating if eigenvalue bar plot should be displayed. |
| <code>tol</code> | numeric eigenvalue threshold tolerance. |
| <code>...</code> | additional arguments (not used). |

Details

STATIS is a method, related to MFA, for analysing two or more blocks. It also decomposes the data into a low-dimensional subspace but uses a different scaling of the individual blocks.

Value

multiblock object including relevant scores and loadings. Relevant plotting functions: [multiblock_plots](#) and result functions: [multiblock_results](#).

References

Lavit, C.; Escoufier, Y.; Sabatier, R.; Traissac, P. (1994). The ACT (STATIS method). *Computational Statistics & Data Analysis*. 18: 97

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(candies)
candyList <- lapply(1:nlevels(candies$candy), function(x) candies$assessment[candies$candy==x,])
can.statis <- stasis(candyList)
plot(scores(can.statis), labels="names")
```

Description

Collection of supervised multiblock methods:

- MB-PLS - Multiblock Partial Least Squares ([mbpls](#))
- sMB-PLS - Sparse Multiblock Partial Least Squares ([smbpls](#))
- SO-PLS - Sequential and Orthogonalized PLS ([sopls](#))
- PO-PLS - Parallel and Orthogonalized PLS ([popls](#))
- ROSA - Response Oriented Sequential Alternation ([rosa](#))
- mBRDA - Multiblock Redundancy Analysis ([mbrda](#))

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
data(potato)
mb <- mbpls(Sensory ~ Chemical + Compression, data=potato, ncomp = 5)
print(mb)

# Convert data.frame with AsIs objects to list of matrices
potatoList <- lapply(potato, unclass)
mbr <- mbrda(Sensory ~ Chemical + Compression, data=potatoList, ncomp = 10)
print(mbr)
scoreplot(mbr, labels="names")
```

| | |
|---------------|--------------------------------------|
| unique_combos | <i>Unique combinations of blocks</i> |
|---------------|--------------------------------------|

Description

Compute a list of all possible block combinations where the number of blocks in each combination is limited by parameters `min_level` and `max_level`.

Usage

```
unique_combos(n_block, max_level, min_level = 2)
```

Arguments

| | |
|------------------------|---|
| <code>n_block</code> | integer number of input blocks. |
| <code>max_level</code> | integer maximum number of blocks per combination. |
| <code>min_level</code> | integer minimum number of blocks per combination. |

Details

This function is used for minimal redundancy implementations of [rosa](#) and [sopls](#) and for lookups into computed components.

Value

A list of unique block combinations.

Examples

```
unique_combos(3, 2)
```

unsupervised

Unsupervised Multiblock Methods

Description

Collection of unsupervised multiblock methods:

- SCA - Simultaneous Component Analysis ([sca](#))
- GCA - Generalized Canonical Analysis ([gca](#))
- GPA - Generalized Procrustes Analysis ([gpa](#))
- MFA - Multiple Factor Analysis ([mfa](#))
- PCA-GCA ([pcagca](#))
- DISCO - Distinctive and Common Components with SCA ([disco](#))
- HPCA - Hierarchical Principal component analysis ([hpca](#))
- MCOA - Multiple Co-Inertia Analysis ([mcoa](#))
- JIVE - Joint and Individual Variation Explained ([jive](#))
- STATIS - Structuration des Tableaux à Trois Indices de la Statistique ([statis](#))
- HOGSVD - Higher Order Generalized SVD ([hogsvd](#))

Details

Original documentation of STATIS: [statis](#). JIVE, STATIS and HOGSVD assume variable linked matrices/data.frames, while SCA handles both links.

See Also

Overviews of available methods, [multiblock](#), and methods organised by main structure: [basic](#), [unsupervised](#), [asca](#), [supervised](#) and [complex](#). Common functions for computation and extraction of results and plotting are found in [multiblock_results](#) and [multiblock_plots](#), respectively.

Examples

```
# Object linked data
data(potato)
potList <- as.list(potato[c(1,2,9)])
pot.sca <- sca(potList)


# Variable linked data
data(candies)
candyList <- lapply(1:nlevels(candies$candy),function(x)candies$assessment[candies$candy==x,])
can.statis <- stasis(candyList)
plot(can.statis$statis)
```

wine

Wines of Val de Loire

Description

This dataset contains sensory assessment of 21 wines. The assessments are grouped according to the tasting process and thus have a natural ordering with all blocks pointing forward to all remaining blocks in the process.



Usage

```
data(wine)
```

Format

A data.frame having 21 rows and 5 variables:

Smell at rest Matrix of sensory assessments

View Matrix of sensory assessments

Smell after shaking Matrix of sensory assessments

Tasting Matrix of sensory assessments

Global quality Matrix of sensory assessments

References

Escofier B, Pages L. Analyses Factorielles Simples and Multiples. Paris: Dunod; 1988.

Index

- asca, 3, 4–8, 10–12, 17–23, 25, 26, 28, 30, 31, 33, 34, 36, 39–41, 43, 44, 47, 49, 50, 53, 54, 57, 59, 63, 66, 69–72
- asca_plots, 3, 4, 4, 7
- asca_results, 3, 4, 6, 6

- barplot.rosa (rosa_plots), 49
- basic, 4, 6, 7, 7, 8, 10–12, 17–23, 25, 26, 28, 30, 31, 33, 34, 36, 39–41, 43, 44, 47, 49, 50, 53, 54, 57, 59, 63, 66, 69–72
- biplot.multiblock (multiblock_plots), 36
- biplot.sopls (sopls_plots), 60
- block.data.frame, 8
- block.preprocess (preprocess), 46
- blockexpl (rosa_results), 51

- candies, 9
- cca, 8, 10
- classify (sopls_results), 63
- coef.rosa (rosa_results), 51
- coef.sopls (sopls_results), 63
- complex, 4, 6–8, 10, 11, 11, 12, 17–23, 25, 26, 28, 30, 31, 33, 34, 36, 39–41, 43, 44, 47, 49, 50, 53, 54, 57, 59, 63, 66, 69–72
- compnames, 11
- corrplot (multiblock_plots), 36
- corrplot.sopls (sopls_plots), 60
- cvanova (sopls_results), 63

- data.frame, 16
- disco, 12, 72
- DISCOsca, 13
- dummycode, 14

- explvar, 15
- extended.model.frame, 15

- gca, 16, 44, 72
- gpa, 17, 72
- gsvd, 8, 18

- hogsvd, 19, 72
- hPCA, 20, 72

- ifa, 8, 21
- image.rosa (rosa_plots), 49

- jive, 22, 72

- loadingplot.asca (asca_plots), 4
- loadingplot.multiblock (multiblock_plots), 36
- loadingplot.sopls (sopls_plots), 60
- loadings.asca (asca_results), 6
- loadings.multiblock (multiblock_results), 39
- loadings.rosa (rosa_results), 51
- loadings.sopls (sopls_plots), 60
- loadingweightplot (multiblock_plots), 36
- lpls, 11, 23, 25, 26
- lpls_results, 25, 26
- lplsCV (lpls_results), 26
- lplsData, 25

- maage, 28, 59
- maageSeq (maage), 28
- mbpls, 30, 56, 71
- mbrda, 32, 71
- mcoa, 33, 72
- mcolors, 34
- mfa, 35, 72
- model.frame, 15, 16
- multiblock, 4, 6–8, 10–12, 17–23, 25, 26, 28, 30, 31, 33, 34, 36, 39–41, 43, 44, 47, 49, 50, 53, 54, 57, 59, 63, 66, 69–72
- multiblock_plots, 10, 12, 17–22, 25, 31, 33–36, 36, 40–44, 47, 54, 57, 70–72
- multiblock_results, 10, 12, 17–22, 25, 31, 33–36, 39, 39, 41–44, 47, 54, 57, 70–72

- par, 38, 62

pca, [8](#), [40](#)
 pcagca, [41](#), [72](#)
 pcp (sopls_results), [63](#)
 pcr, [8](#)
 plot.cvanova (sopls_results), [63](#)
 plot.lpls (lpls_results), [26](#)
 pls, [44](#)
 pls, [8](#), [31](#)
 points, [38](#), [62](#)
 popls, [43](#), [71](#)
 potato, [45](#)
 predict.lpls (lpls_results), [26](#)
 predict.rosa (rosa_results), [51](#)
 predict.sopls (sopls_results), [63](#)
 preprocess, [46](#)
 print.asca (asca_results), [6](#)
 print.cvanova (sopls_results), [63](#)
 print.multiblock (multiblock_results),
 [39](#)
 print.rosa (rosa_results), [51](#)
 print.rosaexpl (rosa_results), [51](#)
 print.SO_TDI (SO_TDI), [67](#)
 print.SO_TDI_multiple (SO_TDI), [67](#)
 print.sopls (sopls_results), [63](#)
 print.summary.asca (asca_results), [6](#)
 projections (asca_results), [6](#)

 R2.sopls (sopls_results), [63](#)
 residuals.sopls (sopls_results), [63](#)
 RMSEP.sopls (sopls_results), [63](#)
 rosa, [47](#), [49](#), [51](#), [71](#), [72](#)
 rosa.classify (rosa_results), [51](#)
 rosa_plots, [49](#), [49](#), [53](#)
 rosa_results, [49](#), [50](#), [51](#), [53](#)

 sca, [53](#), [72](#)
 scoreplot.asca (asca_plots), [4](#)
 scoreplot.multiblock
 (multiblock_plots), [36](#)
 scoreplot.sopls (sopls_plots), [60](#)
 scores.asca (asca_results), [6](#)
 scores.multiblock (multiblock_results),
 [39](#)
 scores.rosa (rosa_results), [51](#)
 scores.sopls (sopls_plots), [60](#)
 simulated, [55](#)
 smbpls, [56](#), [71](#)
 SO_TDI, [59](#), [67](#)
 sopls, [28](#), [58](#), [64](#), [71](#), [72](#)
 sopls_plots, [59](#), [60](#), [66](#)
 sopls_pm, [11](#)
 sopls_pm (SO_TDI), [67](#)
 sopls_pm_multiple (SO_TDI), [67](#)
 sopls_results, [59](#), [63](#), [63](#)
 statis, [69](#), [72](#)
 summary.asca (asca_results), [6](#)
 summary.cvanova (sopls_results), [63](#)
 summary.multiblock
 (multiblock_results), [39](#)
 summary.rosa (rosa_results), [51](#)
 summary.sopls (sopls_results), [63](#)
 supervised, [4](#), [6–8](#), [10–12](#), [17–23](#), [25](#), [26](#), [28](#),
 [30](#), [31](#), [33](#), [34](#), [36](#), [39–41](#), [43](#), [44](#), [47](#),
 [49](#), [50](#), [53](#), [54](#), [57](#), [59](#), [63](#), [66](#), [69](#), [70](#),
 [70](#), [71](#), [72](#)

 unique_combos, [71](#)
 unsupervised, [4](#), [6–8](#), [10–12](#), [17–23](#), [25](#), [26](#),
 [28](#), [30](#), [31](#), [33](#), [34](#), [36](#), [39–41](#), [43](#), [44](#),
 [47](#), [49](#), [50](#), [53](#), [54](#), [57](#), [59](#), [63](#), [66](#),
 [69–72](#), [72](#)

 wine, [73](#)