

Package ‘spectrolab’

September 14, 2021

Type Package

Title Class and Methods for Spectral Data

Version 0.0.15

Date 2021-09-14

Description Input/Output, processing and visualization of spectra taken with different spectrometers, including SVC (Spectra Vista), ASD and PSR (Spectral Evolution). Implements an S3 class 'spectra' that other packages can build on. Provides methods to access, plot, manipulate, splice sensor overlap, vector normalize and smooth spectra.

License GPL-3

URL <https://CRAN.R-project.org/package=spectrolab>

Encoding UTF-8

LazyData true

Depends R (>= 4.0), stats

Suggests covr, tinytex, knitr (>= 1.30), rmarkdown (>= 2.5), testthat (>= 3.0.0)

VignetteBuilder knitr

Imports grDevices, parallel, RColorBrewer (>= 1.0), shiny (>= 1.5.0), shinyjs (>= 1.1)

NeedsCompilation no

Author Jose Eduardo Meireles [aut, cre],
Anna K. Schweiger [aut],
Jeannine Cavender-Bares [aut]

Maintainer Jose Eduardo Meireles <jemeireles@gmail.com>

Repository CRAN

Date/Publication 2021-09-14 17:00:02 UTC

R topics documented:

| | |
|-----------------------------|---|
| aggregate.spectra | 3 |
| apply_by_band | 4 |

| | |
|---------------------------------|----|
| as.data.frame.spectra | 5 |
| as.matrix.spectra | 6 |
| as_spectra | 6 |
| as_spectra.data.frame | 7 |
| as_spectra.matrix | 8 |
| bands | 8 |
| bands<- | 9 |
| combine | 10 |
| default_spec_regions | 11 |
| dim.spectra | 11 |
| guess_splice_at | 12 |
| is_spectra | 13 |
| match_sensors | 13 |
| max.spectra | 14 |
| mean.spectra | 15 |
| median.spectra | 16 |
| meta | 17 |
| meta<- | 18 |
| min.spectra | 18 |
| names.spectra | 19 |
| names<-spectra | 20 |
| normalize | 21 |
| Ops.spectra | 22 |
| plot.spectra | 22 |
| plot_interactive | 23 |
| plot_quantile | 24 |
| plot_regions | 25 |
| print.spectra | 27 |
| quantile.spectra | 27 |
| range.spectra | 28 |
| read_spectra | 29 |
| resample | 30 |
| sd | 31 |
| sd.default | 32 |
| sd.spectra | 32 |
| smooth | 33 |
| smooth.default | 34 |
| smooth.spectra | 34 |
| smooth_moving_avg | 35 |
| smooth_spline | 36 |
| spectra | 36 |
| spectrolab | 37 |
| spec_matrix_example | 38 |
| split.spectra | 38 |
| str.spectra | 39 |
| subset_by | 40 |
| summary.spectra | 41 |
| t.spectra | 42 |

aggregate.spectra 3

| | |
|------------------------|----|
| try_keep_txt | 42 |
| value | 43 |
| value<- | 44 |
| var | 45 |
| var.default | 45 |
| var.spectra | 46 |
| [.spectra | 47 |
| [<-.spectra | 48 |

Index 49

aggregate.spectra *Aggregate spectra*

Description

Applies FUN (and FUN_meta) over spectra aggregating by factor 'by'.

Usage

```
## S3 method for class 'spectra'  
aggregate(x, by, FUN, FUN_meta = NULL, ...)
```

Arguments

| | |
|----------|---|
| x | spectra object |
| by | vector of factors to guide the aggregation |
| FUN | function to be applied to value (and meta if FUN_meta is NULL) |
| FUN_meta | function to be applied to metadata. If NULL (default), same FUN applied to value is used. |
| ... | extra args to FUN |

Details

Argument FUN_meta is useful if you want to apply a different function to metadata and value. If you want to aggregate spectra and metadata using 'mean', 'sd', 'median' etc. but try to keep the text values, wrap your function in try_keep_txt(f).

Value

spectra object

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
spec_mean = aggregate(spec, by = names(spec), mean, try_keep_txt(mean))
```

| | |
|---------------|---------------------------------------|
| apply_by_band | <i>Apply numeric function by band</i> |
|---------------|---------------------------------------|

Description

apply_by_band is conceptually similar to `apply(as.matrix(x), 2, fun)`, but returns a spectra object while dealing with metadata and attributes. Applying a function that does not act on numeric values may crash the function or render all values NA.

Usage

```
apply_by_band(x, fun, na.rm = TRUE, keep_txt_meta = TRUE, name = NULL, ...)

## S3 method for class 'spectra'
apply_by_band(x, fun, na.rm = TRUE, keep_txt_meta = TRUE, name = NULL, ...)
```

Arguments

| | |
|---------------|---|
| x | spectra |
| fun | numeric function to be applied to each band. |
| na.rm | boolean. remove NAs? |
| keep_txt_meta | boolean. try to keep text in the metadata? |
| name | name for each sample in the output spectra. The default (NULL) will give samples sequential numeric names. Recycled if necessary. |
| ... | extra arguments passed to fun |

Value

spectra

Methods (by class)

- spectra: Apply a numeric function by band

Author(s)

Jose Eduardo Meireles
Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
spec_mean = apply_by_band(spec, mean)
```

as.data.frame.spectra *Convert spectra to data.frame*

Description

Returns a data.frame that includes sample names, metadata (if present) and value data. One advantage over as.matrix, is that the metadata are returned.

Usage

```
## S3 method for class 'spectra'
as.data.frame(
  x,
  row.names = NULL,
  optional = FALSE,
  fix_names = "none",
  metadata = TRUE,
  ...
)
```

Arguments

| | |
|-----------|---|
| x | spectra object |
| row.names | does nothing. Here for compatibility with S3 generics |
| optional | does nothing. Here for compatibility with S3 generics |
| fix_names | Use make.names to normalize names? Pick one: "none" "row" "col" "both". |
| metadata | boolean. Include spectral metadata? Defaults to TRUE |
| ... | extra parameters passed to the generic as_spectra |

Value

data.frame with: sample_name, metadata (if any) and value.

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
df = as.data.frame(spec, fix_names = "none")
```

as.matrix.spectra *Convert spectra to matrix*

Description

Convert spectra to matrix

Usage

```
## S3 method for class 'spectra'  
as.matrix(x, fix_names = "none", ...)
```

Arguments

x spectra object
fix_names Use make.names to normalize names? Pick one: "none" "row" "col" "both".
... does nothing. Here for compatibility with S3 generics

Value

matrix of spectral value. columns are bands and rows are samples

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)  
spec = as_spectra(spec_matrix_example, name_idx = 1)  
mat = as.matrix(spec)
```

as_spectra *Convert matrix or data frame to spectra*

Description

Convert matrix or data frame to spectra

Usage

```
as_spectra(x, name_idx = NULL, meta_idx = NULL)
```

Arguments

| | |
|------------|---|
| x | matrix or dataframe. Samples are in rows and bands in columns. Any data that are not the spectra themselves (labels or metadata) must have their column index included in 'name_idx' or 'meta_idx's'. |
| name_idx | column index with sample names. Defaults to NULL. If NULL or 0, rownames(x) or a sequence of integers will be assigned as names. |
| meta_idx's | column indices with metadata (not name and not value). Defaults to NULL |

Value

spectra object

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
as_spectra(spec_matrix_example, name_idx = 1)
```

as_spectra.data.frame *Convert data.frame to spectra*

Description

Convert data.frame to spectra

Usage

```
## S3 method for class 'data.frame'
as_spectra(x, name_idx = NULL, meta_idx's = NULL)
```

Arguments

| | |
|------------|---|
| x | data.frame |
| name_idx | column index with sample names. Defaults to NULL. |
| meta_idx's | column indices with metadata (not name and not value). Defaults to NULL |

Value

spectra object

Author(s)

Jose Eduardo Meireles

as_spectra.matrix *Convert matrix to spectra*

Description

Convert matrix to spectra

Usage

```
## S3 method for class 'matrix'
as_spectra(x, name_idx = NULL, meta_idx = NULL)
```

Arguments

| | |
|----------|---|
| x | matrix |
| name_idx | column index with sample names. Defaults to NULL |
| meta_idx | column indices with metadata (not name and not value). Defaults to NULL |

Value

spectra object

Author(s)

Jose Eduardo Meireles

bands *Get spectra band labels*

Description

bands returns a vector of band labels from spectra

Usage

```
bands(x, min = NULL, max = NULL, return_num = TRUE)
```

```
## S3 method for class 'spectra'
bands(x, min = NULL, max = NULL, return_num = TRUE)
```

Arguments

| | |
|------------|--|
| x | spectra object |
| min | = NULL |
| max | = NULL |
| return_num | boolean. return vector of numeric values (default). otherwise, a vector of strings is returned |

`bands<-`

9

Value

vector of bands. numeric if `'return_num' = TRUE` (default).

Methods (by class)

- `spectra`: Get spectra band labels

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
head(bands(spec))
```

`bands<-` *Set band labels*

Description

`bands` sets band labels of lhs to the rhs values

Usage

```
bands(x) <- value
```

Arguments

| | |
|--------------------|----------------------|
| <code>x</code> | spectra object (lhs) |
| <code>value</code> | rhs |

Value

nothing. called for its side effect.

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
bands(spec) = bands(spec) / 1000
```

`combine`*Combine spectral datasets*

Description

`combine` binds two spectral datasets. Both spectra must have the very same band labels, but different metadata are acceptable

Usage

```
combine(s1, s2)
```

```
## S3 method for class 'spectra'  
combine(s1, s2)
```

Arguments

```
s1          spectra object 1  
s2          spectra object 2
```

Value

combined spectra object

Methods (by class)

- `spectra`: Combines two spectral datasets

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)  
  
# Create dummy spectra datasets. Pretend that these are all different...  
s1 = as_spectra(spec_matrix_example, name_idx = 1)  
s2 = as_spectra(spec_matrix_example, name_idx = 1)  
s3 = as_spectra(spec_matrix_example, name_idx = 1)  
  
# combine 2 spectra objects  
s_1and2 = combine(s1, s2)  
  
# combine n spectra objects using the `Reduce` function  
s_n = Reduce(combine, list(s1, s2, s3))
```

default_spec_regions *Return default spectral regions matrix*

Description

Return default spectral regions matrix

Usage

```
default_spec_regions()
```

Value

matrix with default_spec_regions

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
# matrix that defines regions on the spectra
# Useful for plotting w/ plot_regions()
```

dim.spectra *Get dimension of spectra*

Description

dim returns a vector with number of samples and bands (bands)

Usage

```
## S3 method for class 'spectra'
dim(x)
```

Arguments

x spectra object

Value

tuple of integers: c("n_samples", "n_bands")

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
dim(spec)
```

| | |
|-----------------|--|
| guess_splice_at | <i>Guess splice bands (bounds between sensors)</i> |
|-----------------|--|

Description

Guess splice bands (bounds between sensors)

Usage

```
guess_splice_at(x)

## S3 method for class 'spectra'
guess_splice_at(x)
```

Arguments

x spectra object

Value

vector of band values

Methods (by class)

- spectra: Guess splice bands (bounds between sensors)

Author(s)

Jose Eduardo Meireles

| | |
|------------|--------------------------------|
| is_spectra | <i>Is it a spectra object?</i> |
|------------|--------------------------------|

Description

is_spectra tests if the argument is a spectra class object

Usage

```
is_spectra(x)
```

Arguments

x any object

Value

boolean

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
spec1 = unclass(spec)
is_spectra(spec)
is_spectra(spec1)
```

| | |
|---------------|--|
| match_sensors | <i>Match spectra at sensor transitions</i> |
|---------------|--|

Description

match_sensors scales values of sensors 1 (VIS) and 3 (SWIR 2)

Usage

```
match_sensors(x, splice_at, fixed_sensor = 2, interpolate_wvl = c(5, 1))
```

```
## S3 method for class 'spectra'
```

```
match_sensors(x, splice_at, fixed_sensor = 2, interpolate_wvl = c(5, 2))
```

Arguments

| | |
|-----------------|---|
| x | spectra object |
| splice_at | bands that serve as splice points, i.e the beginnings of the rightmost sensor. Must be length 1 or 2 (max 3 sensors) |
| fixed_sensor | sensor to keep fixed. Can be 1 or 2 if matching 2 sensors. If matching 3 sensors, 'fixed_sensor' must be 2 (default). |
| interpolate_wvl | extent around splice_at values over which the splicing factors will be calculated. Defaults to 5 |

Details

Splice_at has no default because sensor transition points vary between vendors and individual instruments. The function guess_splice_at can help you guess what those values could be. However, splice_at is an important parameter though, so you should visually inspect your spectra before assigning it. Typical values in our own individual instruments were: SVC ~ c(990, 1900), ASD ~ c(1001, 1801).

If the factors used to match spectra are unreasonable, match_sensors will throw. Unreasonable factors (f) are defined as $0.5 > f > 3$ or NaN, which happens when the value for the right sensor is 0.

Value

spectra object

Methods (by class)

- spectra: Match sensor overlap regions

Author(s)

Jose Eduardo Meireles and Anna Schweiger

max.spectra

Maximum value

Description

max Returns the maximum value in a spectra object

Usage

```
## S3 method for class 'spectra'
max(..., na.rm = FALSE)
```

Arguments

... spectra object
 na.rm boolean. remove NAs? Defaults to FALSE

Value

single numeric value

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
max(spec)
```

| | |
|--------------|----------------------|
| mean.spectra | <i>Mean spectrum</i> |
|--------------|----------------------|

Description

mean computes the arithmetic mean spectrum.

Usage

```
## S3 method for class 'spectra'
mean(x, na.rm = TRUE, keep_txt_meta = TRUE, ...)
```

Arguments

x spectra
 na.rm boolean. remove NAs? Defaults to TRUE
 keep_txt_meta try to keep text in the metadata
 ... nothing

Value

single spectrum

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
mean(spec)
```

| | |
|----------------|------------------------|
| median.spectra | <i>Median spectrum</i> |
|----------------|------------------------|

Description

median computes the median spectrum

Usage

```
## S3 method for class 'spectra'
median(x, na.rm = TRUE, keep_txt_meta = TRUE, ...)
```

Arguments

| | |
|---------------|---------------------------------------|
| x | spectra |
| na.rm | boolean. remove NAs? Defaults to TRUE |
| keep_txt_meta | try to keep text in the metadata |
| ... | nothing |

Value

single spectrum

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
median(spec)
```

| | |
|------|---------------------|
| meta | <i>Get metadata</i> |
|------|---------------------|

Description

meta returns metadata of spectra

Usage

```
meta(x, label, sample, simplify = FALSE, quiet = TRUE)
```

```
## S3 method for class 'spectra'
```

```
meta(x, label = NULL, sample = NULL, simplify = FALSE, quiet = TRUE)
```

Arguments

| | |
|----------|---|
| x | spectra object |
| label | metadata column index or label |
| sample | sample index or name |
| simplify | boolean. defaults to FALSE |
| quiet | boolean. warn about non-existent metadata? defaults to TRUE |

Value

data frame or vector

Methods (by class)

- spectra: get metadata

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
spec = normalize(spec)
meta(spec, "normalization_magnitude")
```

| | |
|--------|---------------------|
| meta<- | <i>Set metadata</i> |
|--------|---------------------|

Description

meta sets metadata

Usage

```
meta(x, label, sample) <- value
```

Arguments

| | |
|--------|-----------------------|
| x | spectra object (lhs) |
| label | metadata column label |
| sample | sample name |
| value | rhs. TODO |

Value

nothing. called for its side effect

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
meta(spec, "random") = rnorm(nrow(spec), mean(10), sd = 2)
```

| | |
|-------------|----------------------|
| min.spectra | <i>Minimum value</i> |
|-------------|----------------------|

Description

min Returns the minimum value in a spectra object

Usage

```
## S3 method for class 'spectra'
min(..., na.rm = FALSE)
```

Arguments

... spectra object
na.rm boolean. remove NAs? Defaults to FALSE

Value

single numeric value

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
min(spec)
```

names.spectra *Get spectra sample names*

Description

names returns a vector of sample names

Usage

```
## S3 method for class 'spectra'
names(x)
```

Arguments

x spectra object

Value

vector of sample names

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
names(spec)
```

| | |
|-----------------|---------------------------------|
| names<-.spectra | <i>Set spectra sample names</i> |
|-----------------|---------------------------------|

Description

names assigns sample names to lhs

Usage

```
## S3 replacement method for class 'spectra'  
names(x) <- value
```

Arguments

| | |
|-------|-----------------------------|
| x | spectra object (lhs) |
| value | values to be assigned (rhs) |

Details

Sample names must not be coercible to numeric. That is, names such as "1" and "153.44" are invalid even if they are encoded as character. names will add the prefix "spec_" to any element of value that is coercible to numeric.

Value

nothing. called for its side effect.

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)  
spec = as_spectra(spec_matrix_example, name_idx = 1)  
names(spec) = toupper(names(spec))
```

| | |
|-----------|---------------------------------|
| normalize | <i>Vector normalize spectra</i> |
|-----------|---------------------------------|

Description

normalize returns a spectra obj with vector normalized values. Normalization value for each spectrum computed as $\sqrt{\sum(x^2)}$

Usage

```
normalize(x, quiet = FALSE, ...)
```

```
## S3 method for class 'spectra'  
normalize(x, quiet = FALSE, ...)
```

Arguments

| | |
|-------|--|
| x | spectra object. bands must be strictly increasing |
| quiet | boolean. Warn about change in y value units? Defaults to FALSE |
| ... | nothing |

Value

spectra object with normalized spectra

Methods (by class)

- spectra: Vector normalize spectra

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)  
spec = as_spectra(spec_matrix_example, name_idx = 1)  
spec = normalize(spec)
```

 Ops.spectra

Arithmetic operators for spectra

Description

Overloads arithmetic operators for spectra using ‘Ops.’

Usage

```
## S3 method for class 'spectra'
Ops(e1, e2)
```

Arguments

| | |
|----|-----|
| e1 | lhs |
| e2 | rhs |

Value

Depends on the operator. math operators will return spectra and logical or comparison operators will return boolean matrices

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
spec1 = spec * 2
spec2 = spec + spec
all(spec1 == spec2)
```

 plot.spectra

Plot spectra

Description

plot plots spectra.

Usage

```
## S3 method for class 'spectra'
plot(x, ylab = "value", xlab = "band", col = "black", lty = 1, type = "l", ...)
```

Arguments

| | |
|------|---|
| x | spectra object |
| ylab | label for y axis. Defaults to "value". |
| xlab | label for x axis. Defaults to "band". |
| col | line color. Defaults to "black". |
| lty | line type. Defaults to 1. |
| type | type of plot. Meant to take either line "l" or no plotting "n". |
| ... | other arguments passed to matplot. |

Value

nothing. Called for side effect.

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
plot(spec, lwd = 1.2)
```

plot_interactive *Plot spectra interactively*

Description

Interactively plots spectra with a shiny app. Useful to inspect large datasets.

Usage

```
plot_interactive(
  spec,
  colpalette = function(n) RColorBrewer::brewer.pal(n, "Dark2"),
  ...
)
```

Arguments

| | |
|------------|--|
| spec | spectra object |
| colpalette | a color palette function, e.g. rainbow, terrain.colors, or a function returned by colorRampPalette() or colorRamps package |
| ... | Other arguments passed to plot |

Details

plot_interact limits the number of spectra displayed at once to 600 for performance reasons. As of now, the function does not return anything and does not have side effects. This means that spectra can be selected and highlighted but not yet deleted or subset from the shiny app.

Value

interactive plot

Author(s)

Jose Eduardo Meireles and Anna K. Schweiger

Examples

```
## Not run:  
# Create a spectra object  
spec = as_spectra(spec_matrix_example, name_idx = 1)  
  
# Start interactive plot  
plot_interactive(spec)  
  
## End(Not run)
```

plot_quantile

Plot spectra quantiles

Description

plot_quantile plots polygons for the quantiles of spectra per band.

Usage

```
plot_quantile(  
  spec,  
  total_prob = 0.95,  
  col = rgb(0, 0, 0, 0.1),  
  border = TRUE,  
  add = FALSE,  
  na.rm = TRUE,  
  ...  
)
```


Arguments

| | |
|------------|---|
| spec | spectra object |
| total_prob | total probability mass to encompass. Single number between 0.0 and 1.0. Defaults to 0.95. |
| col | polygon color |
| border | boolean. Draw border? |
| add | if add = FALSE (default), a new plot is created. Otherwise (add = TRUE), the quantile is added to the current plot. |
| na.rm | boolean. remove NAs to compute quantiles? Defaults to TRUE |
| ... | other parameters passed to polygon() or to plot. |

Value

nothing. Called for its side effect.

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
plot_quantile(spec, total_prob = 0.5)
```

plot_regions *Plot polygons for spectral regions*

Description

plot_regions plots polygons for default (VIS, NIR, SWIR 1, SWIR 2) or customized regions of the spectrum.

Usage

```
plot_regions(
  spec,
  regions = default_spec_regions(),
  col = grDevices::rgb(0.7, 0.7, 0.7, 0.3),
  border = FALSE,
  add = TRUE,
  add_label = TRUE,
  cex_label = 1,
  ...
)
```

Arguments

| | |
|-----------|--|
| spec | spectra object |
| regions | matrix with spectral regions in columns and only two rows named "begin" and "end". Values are the bands where a spectral regions begins and ends. See details for how the default regions are defined. |
| col | color for regions. Single value or vector of length ncol (regions). |
| border | color for region borders. Defaults to FALSE (no border). |
| add | boolean. If TRUE (default) adds polygons to current plot (if a plot exists) or throws an error if a plot does not exist. If FALSE, a new plot is created **without** any spectra. |
| add_label | boolean. Add region column names on top of the polygons? |
| cex_label | label scale |
| ... | additional parameters passed to polygon(). |

Details

Default regions: spec_regions = cbind("VIS" = c(begin = 400, end = 700), "NIR" = c(begin = 800, end = 1300), "SWIR1" = c(begin = 1550, end = 1800), "SWIR2" = c(begin = 2000, end = 2400)).

Value

nothing. Called for its side effect.

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
plot_regions(spec, default_spec_regions())
plot(spec, add = TRUE)

# Alternatively, if you want to get fancy...
## Not run:
col_fun = colorRampPalette(c(rgb(1, 1, 0, 0.7),rgb(1, 0, 0, 0.7)), alpha = TRUE)
colors = col_fun(4)

plot_regions(spec,default_spec_regions(), col = colors)
plot(spec, add = TRUE)

## End(Not run)
```

| | |
|---------------|----------------------|
| print.spectra | <i>Print spectra</i> |
|---------------|----------------------|

Description

print prints basic information about the spectra obj to the console

Usage

```
## S3 method for class 'spectra'  
print(x, ...)
```

Arguments

| | |
|-----|--|
| x | spectra object |
| ... | other arguments passed to print. not implemented for spectra |

Value

nothing. called for side effect

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)  
spec = as_spectra(spec_matrix_example, name_idx = 1)  
print(spec)  
## or simply  
spec
```

| | |
|------------------|----------------------------------|
| quantile.spectra | <i>Compute spectra quantiles</i> |
|------------------|----------------------------------|

Description

quantile computes quantiles by band and returns them as 'spectra'.

Usage

```
## S3 method for class 'spectra'
quantile(
  x,
  probs = c(0.025, 0.25, 0.5, 0.75, 0.975),
  na.rm = TRUE,
  names = NULL,
  ...
)
```

Arguments

| | |
|-------|---|
| x | spectra object. Must have at least the same number of sample that length(probs) has. |
| probs | Probabilities to compute quantiles. Must be a vector of numerics between 0.0 and 1.0. Defaults to c(0.025, 0.25, 0.5, 0.75, 0.975). Duplicated probs will be removed. |
| na.rm | remove NAs before computing quantiles? Defaults to TRUE |
| names | names for each quantile spectrum. If NULL (default), names are set to 'probs'. A char vector should otherwise be given. Recycled. |
| ... | other arguments passed to quantile. |

Value

spectra object with one spectrum for each prob

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
quantile(spec, probs = c(0.25, 0.75))
```

range.spectra

Range of spectral values

Description

range Returns the range of (min, max) values in spectra

Usage

```
## S3 method for class 'spectra'
range(..., na.rm = FALSE)
```

Arguments

... spectra object
 na.rm boolean. remove NAs? Defaults to FALSE

Value

tuple of numeric values (min, max)

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
range(spec)
```

| | |
|--------------|---|
| read_spectra | <i>Read files from various formats into 'spectra'</i> |
|--------------|---|

Description

Read files from various formats into 'spectra'

Usage

```
read_spectra(
  path,
  format = NULL,
  type = "target_reflectance",
  extract_metadata = FALSE,
  exclude_if_matches = NULL,
  ignore_extension = FALSE
)
```

Arguments

path Path to directory or input files.
 format File format. Defaults to NULL so spectrolab tries to guess it from the file name. Alternatively, use "asd" for ASD; "sig" for SVC (Spectra Vista); or "sed" for PSR (Spectral Evolution)
 type Data type to read. "target_reflectance", "target_radiance", or "reference_radiance". Defaults to "target_reflectance".

`extract_metadata` Boolean. Defaults to FALSE. Only implemented for the Spectra Vista (.sig) and Spectral Evolution (.sed) file types.

`exclude_if_matches` excludes files that match this regular expression. Example: "BAD"

`ignore_extension` Boolean. If TRUE, the parser will try to read every file in path regardless of the expected extension.

Value

a single 'spectra' or a list of 'spectra' (in case files have incompatible band number or bands values)

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
dir_path = system.file("extdata", "Acer_example", package = "spectrolab")

spec      = read_spectra(path = dir_path, format = "sig")
```

resample

Resample spectra

Description

resample returns spectra resampled to new bands using spline smoothing. Possible to increase or decrease the spectral resolution.

Usage

```
resample(x, new_bands, ...)

## S3 method for class 'spectra'
resample(x, new_bands, ...)
```

Arguments

`x` spectra object. bands must be strictly increasing

`new_bands` numeric vector of bands to sample from spectra

`...` additional parameters passed to the `smooth.spline` function.

Details

resample doesn't predict values for bands outside of the original range.

Value

spectra object with resampled spectra

Methods (by class)

- spectra: Resample spectra

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
spec = resample(spec, new_bands = seq(400, 2400, 0.5), parallel = FALSE)
```

| | |
|----|---------------------------|
| sd | <i>Standard deviation</i> |
|----|---------------------------|

Description

sd computes the standard deviation spectrum. Note that values will not reflect value anymore, but the sd of the value instead.

Usage

```
sd(x, na.rm = FALSE)
```

Arguments

| | |
|-------|--|
| x | a numeric vector or an R object which is coercible to one by <code>as.double(x)</code> |
| na.rm | logical. Should missing values be removed? |

Value

standard deviation

| | |
|------------|-------------------------|
| sd.default | <i>Default variance</i> |
|------------|-------------------------|

Description

This function computes the standard deviation of the values in `x`. If `na.rm` is `TRUE` then missing values are removed before computation proceeds.

Usage

```
## Default S3 method:
sd(x, na.rm = FALSE)
```

Arguments

| | |
|--------------------|--|
| <code>x</code> | a numeric vector or an R object but not a factor coercible to numeric by <code>as.double(x)</code> . |
| <code>na.rm</code> | logical. Should missing values be removed? |

Details

Like [var](#) this uses denominator $n - 1$.

The standard deviation of a length-one or zero-length vector is `NA`.

See Also

[var](#) for its square, and [mad](#), the most robust alternative.

Examples

```
sd(1:2) ^ 2
```

| | |
|------------|------------------------------------|
| sd.spectra | <i>Standard deviation spectrum</i> |
|------------|------------------------------------|

Description

Forces `keep_txt_meta = TRUE`

Usage

```
## S3 method for class 'spectra'
sd(x, na.rm = TRUE)
```


Arguments

| | |
|-------|----------------------|
| x | spectra |
| na.rm | boolean. remove NAs? |

Value

single spectrum

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
sd(spec)
```

smooth

Generic Smoothing function

Description

Generic Smoothing function

Usage

```
smooth(x, ...)
```

Arguments

| | |
|-----|----------------------|
| x | data to smooth over |
| ... | additional arguments |

Value

smoothed data

| | |
|----------------|-----------------------------------|
| smooth.default | <i>Default smoothing function</i> |
|----------------|-----------------------------------|

Description

Default smoothing function

Usage

```
## Default S3 method:
smooth(x, ...)
```

Arguments

| | |
|-----|----------------------|
| x | data to smooth over |
| ... | additional arguments |

Value

smoothed data

| | |
|----------------|-----------------------|
| smooth.spectra | <i>Smooth spectra</i> |
|----------------|-----------------------|

Description

smooth runs each spectrum by a smoothing and returns the spectra

Usage

```
## S3 method for class 'spectra'
smooth(x, method = "spline", ...)
```

Arguments

| | |
|--------|--|
| x | spectra object. bands must be strictly increasing |
| method | Choose smoothing method: "spline" (default) or "moving_average" |
| ... | additional parameters passed to smooth.spline or parameters 'n' and 'save_bands_to_meta' for the moving average smoothing. |

Value

a spectra object of with smoothed spectra

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)

spec = as_spectra(spec_matrix_example, name_idx = 1)
spec = smooth(spec, parallel = FALSE)
```

smooth_moving_avg *Smooth moving average for spectra*

Description

Smooth moving average for spectra

Usage

```
smooth_moving_avg(x, n = NULL, save_bands_to_meta = TRUE)
```

Arguments

x spectra object
n = NULL
save_bands_to_meta
 boolean. keep lost ends of original wvls in metadata

Value

spectra object

Author(s)

Jose Eduardo Meireles

| | |
|---------------|--|
| smooth_spline | <i>Smooth spline functions for spectra</i> |
|---------------|--|

Description

Gets spline functions for each spectrum in a spectra object.

Usage

```
smooth_spline(x, parallel = TRUE, return_fn = FALSE, ...)
```

Arguments

| | |
|-----------|---|
| x | spectra object. bands must be strictly increasing |
| parallel | boolean. Do computation in parallel? Defaults to TRUE. Unfortunately, the parallelization does not work on Windows. |
| return_fn | Boolean. If TRUE, smooth_spline returns the spline functions instead of the smoothed spectra. Defaults to FALSE |
| ... | additional parameters passed to smooth.spline except nknots, which is computed internally |

Value

Smoothed spectra or, if return_fn = TRUE, a list of spline functions.

Author(s)

Jose Eduardo Meireles

| | |
|---------|-----------------------------------|
| spectra | <i>Spectra object constructor</i> |
|---------|-----------------------------------|

Description

spectra "manually" creates a spectra object

Usage

```
spectra(value, bands, names, meta = NULL, ...)
```

Arguments

| | |
|-------|---|
| value | N by M numeric matrix. N samples in rows and M bands in columns |
| bands | band names in vector of length M |
| names | sample names in vector of length N |
| meta | spectra metadata. defaults to NULL. Must be either of length or nrow equals to the number of samples (nrow(value) or length(names)) |
| ... | additional arguments to metadata creation. not implemented yet |

Value

spectra object

Note

This function resorts to an ugly hack to deal with metadata assignment. Need to think a little harder to find a solution.

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
# 1. Create a value matrix.
# In this case, by removing the first column that holds the species name
rf = spec_matrix_example[ , -1]

# (2) Create a vector with band labels that match
# the value matrix columns.
wl = colnames(rf)

# (3) Create a vector with sample labels that match
# the value matrix rows.
# In this case, use the first column of spec_matrix_example
sn = spec_matrix_example[ , 1]

# Finally, construct the spectra object using the `spectra` constructor
spec = spectra(value = rf, bands = wl, names = sn)
```

spectrolab

Spectrolab

Description

Class and methods for hyperspectral data.

spec_matrix_example *Example spectral dataset*

Description

Simulated spectral dataset as a matrix. First column hold species names and the remaining ones store the spectra values. band labels are given as column names

Usage

```
spec_matrix_example
```

Format

An object of class `matrix` (inherits from `array`) with 50 rows and 2102 columns.

Author(s)

Jose Eduardo Meireles

split.spectra *Split spectra*

Description

split a spectra object into a list of spectra according to grouping f.

Usage

```
## S3 method for class 'spectra'  
split(x, f, drop = FALSE, ...)
```

Arguments

| | |
|------|--|
| x | spectra object |
| f | factor vector defining the grouping. Must have length <code>nrow(x)</code> |
| drop | NOT used |
| ... | NOT used |

Value

list of spectra

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
spec_list = split(spec, names(spec))
```

| | |
|-------------|--|
| str.spectra | <i>Structure of the spectra object</i> |
|-------------|--|

Description

Structure of the spectra object

Usage

```
## S3 method for class 'spectra'
str(object, ...)
```

Arguments

| | |
|--------|----------------------------------|
| object | spectra object |
| ... | additional args. not implemented |

Value

prints to console

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
str(spec)
```

subset_by *Subset spectra by factor*

Description

subset_by subsets spectra by a factor ‘by’ ensuring that it appears at most ‘n_max’ times **and** at least ‘n_min’ times in the dataset.

Usage

```
subset_by(x, by, n_min, n_max, random = TRUE)

## S3 method for class 'spectra'
subset_by(x, by, n_min, n_max, random = TRUE)
```

Arguments

| | |
|--------|---|
| x | spectra object |
| by | vector coercible to factor and of same length as nrow(x) |
| n_min | int. only keep spectra with at least (inclusive) ‘n_min’ number of samples per unique ‘by’. |
| n_max | int. keep at most (incl) this number of spectra per unique ‘by’ |
| random | boolean. Sample randomly or keep first n_max? Defaults to TRUE |

Details

Note that subset_by forces you to provide both a minimum and a maximum number of spectra to be kept for each unique value of ‘by’. In case you’re interested in subsetting *only* based on ‘n_min’, set ‘n_max’ to ‘Inf’.

Value

spectra

Methods (by class)

- spectra: Subset spectra by factor

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)

# remove spec of species with less than 4 samples
spec = subset_by(spec, by = names(spec), n_min = 4, n_max = Inf)
```

| | |
|-----------------|--------------------------|
| summary.spectra | <i>Summarize spectra</i> |
|-----------------|--------------------------|

Description

Summarize spectra

Usage

```
## S3 method for class 'spectra'
summary(object, ...)
```

Arguments

| | |
|--------|--|
| object | spectra object |
| ... | additional params to summary. not used yet |

Value

nothing yet (just prints to console)

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
summary(spec)
```

| | |
|-----------|--------------------------|
| t.spectra | <i>Spectra Transpose</i> |
|-----------|--------------------------|

Description

spectra are not transposable. Transpose the value instead

Usage

```
## S3 method for class 'spectra'
t(x)
```

Arguments

x spectra

Value

nothing. operation not allowed

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
s = as_spectra(spec_matrix_example, name_idx = 1)

# This will throw an error
## Not run:
t(s)

## End(Not run)
# But these options should work
t(value(s))
t(as.matrix(s))
```

| | |
|--------------|--|
| try_keep_txt | <i>Wrap function to try to keep text</i> |
|--------------|--|

Description

Function operator returning a function f that tries to keep text.

Usage

```
try_keep_txt(f)
```

Arguments

f function to be applied

Details

try_keep_txt takes a function f as argument, typically a mathematical operation such as mean, median, etc. and returns a modified version of it that will try return a string of unique values in case function f emits a warning. Useful when aggregating over spectral metadata that has both numeric values (which you want to aggregate) and text values, which you want to keep.

Value

modified function f (f').

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
g = try_keep_txt(mean)
g(c(1, 2))
g(c("a", "b"))
```

| | |
|-------|--------------------------|
| value | <i>Get spectra value</i> |
|-------|--------------------------|

Description

value returns the value matrix from spectra

Usage

```
value(x)

## S3 method for class 'spectra'
value(x)
```

Arguments

x spectra object

Value

matrix with samples in rows and bands in columns

Methods (by class)

- spectra: Get spectra value

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
is.matrix(value(spec))
```

| | |
|---------|--------------------------|
| value<- | <i>Set spectra value</i> |
|---------|--------------------------|

Description

value Assigns the rhs to the value of the lhs spectra obj

Usage

```
value(x) <- value
```

Arguments

| | |
|-------|---------------------------------|
| x | spectra object |
| value | value to be assigned to the lhs |

Value

nothing. called for its side effect

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
# scale all reflectance values by 2
value(spec) = value(spec) * 2
```

| | |
|-----|-----------------|
| var | <i>Variance</i> |
|-----|-----------------|

Description

var computes the variance spectrum. Note that values will not reflect value anymore, but the variance of the value instead.

Usage

```
var(x, y = NULL, na.rm = FALSE, use)
```

Arguments

| | |
|-------|--|
| x | a numeric vector, matrix or data frame |
| y | NULL (default) or a vector, matrix or data frame with compatible dimensions to x. |
| na.rm | logical. Should missing values be removed? |
| use | an optional character string giving a method for computing covariances in the presence of missing values. This must be (an abbreviation of) one of the strings "everything", "all.obs", "complete.obs", "na.or.complete", or "pairwise.complete.obs" |

Value

variance

| | |
|-------------|-----------------|
| var.default | <i>Variance</i> |
|-------------|-----------------|

Description

var computes the variance spectrum. Note that values will not reflect value anymore, but the variance of the value instead.

Usage

```
## Default S3 method:
var(x, y = NULL, na.rm = FALSE, use)
```

Arguments

| | |
|-------|--|
| x | a numeric vector, matrix or data frame |
| y | NULL (default) or a vector, matrix or data frame with compatible dimensions to x. |
| na.rm | logical. Should missing values be removed? |
| use | an optional character string giving a method for computing covariances in the presence of missing values. This must be (an abbreviation of) one of the strings "everything", "all.obs", "complete.obs", "na.or.complete", or "pairwise.complete.obs" |

Value

variance

| | |
|-------------|--------------------------|
| var.spectra | <i>Variance spectrum</i> |
|-------------|--------------------------|

Description

Forces keep_txt_meta = TRUE

Usage

```
## S3 method for class 'spectra'
var(x, y = NULL, na.rm = TRUE, use)
```

Arguments

| | |
|-------|----------------------|
| x | spectra |
| y | nothing |
| na.rm | boolean. remove NAs? |
| use | nothing |

Value

single spectrum

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
var(spec)
```

[.spectra *Subset spectra*

Description

`[` Subsets spectra by sample names (rows) or (and) bands (columns)

Usage

```
## S3 method for class 'spectra'
x[i, j, simplify = TRUE]
```

Arguments

| | |
|----------|---|
| x | spectra object |
| i | Sample names (preferred), index, or a logical vector of length nrow(x) |
| j | band labels, as numeric or character or a logical vector of length ncol(x). Do not use indexes! |
| simplify | Boolean. If TRUE (default), single band selections are returned as a named vector of values |

Details

Subset operations based on samples (first argument) will match sample names or indexes, in that order. The spectra constructor ensures that names are not numeric nor are coercible to numeric, such that `x[1:2,]` will return the first and second samples in the 'spectra' object. Subsetting based on bands (second argument) matches the band labels, not indices! That is, `x[, 600]` will give you the value data for the 600nm band and not the 600th band. Boolean vectors of the appropriate length can be used to subset samples and bands.

Value

usually a spectra object, but see param 'simplify'

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)
spec = as_spectra(spec_matrix_example, name_idx = 1)
head(names(spec), n = 3)
# by name
spec1 = spec[ "species_7" , ]
spec1
# by band
spec2 = spec[ , 400:700 ]
spec2
```

[<-.spectra *Assign values to spectra*

Description

`[<-`` assigns the rhs values to spectra

Usage

```
## S3 replacement method for class 'spectra'  
x[i, j] <- value
```

Arguments

| | |
|--------------------|---|
| <code>x</code> | spectra object (lhs) |
| <code>i</code> | Sample names (preferred), index, or a logical vector of length <code>nrow(x)</code> |
| <code>j</code> | band labels, as numeric or character or a logical vector of length <code>ncol(x)</code> . Do not use indexes! |
| <code>value</code> | value to be assigned (rhs). Must either data coercible to numeric or another 'spectra' obj |

Value

nothing. modifies spectra as side effect

Author(s)

Jose Eduardo Meireles

Examples

```
library(spectrolab)  
spec = as_spectra(spec_matrix_example, name_idx = 1)  
spec[ , 400:500] = spec[ , 400:500] * 1.2  
spec
```


Index

* datasets

spec_matrix_example, 38

[.spectra, 47

[<-.spectra, 48

aggregate.spectra, 3

apply_by_band, 4

as.data.frame.spectra, 5

as.matrix.spectra, 6

as_spectra, 6

as_spectra.data.frame, 7

as_spectra.matrix, 8

bands, 8

bands<-, 9

combine, 10

default_spec_regions, 11

dim.spectra, 11

factor, 32

guess_splice_at, 12

is_spectra, 13

mad, 32

match_sensors, 13

max.spectra, 14

mean.spectra, 15

median.spectra, 16

meta, 17

meta<-, 18

min.spectra, 18

names.spectra, 19

names<- .spectra, 20

normalize, 21

Ops.spectra, 22

plot.spectra, 22

plot_interactive, 23

plot_quantile, 24

plot_regions, 25

print.spectra, 27

quantile.spectra, 27

range.spectra, 28

read_spectra, 29

resample, 30

sd, 31

sd.default, 32

sd.spectra, 32

smooth, 33

smooth.default, 34

smooth.spectra, 34

smooth_moving_avg, 35

smooth_spline, 36

spec_matrix_example, 38

spectra, 36

spectrolab, 37

split.spectra, 38

str.spectra, 39

subset_by, 40

summary.spectra, 41

t.spectra, 42

try_keep_txt, 42

value, 43

value<-, 44

var, 32, 45

var.default, 45

var.spectra, 46